

BELLSOUTH® / CLEC Agreement

Customer Name: WorldxChange Corp

WorldxChange Corp. dba Acceris	2
Adoption_Papers	3
Signature Page	8
EXHIBIT 1	9
EX2Att1-ResaleRates	10
EXHIBIT 3	19
Att_2_-_UNEs	20
Att2-UNERates	82
EX4Att3-LocalIntercRates	378
EX5Att4-ColloRates	387
EXHIBIT 6	426
Att_6_-_Ordering	427
EX7Att7-DUFCMDSRates	434
EXHIBIT 8	443
Att_9_-_Perf_Meas_Intro	444
Att_9_-_Performance_Measurements	446
EXHIBIT9	658
Att_5_-_Access_to_Numbers_and_Number_Portability	659

By and Between
BellSouth Telecommunications, Inc.
And
WorldxChange Corp

AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties (Effective Date), is entered into by and between WorldxChange Corp. d/b/a Acceris Communications Partners and d/b/a Acceris Communications Solutions, (WorldxChange), a Delaware corporation on behalf of itself, and BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(i) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, WorldxChange has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and The Other Phone Company, Inc. d/b/a Access One Communications, The Other Phone Company, Inc. d/b/a Talk America Inc. and Talk America Inc. (collectively referred to as "Talk America") dated June 12, 2002 for the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee.

NOW, THEREFORE, in consideration of the promises and mutual covenants of this Agreement, WorldxChange and BellSouth hereby agree as follows:

1. With the exceptions listed below, WorldxChange and BellSouth shall adopt in its entirety the Talk America Interconnection Agreement dated June 12, 2002 and any and all amendments to said agreement executed and approved by the appropriate Public Service Commissions as of the date of the execution of this Agreement. The Talk America Interconnection Agreement and all applicable amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment consists of the following:

ITEM	NO. PAGES
Adoption Papers	6
Exhibit 1	1
Title Page	1
General Terms and Conditions	27
Attachment 1 (Rates replaced by Exhibit 2)	23
Attachment 2	Replaced by Exhibit 3
Attachment 3 (Rates replaced by Exhibit 4)	28
Attachment 4 (Rates replaced by Exhibit 5)	77

Attachment 5	Replaced by Exhibit 9
Attachment 6	Replaced by Exhibit 6
Attachment 7 (Rates replaced by Exhibit 7)	19
Attachment 8	2
Attachment 9	Replaced by Exhibit 8
Attachment 10	9
Attachment 11	5
Exhibit 2 – Attachment 1 – Rates-Exhibit E	9
Exhibit 3 – Attachment 2 with Rates	361
Exhibit 4 – Attachment 3 – Rates-Exhibit A	9
Exhibit 5 – Attachment 4 – Rates-Exhibit B	38
Exhibit 6 – Attachment 6	8
Exhibit 7 – Attachment 7 – Rates-Exhibit A	9
Exhibit 8 – Attachment 9 – Performance Measurements	215
Exhibit 9 – Attachment 5 – Access to Numbers	5
TOTAL	852

2. The Parties agree to delete Section 1, General Terms and Conditions and replace with the following:

1. CLEC Certification

1.1 Prior to execution of this Agreement, WorldxChange agrees to provide BellSouth in writing WorldxChange’s CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the Commissions for approval.

1.2 To the extent WorldxChange is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, WorldxChange will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

3. The Parties agree to delete Sections 2.2 through 2.3.2, General Terms and Conditions and replace with the following:

2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).

2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.

2.4 If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to WorldxChange pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

4. The Parties agree to delete Section 18.3, General Terms and Conditions and replace with the following:

18.3 In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of WorldxChange or BellSouth to perform any material terms of this Agreement, WorldxChange or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

5. The Parties agree to delete Section 24, General Terms and Conditions and replace with the following:

24. **Notices**

24.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager
600 North 19th St., 8th floor
Birmingham, AL 35203

and

ICS Attorney
Suite 4300
675 W. Peachtree St.
Atlanta, GA 30375

**WorldxChange Corp. d/b/a Acceris Communications Partners and
d/b/a Acceris Communications Solutions**

Tom Jones
9775 Business Park Ave.
San Diego, CA 92131

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

24.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

24.3 Notwithstanding the foregoing, BellSouth may provide WorldxChange notice via Internet posting of price changes and changes to the terms and conditions of services available for resale per Commission Orders. BellSouth will post changes to business process and policies, notices of new service offerings, and changes to service offerings not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

6. The Parties agree to replace all Rate Exhibits in the Talk America Interconnection Agreement with new Rate Exhibits as follows:

Attachment 1 – Exhibit E is replaced by Exhibit 2
Attachment 3 – Exhibit A is replaced by Exhibit 4
Attachment 4 – Exhibit B is replaced by Exhibit 5
Attachment 7 – Exhibit A is replaced by Exhibit 7

Exhibits 2, 4, 5, and 7 are attached hereto and incorporated herein by this reference.

7. The Parties agree to replace Attachment 2 in its entirety with a new Attachment 2 attached hereto as Exhibit 3 and incorporated herein by this reference.

8. The Parties agree to replace Attachment 6 in its entirety with a new Attachment 6 attached hereto as Exhibit 6 and incorporated herein by this reference.

9. The Parties agree to replace in its entirety Attachment 9 with a new Attachment 9 attached hereto as Exhibit 8 and incorporated herein by this reference.

10. The Parties agree to replace in its entirety Attachment 5 with a new Attachment 5 attached hereto as Exhibit 9 and incorporated herein by this reference.

11. In the event that WorldxChange consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of WorldxChange under this Agreement.


12. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in Section 2.1 of the Talk America Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to Section 2.1 of the Talk America Interconnection Agreement, the effective date shall be June 12, 2002.

13. WorldxChange shall accept and incorporate any amendments to the Talk America Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc.

WorldxChange Corp. d/b/a Acceris
Communications Partners and d/b/a
Acceris Communications Solutions

By: 
Name: Kristen E Rowe
Title: Director - Negotiations
Date: 1/5/2004


By: 
Name: Tom Jones
Title: Sr. VP Marketing
Date: 12/20/2003

EXHIBIT 1

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Alabama										Attachment: 1		Exhibit: E			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %						16.30								
	Business %						16.30								
	CSAs %						16.30								
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only					SOME C	3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only					SOMAN	19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.70	84.70	14.11	14.11					
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message						0.000011								
	ODUF: Message Processing, per message						0.004101								
	ODUF: Message Processing, per Magnetic Tape provisioned						42.67								
	ODUF: Data Transmission (CONNECT:DIRECT), per message						0.000094								
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message						0.22								

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Florida										Attachment: 1		Exhibit: E			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %														
	Business %							21.83							
	CSAs %							16.81							
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only					SOME C	3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only					SOMAN	19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	12.71	12.71					
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message						0.0000071								
	ODUF: Message Processing, per message						0.002146								
	ODUF: Message Processing, per Magnetic Tape provisioned						35.91								
	ODUF: Data Transmission (CONNECT:DIRECT), per message						0.00010375								
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message						0.080698								

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Georgia															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 1		Exhibit: E	
												Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)			
	First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
APPLICABLE DISCOUNTS															
	Residence %														
	Business %														
	CSAs %														
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only					SOMEc	3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only					SOMAN	19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						102.19	61.15	12.68	6.34					
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message						0.0000068								
	ODUF: Message Processing, per message						0.002167								
	ODUF: Message Processing, per Magnetic Tape provisioned						36.06								
	ODUF: Data Transmission (CONNECT:DIRECT), per message						0.00010856								
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message						0.227409								

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Kentucky										Attachment: 1		Exhibit: E			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %						16.79								
	Business %						15.54								
	CSAs %						15.54								
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only				SOMEc		3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only				SOMAN		19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.53	93.53	15.58	15.58					
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message						0.0000136								
	ODUF: Message Processing, per message						0.002506								
	ODUF: Message Processing, per Magnetic Tape provisioned						35.90								
	ODUF: Data Transmission (CONNECT:DIRECT), per message						0.00010372								
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message						0.235889								

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Louisiana										Attachment: 1		Exhibit: E			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %					20.72									
	Business %					20.72									
	CSAs %					9.05									
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only				SOME C	3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per LSR - Resale Only				SOMAN	19.99	0.00	19.99	0.00						
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch					82.25	82.25								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117									
	ODUF: Message Processing, per message					0.004641									
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568									
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250015									

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Mississippi										Attachment: 1		Exhibit: E			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %					15.75									
	Business %					15.75									
	CSAs %					15.75									
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only				SOME C	3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per LSR - Resale Only				SOMAN	19.99	0.00	19.99	0.00						
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch					85.19	85.19	14.19	14.19						
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063									
	ODUF: Message Processing, per message					0.004707									
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669									
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.250424									

EXHIBIT 2

RESALE DISCOUNTS AND RATES - North Carolina											Attachment: 1		Exhibit: E		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %					21.50									
	Business %					17.60									
	CSAs %					17.60									
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only						3.50	0.00	3.50	0.00	SOME C				
	OSS - Manual Service Order Charge, Per LSR - Resale Only						19.99	0.00	19.99	0.00	SOMAN				
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch					188.59									
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0003									
	ODUF: Message Processing, per message					0.0032									
	ODUF: Message Processing, per Magnetic Tape provisioned					54.61									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004									
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.2285406									

EXHIBIT 2

RESALE DISCOUNTS AND RATES - South Carolina											Attachment: 1		Exhibit: E		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnec						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
	Residence %						14.80								
	Business %						14.80								
	CSAs %						8.98								
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only					SOME C	3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only					SOMAN	19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14					
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message						0.0000216								
	ODUF: Message Processing, per message						0.004704								
	ODUF: Message Processing, per Magnetic Tape provisioned						48.87								
	ODUF: Data Transmission (CONNECT:DIRECT), per message						0.00010863								
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message						0.258301								

EXHIBIT 2

RESALE DISCOUNTS AND RATES - Tennessee											Attachment: 1		Exhibit: E		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnec		SOME C	SOMAN	OSS Rates (\$)		SOMAN
							First	Add'l	First	Add'l					
APPLICABLE DISCOUNTS															
	Residence %					16.00									
	Business %					16.00									
	CSAs %					16.00									
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
	OSS - Electronic Service Order Charge, Per LSR - Resale Only						3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per LSR - Resale Only						19.99	0.00	19.99	0.00					
SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						179.60	179.60							
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000044									
	ODUF: Message Processing, per message					0.0027366									
	ODUF: Message Processing, per Magnetic Tape provisioned					52.75									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339									
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.004									

EXHIBIT 3

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1 INTRODUCTION..... 3

2 UNBUNDLED LOOPS..... 5

3 LINE SHARING 26

4 LOCAL SWITCHING..... 33

5 UNBUNDLED NETWORK ELEMENT COMBINATIONS..... 41

6 TRANSPORT, CHANNELIZATION AND DARK FIBER 45

7 DATABASES 49

8 BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENING SERVICE..... 50

9 LINE INFORMATION DATABASE (LIDB)..... 50

10 SIGNALING 53

11 AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)..... 59

12 CALLING NAME (CNAM) DATABASE SERVICE..... 59

13 SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS) ADVANCED INTELLIGENT NETWORK (AIN) ACCESS..... 60

14 OPERATIONAL SUPPORT SYSTEMS (OSS)..... 61

Rates Exhibit A

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES**1 Introduction**

- 1.1 This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to WorldxChange in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to WorldxChange (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require WorldxChange to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, “Network Element” is defined to mean a facility or equipment WorldxChange used in the provision of a qualifying service, as defined by the FCC. WorldxChange may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as “Combinations.”
- 1.3 BellSouth shall, upon request of WorldxChange, and to the extent technically feasible, provide to WorldxChange access to its Network Elements for the provision of WorldxChange’s qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 WorldxChange may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Except to the extent required by the Report and Order on Remand and Further Notice of Proposed Rulemaking (rel. Aug. 21, 2003) (TRO), any Network Elements that no longer require unbundling on a national level will no longer be available pursuant to this Agreement.
- 1.7 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element (UNE), or combination of elements that is available to WorldxChange under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring (NRC) switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be

considered termination for purposes of any volume and/or term commitments and/or grandfathered status between WorldxChange and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.8 Except to the extent expressly provided otherwise in this Attachment, for elements or combinations of elements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or non-compliant EELs), WorldxChange will submit orders to rearrange or disconnect those arrangements or services within thirty (30) calendar days of the Effective Date of this Agreement. If orders to rearrange or disconnect those arrangements or services are not received by the 31st day after the Effective Date of this Agreement, BellSouth may disconnect those arrangements or services without further notice. Where no re-termination or physical rearrangement of circuits or service is required, WorldxChange will be charged a NRC switch-as-is charge for the individual Network Element(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of circuits to comply with the terms of this Agreement, NRC charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent a Network Element requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply.
- 1.8.1 WorldxChange may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.2 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.
- 1.8.3 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.9 Commingling of Services

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications

services or facilities that WorldxChange has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.

- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment and Central Office Channel Interfaces (COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the higher grade of service.
- 1.10 If WorldxChange reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge WorldxChange for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.11 **Rates**
- 1.11.1 The prices that WorldxChange shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If WorldxChange purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.11.3 If WorldxChange modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by WorldxChange in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 Unbundled Loops

- 2.1 General
- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's CO and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device (NID), and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. WorldxChange shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to WorldxChange on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by WorldxChange. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 For hybrid loops, where WorldxChange seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide WorldxChange with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's CO and an End User's premises.

- 2.1.1.6 WorldxChange may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to WorldxChange's collocation space will require cross office cabling and cross connections within the CO to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to WorldxChange in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If WorldxChange wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), WorldxChange may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by WorldxChange (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill WorldxChange for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.
- 2.1.6 **Loop Testing/Trouble Reporting**
- 2.1.6.1 WorldxChange will be responsible for testing and isolating troubles on the Loops. WorldxChange must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1,

UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, WorldxChange will be required to provide the results of the WorldxChange tests which indicate a problem on the BellSouth provided Loop.

2.1.6.2 Once WorldxChange has isolated a trouble to the BellSouth provided Loop, and has issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.

2.1.6.3 If WorldxChange reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge WorldxChange for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.

2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by WorldxChange (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill WorldxChange for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.7 **Order Coordination and Order Coordination-Time Specific**

2.1.7.1 Order Coordination (OC) allows BellSouth and WorldxChange to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to WorldxChange's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.7.2 Order Coordination – Time Specific (OC-TS) allows WorldxChange to order a specific time for OC to take place. BellSouth will make every effort to accommodate WorldxChange's specific conversion time request. However, BellSouth reserves the right to negotiate with WorldxChange a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. WorldxChange may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If WorldxChange specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges.

Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

2.1.8 **CLEC to CLEC Conversions for Unbundled Loops**

2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by WorldxChange when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in WorldxChange's Agreement before requesting a conversion.

2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.8.3 The Loops converted to WorldxChange pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL2 (including 2 & 4W UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, WorldxChange must order & will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 **Bulk Migration**

2.1.9.1 If WorldxChange requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same CO on the same due date, WorldxChange must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the NRC rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 **Ordering Guidelines and Processes**

2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, WorldxChange should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is:
<http://www.interconnection.bellsouth.com>

2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address:
<http://www.interconnection.bellsouth.com/guides/html/unes.html>

2.2 **Unbundled Voice Loops (UVLs)**

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that WorldxChange will be able to continue to provide any advanced services over the

new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by WorldxChange. WorldxChange may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that WorldxChange may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to WorldxChange. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow WorldxChange to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 **Unbundled Digital Loops**
- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
 - 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
 - 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
 - 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
 - 2.3.2.5 4-wire Unbundled DS1 Digital Loop
 - 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below

- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. WorldxChange will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by WorldxChange or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. WorldxChange may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18kft long and may have up to 6kft of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12kft long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. This is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second

(Mbps) that is dedicated to the use of WorldxChange in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. This is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of WorldxChange for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 WorldxChange may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

2.4 **Unbundled Copper Loops (UCL)**

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 **Unbundled Copper Loop – Designed (UCL-D)**

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18kft or less in length and is provisioned according to Resistance Design parameters, may have up to 6kft of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by WorldxChange.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by WorldxChange to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by WorldxChange or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 **Unbundled Copper Loop – Non-Designed (UCL-ND)**

- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premise (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6kft of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18lft in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18kft and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, WorldxChange can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that WorldxChange may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by WorldxChange to provide a wide range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 WorldxChange may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 **Unbundled Loop Modifications (Line Conditioning)**

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18kft in length.
- 2.5.3 For any copper loop being ordered by WorldxChange which has over 6kft of combined bridged tap will be modified, upon request from WorldxChange, so that the loop will have a maximum of 6kft of bridged tap. This modification will be performed at no additional charge to WorldxChange. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a

copper loop that will result in a combined total of bridged tap between 2,500 and 6kft will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 WorldxChange may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction (SC) process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If WorldxChange requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. WorldxChange will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 WorldxChange shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that WorldxChange desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for WorldxChange, WorldxChange will submit a SI to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by WorldxChange is available at the location for which the ULM was requested, WorldxChange will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, WorldxChange will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 **Loop Provisioning Involving Integrated Digital Loop Carriers**

- 2.6.1 Where WorldxChange has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to WorldxChange. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for WorldxChange (e.g. hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.

3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.3 If no alternate facility is available, and upon request from WorldxChange, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. WorldxChange will then have the option of paying the one-time SC rates to place the Loop.

2.7 **Network Interface Device**

2.7.1 The NID is defined as any means of interconnection of the End User's premise wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premise wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit WorldxChange to connect WorldxChange's Loop facilities to the End User's premise wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 **Access to NID**

2.7.3.1 WorldxChange may access the End User's premise wiring by any of the following means and WorldxChange shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow WorldxChange to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.

2.7.3.1.2 Where an adequate length of the End User's premise wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable “punch-out” hole of such NID enclosures; or
- 2.7.3.1.4 WorldxChange may request BellSouth to make other rearrangements to the End User premise wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party’s Loop facilities from either Party’s NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be WorldxChange’s responsibility to ensure there is no safety hazard, and WorldxChange will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party’s Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 WorldxChange shall not remove or disconnect ground wires from BellSouth’s NIDs, enclosures, or protectors.
- 2.7.3.4 WorldxChange shall not remove or disconnect NID modules, protectors, or terminals from BellSouth’s NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with WorldxChange to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User’s premises and the distribution media and/or cross connect to WorldxChange’s NID.

2.7.4.3 Existing BellSouth NIDs will be provided in “as is” condition. WorldxChange may request BellSouth to do additional work to the NID on a time and material basis. When WorldxChange deploys its own local Loops in a multiple-line termination device, WorldxChange shall specify the quantity of NID connections that it requires within such device.

2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User’s point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade

Unbundled Copper Sub-Loop

Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

2.8.2.2 Unbundled Sub-Loop Distribution – Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User’s premises and may have load coils.

2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User’s point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If WorldxChange requests a UCSL and it is not available, WorldxChange may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User’s premises.

- 2.8.2.4.1 Upon request for USLD-INC from WorldxChange, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for WorldxChange's use on this cross-connect panel. WorldxChange will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, WorldxChange shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. WorldxChange's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by WorldxChange is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet WorldxChange's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: <http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before WorldxChange can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice WorldxChange's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, WorldxChange will request sub-loop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when WorldxChange requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by WorldxChange for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.
- 2.8.3 **Unbundled Network Terminating Wire (UNTW)**
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that

in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.

- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises or where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End User's premises, WorldxChange will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate WorldxChange for each pair activated commensurate to the price specified in WorldxChange's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premise, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.

- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for NRC and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a NRC charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 **Unbundled Sub-Loop Feeder**

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, WorldxChange will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90) day period, market-based rates have not been negotiated and WorldxChange has not issued the appropriate disconnect orders, BellSouth may immediately disconnect any remaining USLF elements and will bill WorldxChange any applicable disconnect charges.

2.8.5 **Unbundled Loop Concentration**

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by WorldxChange, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.8.6 **Dark Fiber Loop**

2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for WorldxChange to utilize Dark Fiber Loops.

2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.

2.8.6.3 **Requirements**

2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or

(4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.

- 2.8.6.3.2 WorldxChange is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.
- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to WorldxChange information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from WorldxChange.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to WorldxChange within twenty (20) business days after WorldxChange submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable WorldxChange to connect WorldxChange provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

2.9 **Loop Makeup**

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to WorldxChange LMU information so that WorldxChange can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment WorldxChange intends to install and the services WorldxChange wishes to provide. This section addresses LMU as a preordering transaction, distinct from WorldxChange ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide WorldxChange LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to WorldxChange as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been

requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

- 2.9.1.5 WorldxChange may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by WorldxChange and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee WorldxChange's ability to provide advanced data services over the ordered Loop type. Further, if WorldxChange orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. WorldxChange is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 **Submitting Loop Makeup Service Inquiries**

- 2.9.2.1 WorldxChange may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if WorldxChange needs further Loop information in order to determine Loop service capability, WorldxChange may initiate a separate Manual SI for a separate NRC charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <http://interconnection.bellsouth.com/guides/html/unes.html> . The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, WorldxChange may reserve up to ten (10) Loop facilities. For a Manual LMUSI, WorldxChange may reserve up to three (3) Loop facilities.
- 2.9.3.2 WorldxChange may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to WorldxChange. During and prior to WorldxChange placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If WorldxChange does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. WorldxChange will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, WorldxChange does not reserve facilities upon an initial LMUSI, WorldxChange's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where WorldxChange has reserved multiple Loop facilities on a single reservation, WorldxChange may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to WorldxChange, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by WorldxChange.

3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which WorldxChange provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and WorldxChange using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with WorldxChange. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, WorldxChange may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be

as set forth in Exhibit A. After October 1, 2004, WorldxChange may not request new Line Sharing arrangements under the terms of this Agreement.

- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the TRO.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with WorldxChange, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow WorldxChange the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. WorldxChange shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to WorldxChange on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If WorldxChange requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, WorldxChange shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and WorldxChange desires to continue providing xDSL service on such Loop, WorldxChange shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give WorldxChange notice in a reasonable time prior to disconnect,

which notice shall give WorldxChange an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and WorldxChange purchases the full stand-alone Loop, WorldxChange may elect the type of Loop it will purchase. WorldxChange will pay the appropriate recurring and NRC rates for such Loop as set forth in Exhibit A to this Attachment. In the event WorldxChange purchases a voice grade Loop, WorldxChange acknowledges that such Loop may not remain xDSL compatible.

3.1.10 If WorldxChange reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge WorldxChange for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.

3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

3.2.1 BellSouth will provide WorldxChange with access to the High Frequency Spectrum as follows:

3.2.1.1 To order High Frequency Spectrum on a particular Loop, WorldxChange must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the CO that serves the End User of such Loop.

3.2.1.2 WorldxChange may provide its own splitters or may order splitters in a CO once it has installed its DSLAM in that CO. BellSouth will install splitters within thirty-six (36) calendar days of WorldxChange's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth CRSG.

3.2.1.3 Once a splitter is installed on behalf of WorldxChange in a CO in which WorldxChange is located, WorldxChange shall be entitled to order the High Frequency Spectrum on lines served out of that CO. BellSouth will bill and WorldxChange shall pay the electronic or manual ordering charges as applicable when WorldxChange orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for WorldxChange's data.

3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a CO POTS splitter and provide WorldxChange access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to WorldxChange's xDSL equipment in WorldxChange's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide WorldxChange with a carrier notification letter, informing WorldxChange of change. WorldxChange shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. WorldxChange shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to WorldxChange's collocation area, if possible; or (ii) in a BellSouth relay rack as close to WorldxChange's DS0 termination point as possible. WorldxChange shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the CO in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for WorldxChange on the main distributing frame in the CO and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified WorldxChange DS0 at such time that a WorldxChange End User's service is established.
- 3.4 **CLEC Provided Splitter – Line Sharing**
- 3.4.1 WorldxChange may at its option purchase, install and maintain CO POTS splitters in its collocation arrangements. WorldxChange may use such splitters for access to its customers and to provide xDSL services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by WorldxChange in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. WorldxChange may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.5 **Ordering – Line Sharing**
- 3.5.1 WorldxChange shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide WorldxChange the LSR format to be used when ordering the High Frequency Spectrum.

3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.

3.5.4 BellSouth will provide WorldxChange access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and WorldxChange shall pay the rates for such services, as described in Exhibit A.

3.6 **Maintenance and Repair – Line Sharing**

3.6.1 WorldxChange shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If WorldxChange is using a BellSouth owned splitter, WorldxChange may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If WorldxChange provides its own splitter, it may test from the collocation space or the Termination Point.

3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. WorldxChange will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

3.6.3 WorldxChange shall inform its End Users to direct data problems to WorldxChange, unless both voice and data services are impaired, in which event the End Users should call BellSouth.

3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.

3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to WorldxChange, BellSouth will notify WorldxChange. WorldxChange will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, WorldxChange will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue WorldxChange's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 **Line Splitting**

3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over

the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

- 3.7.2 In the event WorldxChange provides its own switching or obtains switching from a third party, WorldxChange may engage in line splitting arrangements with another CLEC using a splitter, provided by WorldxChange, in a Collocation Arrangement at the CO where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where WorldxChange is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 WorldxChange shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if WorldxChange will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by WorldxChange or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, port, and one collocation cross connection.
- 3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing WorldxChange for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of WorldxChange or its authorized agent to determine if the Loop is compatible for Line Splitting Service. WorldxChange or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and WorldxChange or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When WorldxChange or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and

splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.

- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

3.9 Ordering – Line Splitting

- 3.9.1 WorldxChange shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide WorldxChange the LSR format to be used when ordering Line Splitting service.
- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <http://www.interconnection.bellsouth.com>.
- 3.9.4 BellSouth will provide WorldxChange access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and WorldxChange shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to WorldxChange on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from ULM set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at: <http://www.interconnection.bellsouth.com/html/unes.html>. NRC rates for this offering are as set forth in Exhibit A of this Attachment.

3.10 Maintenance – Line Splitting

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point.

WorldxChange will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.

3.10.2 WorldxChange shall inform its End Users to direct all problems to WorldxChange or its authorized agent.

3.10.3 If WorldxChange is not the data provider, WorldxChange shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Local Switching

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to WorldxChange for the provision of a telecommunications service.

4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for WorldxChange when WorldxChange: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that WorldxChange is serving any End User as described in (2) above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by WorldxChange or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.

4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the

Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.

- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to WorldxChange's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that WorldxChange purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a WorldxChange local End User, or originated by a BellSouth local End User and terminated to a WorldxChange local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge WorldxChange the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and WorldxChange shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.8 Where WorldxChange purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a WorldxChange End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge WorldxChange the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and WorldxChange shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill WorldxChange the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

4.2.10 **Unbundled Port Features**

4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.

4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.

4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process as set forth in Attachment 11.

4.2.10.4 BellSouth will provide to WorldxChange selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by WorldxChange will be made pursuant to the BFR/NBR Process.

4.2.11 **Remote Call Forwarding**

4.2.11.1 As an option, BellSouth shall make available to WorldxChange an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, WorldxChange will ensure that the following conditions are satisfied:

4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;

4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and

4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).

4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge WorldxChange the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to WorldxChange all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by WorldxChange.
- 4.2.13 **Local Switching Interfaces.**
- 4.2.13.1 WorldxChange shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;

- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of WorldxChange who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 WorldxChange shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 WorldxChange shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 WorldxChange will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for CLEC's End Users.

4.3 **Tandem Switching**

- 4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
 - 4.3.1.1 Where WorldxChange utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call

Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.3.2 Technical Requirements

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
 - 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
 - 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by WorldxChange and BellSouth;
 - 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
 - 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
 - 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
 - 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to WorldxChange.
- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from WorldxChange's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon WorldxChange's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for WorldxChange's traffic overflowing from direct end office high usage trunk groups.

- 4.4 **AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers**
- 4.4.1 Where BellSouth provides local switching to WorldxChange, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of WorldxChange. AIN SCR will provide WorldxChange with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 WorldxChange shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per CO per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by WorldxChange, the routing of WorldxChange's End User calls shall be pursuant to information provided by WorldxChange and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each CO where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, WorldxChange shall remit to BellSouth the Regional Service Order NRC charges set forth in Exhibit A of this Attachment. There shall be a NRC End Office Establishment Charge per office due at the addition of each CO where AIN SCR will be utilized. Said NRC charge shall be as set forth in Exhibit A of this Attachment. For each WorldxChange End User activated, there shall be a NRC End User Establishment charge as set forth in Exhibit A of this Attachment. WorldxChange shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order NRC charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to WorldxChange's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to WorldxChange, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the COs listed on the original order have been turned up for the service.

- 4.4.7 The NRC End Office Establishment Charge will be billed to WorldxChange following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The NRC End-User Establishment Charges will be billed to WorldxChange following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to WorldxChange following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

4.5 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.5.1 Where WorldxChange purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route WorldxChange's End User calls to that provider through Selective Call Routing.
- 4.5.2 SCR-LCC provides the capability for WorldxChange to have its OCP/DA calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.5.4 Where available, WorldxChange specific and unique LCCs are programmed in each BellSouth end office switch where WorldxChange intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify WorldxChange's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and WorldxChange intends to provide WorldxChange -branded OCP/DA to its End Users in these multiple rate areas.
- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require WorldxChange to order dedicated trunking from each BellSouth end office identified by WorldxChange, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the WorldxChange Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.

- 4.5.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by WorldxChange to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a NRC charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to “Currently Combined” Network Elements shall mean that the particular Network Elements requested by WorldxChange are in fact already combined by BellSouth in the BellSouth network. References to “Ordinarily Combined” Network Elements shall mean that the particular Network Elements requested by WorldxChange are not already combined by BellSouth in the location requested by WorldxChange but are elements that are typically combined in BellSouth’s network. References to “Not Typically Combined” Network Elements shall mean that the particular Network Elements requested by WorldxChange are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth’s network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth’s network.

5.2 Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide WorldxChange with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.2.2 High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR

51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.

5.2.3 By placing an order for a high-capacity EEL, WorldxChange thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit WorldxChange's high-capacity EELs as specified below.

5.2.4 If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.

5.2.5 Service Eligibility Criteria

5.2.5.1 WorldxChange must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

5.2.5.1.1 WorldxChange has received state certification to provide local voice service in the area being served;

5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:

5.2.5.2.1 Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;

5.2.5.2.2 Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;

5.2.5.2.3 Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

5.2.5.2.4 Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);

5.2.5.2.5 Each circuit to be provided to each End User will be served by an interconnection trunk over which WorldxChange will transmit the calling party's number in connection with calls exchanged over the trunk;

- 5.2.5.2.6 For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, WorldxChange will have at least one (1) active DS1 local service interconnection trunk over which WorldxChange will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit WorldxChange's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that WorldxChange failed to comply with the service eligibility criteria, WorldxChange must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that WorldxChange did not comply in any material respect with the service eligibility criteria, WorldxChange shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that WorldxChange did comply in all material respects with the service eligibility criteria, BellSouth will reimburse WorldxChange for its reasonable and demonstrable costs associated with the audit. WorldxChange will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event WorldxChange converts special access services to UNEs, WorldxChange shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3 UNE Port/Loop Combinations

- 5.3.1 Combinations of port and loop UNEs along with switching and transport UNEs provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.3.2 BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and Commission rules, BellSouth is not required to provide local circuit switching as a UNE.
- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill,

NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to WorldxChange if WorldxChange's customer has four (4) or more DS0 equivalent lines.

- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that WorldxChange is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by WorldxChange or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for WorldxChange's UNE port/Loop combinations. BellSouth will not bill WorldxChange for 911 surcharges. WorldxChange is responsible for paying all 911 surcharges to the applicable governmental agency.

5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable NRC switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the NRC and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and NRC rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to WorldxChange in addition to those specifically referenced in this Section 5 above, where available. To the extent WorldxChange requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

6 Transport, Channelization and Dark Fiber

6.1 Transport

6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to WorldxChange for the provision of a qualifying service, as set forth herein.

6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that WorldxChange uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.

6.1.1.2 Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;

6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to WorldxChange.

6.1.2 BellSouth shall:

6.1.2.1 Provide WorldxChange exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;

6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;

6.1.2.3 Permit, to the extent technically feasible, WorldxChange to connect such interoffice facilities to equipment designated by WorldxChange, including but not limited to, WorldxChange's collocated facilities; and

6.1.2.4 Permit, to the extent technically feasible, WorldxChange to obtain the functionality provided by BellSouth's digital cross-connect systems.

6.1.3 Technical Requirements of Common (Shared) Transport

- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 6.2 **Dedicated Transport**
- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to WorldxChange.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 WorldxChange may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.2.4 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.

6.2.6 Technical Requirements

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to WorldxChange designated traffic.
- 6.2.6.2 For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
 - 6.2.6.3.1 DS0 Equivalent;
 - 6.2.6.3.2 DS1;
 - 6.2.6.3.3 DS3; and
 - 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. WorldxChange shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
 - 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
 - 6.2.6.6.2 TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
 - 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.3 Unbundled Channelization (Multiplexing)

- 6.3.1 Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth CO. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, WorldxChange may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via COCIs. The COCI must be

compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.3.2 BellSouth shall make available the following channelization systems and interfaces:

6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.

6.3.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.

6.3.3 Technical Requirements

6.3.3.1 In order to assure proper operation with BellSouth provided CO multiplexing functionality, WorldxChange's channelization equipment must adhere strictly to form and protocol standards. WorldxChange must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.3.3.2 TR 73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995

6.4 Dark Fiber Transport

6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for WorldxChange to utilize Dark Fiber Transport.

6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, WorldxChange may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by WorldxChange, BellSouth shall perform the routine network modifications.

6.4.3 Requirements

- 6.4.3.1 BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 WorldxChange is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- 6.4.3.3 BellSouth shall use its best efforts to provide to WorldxChange information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from WorldxChange. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to WorldxChange within twenty (20) business days after WorldxChange submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable WorldxChange to connect WorldxChange provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

7 Databases

- 7.1 Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to WorldxChange.
- 7.1 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer

Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and CNAM at market based rates pursuant to a separate agreement or tariff.

8 BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At WorldxChange's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by WorldxChange.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

9 Line Information Database

- 9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, WorldxChange must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 9.2 Technical Requirements
- 9.2.1 BellSouth will offer to WorldxChange any additional capabilities that are developed for LIDB during the life of this Agreement.
- 9.2.2 BellSouth shall process WorldxChange's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to WorldxChange what additional functions (if any) are performed by LIDB in the BellSouth network.

- 9.2.3 Within two (2) weeks after a request by WorldxChange, BellSouth shall provide WorldxChange with a list of the customer data items, which WorldxChange would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of WorldxChange data to the LIDB shall be solely at the direction of WorldxChange. Such direction from WorldxChange will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for WorldxChange data upon WorldxChange's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of WorldxChange customer records will be missing from LIDB, as measured by WorldxChange audits. BellSouth will audit WorldxChange records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated WorldxChange contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to WorldxChange within one (1) business day of audit. Once reconciled records are received back from WorldxChange, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact WorldxChange to negotiate a time frame for the updates, not to exceed three (3) business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of WorldxChange's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide WorldxChange with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between WorldxChange and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of WorldxChange data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by WorldxChange in writing.
- 9.2.13 BellSouth shall provide WorldxChange performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by WorldxChange at least at parity with BellSouth Customer Data. BellSouth shall obtain from WorldxChange the screening information associated with LIDB Data Screening of WorldxChange data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to WorldxChange under the BFR/NBR process.
- 9.2.14 BellSouth shall accept queries to LIDB associated with WorldxChange customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 Interface Requirements
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. WorldxChange shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates.

WorldxChange shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

10 Signaling

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

10.2 Signaling Link Transport

10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between WorldxChange designated Signaling Points of Interconnection (SPOI) that provide appropriate physical diversity.

10.2.2 Technical Requirements

10.2.2.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:

10.2.2.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and

10.2.2.1.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).

10.2.2.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:

10.2.2.2.1 An A-link layer shall consist of two (2) links.

10.2.2.2.2 A B-link layer shall consist of four (4) links.

10.2.2.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

10.2.2.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and

10.2.2.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

10.2.3 Interface Requirements

10.2.3.1 There shall be a DS1 (1.544 Mbps) interface at WorldxChange's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

10.3 Signaling Transfer Points

10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

10.3.2 Technical Requirements

10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.

10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.

10.3.2.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a WorldxChange local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between WorldxChange local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a WorldxChange or third party local or tandem switching system directly connected

to BellSouth's SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a WorldxChange database, then WorldxChange agrees to provide BellSouth with the Destination Point Code for WorldxChange database.

- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 10.3.2.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a WorldxChange or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.
- 10.4 **SS7**
- 10.4.1 When technically feasible and upon request by WorldxChange, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with WorldxChange's SS7 network to exchange TCAP queries and responses with a WorldxChange SCP.
- 10.4.2 SS7 AIN Access shall provide WorldxChange SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and WorldxChange SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the WorldxChange SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 10.4.3 **Interface Requirements**
- 10.4.3.1 BellSouth shall provide the following STP options to connect WorldxChange or WorldxChange-designated local switching systems to the BellSouth SS7 network:
- 10.4.3.1.1 An A-link interface from WorldxChange local switching systems; and,
- 10.4.3.1.2 A B-link interface from WorldxChange local STPs.

- 10.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 **Message Screening**
- 10.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from WorldxChange local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the WorldxChange switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from WorldxChange local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the WorldxChange switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from WorldxChange from any signaling point or network interconnected through BellSouth's SS7 network where the WorldxChange SCP has a valid signaling relationship.
- 10.5 **Service Control Points (SCP)/Databases**
- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMSs provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

10.5.3 Technical Requirements for SCPs/Databases

- 10.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 10.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

10.6 Local Number Portability Database

- 10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

10.7 SS7 Network Interconnection

- 10.7.1 SS7 Network Interconnection is the interconnection of WorldxChange local signaling transfer point switches or WorldxChange local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, WorldxChange local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 10.7.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and WorldxChange or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a WorldxChange local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the WorldxChange local signaling transfer point switches and BellSouth or other third-party local switch.
- 10.7.4 SS7 Network Interconnection shall provide:
 - 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
 - 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and

- 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a WorldxChange local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of WorldxChange local STPs and shall not include SCCP Subsystem Management of the destination.
- 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
- 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 10.7.9 Interface Requirements
- 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect WorldxChange or WorldxChange-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 10.7.9.1.1 A-link interface from WorldxChange local or tandem switching systems; and
- 10.7.9.1.2 B-link interface from WorldxChange STPs.
- 10.7.9.2 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.7.9.3 BellSouth shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from WorldxChange local or tandem switching systems destined to any signaling point

in the BellSouth SS7 network with which the WorldxChange switching system has a valid signaling relationship.

11 Automatic Location Identification/Data Management System (ALI/DMS)

11.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. WorldxChange will be required to provide BellSouth daily updates to E911 database. WorldxChange shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

11.2 Technical Requirements

11.2.1 BellSouth shall provide WorldxChange the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to WorldxChange after WorldxChange provides End User information for input into the ALI/DMS database.

11.2.2 WorldxChange shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

12 Calling Name Database Service

12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides WorldxChange the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

12.2 WorldxChange shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to WorldxChange's access to BellSouth's CNAM Database Services and shall be addressed to WorldxChange's Local Contract Manager.

12.3 BellSouth's provision of CNAM Database Services to WorldxChange requires interconnection from WorldxChange to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.

12.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, WorldxChange shall provide its own CNAM SSP. WorldxChange's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".

- 12.5 If WorldxChange elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that WorldxChange desires to query.
- 12.6 If WorldxChange queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 12.7 The mechanism to be used by WorldxChange for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by WorldxChange in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of WorldxChange to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 WorldxChange CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

13 Service Creation Environment and Service Management System (SCE/SMS) Advanced Intelligent Network Access

- 13.1 BellSouth's SCE/SMS AIN Access shall provide WorldxChange the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to WorldxChange. Training, documentation, and technical

support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.

13.3 BellSouth SCP shall partition and protect WorldxChange service logic and data from unauthorized access.

13.4 When WorldxChange selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable WorldxChange to use BellSouth's SCE/SMS AIN Access to create and administer applications.

13.5 WorldxChange access will be provided via remote data connection (e.g., dial-in, ISDN).

13.6 BellSouth shall allow WorldxChange to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

14 Operational Support Systems

14.1 BellSouth has developed and made available electronic interfaces by which WorldxChange may submit LSRs electronically.

14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.

14.3 Denial/Restoral OSS Charge

14.3.1 In the event WorldxChange provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

14.4 Cancellation OSS Charge

14.4.1 WorldxChange will incur an OSS charge for an accepted LSR that is later canceled.

14.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

14.6 Network Elements and Other Services Manual Additive

14.6.1 The Commissions in some states have ordered per element manual additive NRC charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other

Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																				
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																				
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.																				
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																				
	OSS-Electronic Service Order Charge, Per LSR-UNE Only					SOMEC		3.50	0.00	3.50	0.00									
	OSS-Manual Service Order Charge, Per LSR-UNE Only					SOMAN		15.66	0.00	1.97	0.00									
UNE SERVICE DATE ADVANCEMENT CHARGE																				
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																				
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP			200.00												
UNBUNDLED EXCHANGE ACCESS LOOP																				
2-WIRE ANALOG VOICE GRADE LOOP																				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2			12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2			21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2			34.34	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL			12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL			21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL			34.34	37.81	17.56	23.49	5.30								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83											
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.16	34.16											
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.85	19.85											
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO			15.78	8.94											
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.1.)			UEANL	UEANM			13.44												
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			8.15	8.15											

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A			
						Rec	Nonrecurring		NRC Disconnect				SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	18.09												
	2-WIRE Unbundled COPPER LOOP																	
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15								
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15								
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	8.33	0.83											
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC	8.15												
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU	13.44												
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	34.16	34.16											
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA	19.85	19.85											
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO	14.27	7.43											
	UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																	
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30								
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30								
	UNBUNDLED EXCHANGE ACCESS LOOP																	
	2-WIRE ANALOG VOICE GRADE LOOP																	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09												
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09												
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.72	36.36											
	Loop Tagging-SL2 (SL2)			UEA	URETL	11.21	1.10											
	4-WIRE ANALOG VOICE GRADE LOOP																	
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50								
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50								
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09												
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.72	36.36											
	2-WIRE ISDN DIGITAL GRADE LOOP																	
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54								
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54								
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54								
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	18.09												
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO	91.63	44.16											
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44								
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	18.09												
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44								

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44							
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44							
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44							
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44							
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09										
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44							
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44							
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44							
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73							
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73							
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73							
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09										
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73							
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73							
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73							
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40									
4-WIRE DS1 DIGITAL LOOP																	
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71							
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	154.18	252.47	157.54	44.70	11.71							
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71							
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.09										
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.05									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50							
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50							
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50							
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50							
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50							
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50							
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09										
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50							
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50							
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50							
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.09										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75									
2-WIRE Unbundled COPPER LOOP																	
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44							

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)						
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	12.73		112.46	65.30	47.24	7.44								
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	14.30		112.46	65.30	47.24	7.44								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			8.15	8.15										
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCLPW	11.01		91.46	54.30	47.24	7.44								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCLPW	12.73		91.46	54.30	47.24	7.44								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCLPW	14.30		91.46	54.30	47.24	7.44								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			8.15	8.15										
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO			97.23	42.48										
	4-WIRE COPPER LOOP																		
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	17.36		135.21	88.05	51.70	9.73								
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	20.76		135.21	88.05	51.70	9.73								
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	28.21		135.21	88.05	51.70	9.73								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			8.15	8.15										
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4W	17.36		114.21	67.05	51.70	9.73								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4W	20.76		114.21	67.05	51.70	9.73								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4W	28.21		114.21	67.05	51.70	9.73								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			8.15	8.15										
	CLEC to CLEC conversion Charge w/o outside dispatch			UCL	UREWO			97.23	42.48										
	LOOP MODIFICATION																		
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L			0.00	0.00										
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft. per Unbundled Loop	I		UHL, UCL, UEA	ULM4L			0.00	0.00										
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULMBT			32.41	32.41										
	SUB-LOOPS																		
	Sub-Loop Distribution																		
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA			244.42											
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB			22.64											
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC			177.45											
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD			55.15											
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	11.21		65.80	30.96	45.25	6.70								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	11.94		65.80	30.96	45.25	6.70								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.86		65.80	30.96	45.25	6.70								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			8.15	8.15										
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.46		79.03	44.19	49.71	9.07								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	16.67		79.03	44.19	49.71	9.07								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	32.57		79.03	44.19	49.71	9.07								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			8.15	8.15										
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.27		53.01	18.17	45.25	6.70								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			8.15	8.15										
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.16		59.25	24.41	49.71	9.07								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			8.15	8.15										
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.16	34.16										
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.85	19.85										
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.22		65.80	30.96	45.25	6.70								

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.15	8.15								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.16	34.16								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.85	19.85								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.40	30.01									
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.23	28.38								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect-2W			UENTW	UNDC2		5.87	5.87								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.87	5.87								
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	8.38										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLV		20.00	20.00								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
	LINE SHARING AND LINE SPLITTING															
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
	NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
	NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	NOTE 1: Above will apply to USOCs: ULSDT and ULSC															
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															
	LINE SHARING															
	SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	188.79	0.00	177.98	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	377.58	0.00	355.96	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring		NRC Disconnect	
First	Add'l	First	Add'l														
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60		18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.40		18.51	10.60	10.01	4.92						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS			16.39	8.19								
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS			16.39	8.19								
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61		47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80		47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60		47.44	19.31	20.02	9.83						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40		47.44	19.31	20.02	9.83						
	LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61											
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61		37.01	21.19	20.02	9.83						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61		37.01	21.19	20.02	9.83						
	MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic							80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime							120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium							160.00	110.00								
	UNBUNDLED DEDICATED TRANSPORT																
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.008838											
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	21.13		40.54	27.41	16.74	6.90						
	Interoffice Channel -Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.008838											
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			U1TVX	U1TR2	21.13		40.54	27.41	16.74	6.90						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.008838											
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	18.73		40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.008838											
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.12		40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.008838											
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.12		40.54	27.41	16.74	6.90						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.18											
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	60.16		89.27	81.81	16.35	14.44						
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.09											
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	703.52		278.75	162.76	60.20	28.46						
	Interoffice Channel-Dedicated Transport-ST5-1-Per mi per mo			U1TS1	1L5XX	4.09											
	Interoffice Channel-Dedicated Transport-ST5-1-Facility Term			U1TS1	U1TFS	701.37		278.75	162.76	60.20	28.46						
	DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	23.29											
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14			639.09	137.87	317.06	197.66						
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	60.32											
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4			639.09	137.87	317.06	197.66						
	8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.00056											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X			2.58	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD				5.94	0.81	4.57	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX			5.94	0.81	4.57	0.54						

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
													Rec	Nonrecurring		NRC Disconnect	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX	2.58	1.29										
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX	3.02	1.73										
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	3.02	0.44										
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX	2.58											
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.000565											
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.000565											
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
	LIDB Common Transport Per Query			OQT		0.00002											
	LIDB Validation Per Query			OQU		0.012002											
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	34.32		42.08									
SIGNALING (CCS7)																	
	CCS7 Signaling Connection, Per 56Kbps Facility					15.46	35.53	35.53	16.44	16.44							
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	130.83											
	CCS7 Signaling Usage, Per Call Setup Message					0.0000142											
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000569											
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44							
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	29.01	29.01	35.57	35.57								
E911 SERVICE																	
	Local Channel-Dedicated-2W VG					13.97	193.10	33.17	36.64	3.20							
	Interoffice Transport-Dedicated-2W VG Per mi					0.008838											
	Interoffice Transport-Dedicated-2W VG Per Facility Term					21.13	40.54	27.41	16.74	6.90							
	Local Channel-Dedicated-DS1-Zone 1					35.76	177.47	153.72	22.19	15.26							
	Local Channel-Dedicated-DS1-Zone 2					49.98	177.47	153.72	22.19	15.26							
	Local Channel-Dedicated-DS1-Zone 3					107.63	177.47	153.72	22.19	15.26							
	Interoffice Transport-Dedicated-DS1 Per mi					0.18											
	Interoffice Transport-Dedicated-DS1 Per Facility Term					60.16	89.27	81.81	16.35	14.44							
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners-Service Establishment			OQV		22.95		21.11									
	CNAM For Non DB Owners-Service Establishment			OQV		22.95		21.11									
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV		990.88	732.84	268.93	197.74								
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV		342.33	245.14	275.25	197.74								
	CNAM for DB Owners, Per Query			OQV		0.000902											
	CNAM for Non DB Owners, Per Query			OQV		0.000902											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per					84.70	84.70	14.11	14.11								
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44							

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring		NRC Disconnect	
						First	Add'l	First	Add'l								
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC		101,098.91		8,590.70								
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70							
	Query NRC, per query			SRC		0.002749											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69							
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09							
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.83	7.83	9.09	9.09							
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06							
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.88	41.88	11.71	11.71							
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.002188											
	AIN SMS Access Service-Session, Per min					0.59											
	AIN SMS Access Service-Company Performed Session, Per min					0.73											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69							
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,202.17	4,202.17									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPTT		7.83	7.83	9.09	9.09							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.83	7.83	9.09	9.09							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.47	34.47	14.36	14.36							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.47	34.47	14.36	14.36							
	AIN Toolkit Service-Query Charge, Per Query					0.05											
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.00582											
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.05											
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.17	7.83	7.83	5.50	5.50							
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service			CAM	BAPLS	2.87	8.66	8.66									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.83	5.50	5.50							
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.10	8.66	8.66									
ENHANCED EXTENDED LINK (EELs)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																	
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44							
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44							
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44							
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.18											
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per 1/0 Channelization System in combination Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44							
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79							
	VG COC-Per mo			UNCVX	1D1VG	0.53	6.58	4.72									
	Each Add'l 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44							
	Each Add'l 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44							
	Each Add'l 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44							
	VG COC-Per mo			UNCVX	1D1VG	0.53	6.58	4.72									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98							

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50										
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50										
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50										
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50										
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50										
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50										
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50										
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50										
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50										
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71										
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71										
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																				
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71										
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71										
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71										

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09														
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46										
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83										
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72												
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71										
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71										
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71										
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																			
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44										
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44										
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44										
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.008838														
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90										
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																			
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50										
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50										
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50										
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.008838														
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90										
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																			
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	8.38														
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58										
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09														
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46										
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																			
	STS-1 Local Loop in combination-per mi per mo			UNC3X	1L5ND	8.38														
	STS-1 Local Loop in combination-Facility Term per mo			UNC3X	UDLS1	319.83	451.52	263.94	119.49	83.58										
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNC3X	1L5XX	4.09														
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNC3X	U1TFS	701.37	278.75	162.76	60.20	58.46										
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																			
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54										
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54										
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54										
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.18														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44										
	1/0 Channel System in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79										
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72												
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54										
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54										
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54										
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72												
	NRC Currently Combined Network Elements Switch -As-ls Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98										
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																			
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71										
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71										
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71										
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNC3X	1L5XX	4.09														
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNC3X	U1TFS	701.37	278.75	162.76	60.20	58.46										
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83										
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72												

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	82.55														
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	154.18														
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	314.52														
	DS1 COCI in combination per mo			UNC1X	UC1D1	12.70														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC5X	UNCCC															
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																			
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	26.09														
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	35.95														
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	37.88														
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.008838														
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	15.12														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC															
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																			
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	26.09														
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	35.95														
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	37.88														
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.008838														
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	15.12														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC															
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.38														
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	22.85														
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	36.14														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.18														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16														
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	101.06														
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.53														
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13														
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70														
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.38														
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	22.85														
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	36.14														
	Each Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.53														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16														
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	12.70														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	25.34														
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.58														
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.02														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18														
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	60.16														
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06														
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.53														
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13														

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72														
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44												
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.53	6.58	4.72														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98												
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18																
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44												
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79												
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72														
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72														
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50												
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44												
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	12.70	6.58	4.72														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98												
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44												
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79												
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72														
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72														
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50												
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72														

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring		NRC Disconnect
First	Add'l	First	Add'l													
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.18										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72								
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.41	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.18										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.18										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	12.70	6.58	4.72								
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.008838										

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
													Rec
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98			
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50			
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50			
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50			
	First 14W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.008838							
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90			
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98			
ADDITIONAL NETWORK ELEMENTS													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.													
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.													
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)													
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98			
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98			
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98			
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98			
	NRC Currently Combined Network Elements Switch -As-Is Charge-ST51			UNCSX	UNCCC		5.59	5.59	6.98	6.98			
Optional Features & Functions:													
	Clear Channel Capability Extended Frame Option-per DS1			U1TD1, ULDD1,UNC1X	CCOEF		0I	0I	0I	0I			
	Clear Channel Capability Super FrameOption-per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0I	0I	0I	0I			
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S			
	C-bit Parity Option-Subsqnt Activity-per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S			
MULTIPLEXERS													
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79			
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00			
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00			
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00			
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00			
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00			
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00			
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83			
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83			
	DS1 COCI used with Loop per mo			USL	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00			
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
Exchange Ports													
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (RES)													
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33			

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG AL res Dialing Plan w/o Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.38	2.38	2.27	1.42	1.33						
	Subsqt Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled AL extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports-2W Voice AL bus Dialing Plan w/o Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsqt Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								
	EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX AL Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.38	31.27	14.85	13.94	0.90						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.38	31.27	14.85	13.94	0.90						
	Subsqt Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSP	UEPSE	1.98	0.00	0.00								
	EXCHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.38	2.38	2.27	1.42	1.33						
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
	UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)															
	EXCHANGE PORT RATES															
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.05	119.31	18.74	59.90	3.76						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46						

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74						
	All Features Offered			UEPTX, UEPSX	UEPVF	1.98	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																
EXCHANGE PORT RATES (continued)																
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	1.11	22.03	15.93	6.40	5.79						
Detailed E911 with Locator Capability (required with UEPEX port)																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.14									
New or Additional PRI Telephone Numbers																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
New or Additional Channel																
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.53									
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53									
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.53									
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.53									
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.53									
CALL TYPES																
	Inward			UEPEX	UEPDX	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
Non-Recurring																
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBUNDLED REMOTE CALL FORWARDING - Bus																
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2	0.10	0.10								
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC	0.10	0.10								
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0007025									
	End Office Trunk Port-Shared, Per MOU					0.0001638									
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.000095									
	Tandem Trunk Port-Shared, Per MOU					0.0002015									
	Tandem Switching Function Per MOU (Melded)					0.000040993									
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000086947									
	Melded Factor: 43.15% of the Tandem Rate														
Common Transport															
	Common Transport-Per mi, Per MOU					0.0000023									
	Common Transport-Facilities Term Per MOU					0.0003224									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70									
	2W VG Loop/Port Combo-Zone 2		2			21.19									
	2W VG Loop/Port Combo-Zone 3		3			34.80									
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.55									
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	20.04									
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	33.65									
2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL	1.15	40.19	19.83	24.91	6.63					
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	40.19	19.83	24.91	6.63					
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	40.19	19.83	24.91	6.63					
	2W VG unbundled AL extended local dialing parity port with Caller ID-res			UEPRX	UEPAR	1.15	40.19	19.83	24.91	6.63					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.15	40.19	19.83	24.91	6.63					
	2W Voice Unbundled AL res Dialing Plan w/o Caller ID			UEPRX	UEPWA	1.15	40.19	19.83	24.91	6.63					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.15	40.19	19.83	24.91	6.63					
FEATURES															
	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2	0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC	0.10	0.10								
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30					
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30					
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30					
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44					
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44					
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90					

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							First	Add'l	First							Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.008838	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.55										
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.04										
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	33.65										
	2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2W VG unbundled AL extended local dialing parity port with Caller ID-bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35										
	FEATURES															
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.008838	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70										
	2W VG Loop/Port Combo-Zone 2		2			21.19										
	2W VG Loop/Port Combo-Zone 3		3			34.80										
	UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	33.65										
	2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.81	1.90								
	ADDITIONAL NRCs															

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44					
	Local Channel VG, per Term		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44					
	Local Channel VG, per Term		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44					
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.008838	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			12.70									
	2W VG Loop/Port Combo-Zone 2		2			21.19									
	2W VG Loop/Port Combo-Zone 3		3			34.80									
UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.55									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.04									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	33.65									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES															
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.91	1.90							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		7.91	1.90							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.32	7.32							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44					
	Local Channel VG, per Term		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44					
	Local Channel VG, per Term		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44					
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40					
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40					

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	21.13														
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.008838														
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																				
UNE Port/Loop Combination Rates																				
	2W VG Coin Port/Loop Combo – Zone 1		1			12.70														
	2W VG Coin Port/Loop Combo – Zone 2		2			21.19														
	2W VG Coin Port/Loop Combo – Zone 3		3			34.80														
UNE Loop Rates																				
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.55														
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.04														
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	33.65														
2-Wire Voice Grade Line Ports (COIN)																				
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63										
	2W Coin 2-Way with Oper Screening			UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63										
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.15	40.19	19.83	24.91	6.63										
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63										
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63										
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63										
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63										
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63										
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63										
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63										
ADDITIONAL UNE COIN PORT/LOOP (RC)																				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00										
LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35														
NONRECURRING CHARGES - CURRENTLY COMBINED																				
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10												
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10												
ADDITIONAL NRCs																				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83												
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.76														
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			24.23														
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			37.52														
UNE Loop Rates																				
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.38														
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	22.85														
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	36.14														
2-Wire Voice Grade Line Port Rates (Res)																				
	2W voice unbundled port-res			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77										
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77										
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77										
	2W VG unbundled AL extended local dialing parity port with Caller ID-res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77										
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77										
	2W Voice Unbundled AL res Dialing Plan w/o Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77										
INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90										
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.008838														
FEATURES																				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00							
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		8.48	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		8.48	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.76									
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.23									
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			37.52									
	UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.38									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	22.85									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	36.14									
	2-Wire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77					
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77					
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77					
	2W VG unbundled AL extended local dialing parity port with Caller ID-bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77					
	2W Voice Unbundled AL bus Dialing Plan w/o Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35									

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.008838											
FEATURES																	
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		8.48	1.87									
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		8.48	1.87									
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10									
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.76											
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.23											
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			37.52											
UNE Loop Rates																	
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.38											
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	22.85											
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	36.14											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.38	119.27	69.85	61.18	8.34							
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.38	119.27	69.85	61.18	8.34							
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 2-Way Combination PBX AL Calling Port			UEPFP	UEPA2	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34							
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34							
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00									
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.008838											
FEATURES																	
	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		8.48	1.87									
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		8.48	1.87									
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.21	1.10									
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																	
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			22.40											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.88											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			44.17											
UNE Loop Rates																	
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.38											

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	22.85									
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	36.14									
	UNE Port Rate														
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.31	1.87							
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.31	1.87							
	ADDITIONAL NRCs														
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.21	1.10							
	Telephone Number/Trunk Group Establishment Charges														
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00							
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
	UNE Port/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	27.28									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	37.86									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	53.84									
	UNE Loop Rates														
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03								
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62								
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60								
	UNE Port Rate														
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28				
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	38.51	27.02						
	ADDITIONAL NRCs														
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.21	1.10						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83						
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						
	B-CHANNEL USER PROFILE ACCESS:														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00						
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00						
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00						
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00						
	USER TERMINAL PROFILE														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00						
	VERTICAL FEATURES														
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00						
	INTEROFFICE CHANNEL MILEAGE														
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90				
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.008838	0.00	0.00						
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT														
	The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		166.87									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		238.50									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		398.85									
UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	82.55									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	154.18									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	314.52									
UNE Port Rate															
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	84.32	456.28	259.10	123.88	31.77					
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	119.07	78.56							
ADDITIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqt Actvy-Inward/two way Tel Nos			UEPPP	PR7TF		0.49								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.51								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqt Inward Tel			UEPPP	PR7ZT		23.02								
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75									
INTERFACE (Provisioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
New or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.53								
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.53								
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.53								
CALL TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
Interoffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44					
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.18									
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The UNE-P DS1 combination rates below for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		142.64									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.26									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		374.61									
UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	82.55									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	154.18									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	314.52									
UNE Port Rate															
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17					
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		129.49	67.02							
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		129.49	67.02							
ADDITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.48	14.48							

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD															
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE															
BIPOLAR & ZERO SUBSTITUTION																				
	B8ZS -Superframe Format			UEPDC	CCOSF															
	B8ZS-Extended Superframe Format			UEPDC	CCOEF															
Alternate Mark Inversion																				
	AMI -Superframe Format			UEPDC	MCOSF															
	AMI-Extended SuperFrame Format			UEPDC	MCOPO															
Telephone Number/Trunk Group Establishment Charges																				
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00														
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00														
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00														
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00													
	DID Nos, Non-consecutive DID Nos, Per No			UEPDC	ND5	0.00														
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00												
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00												
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																				
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44										
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.18	0.00	0.00												
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00												
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.18	0.00	0.00												
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00											
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.18	0.00	0.00												
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00											
	CO Terminating Point			UEPDC	CTG	0.00														
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																				
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																				
Each System can have up to 24 combinations of rates depending on type and number of ports used																				
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																				
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																				
UNE DS1 Loop																				
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00												
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00												
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00												
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																				
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	101.40	0.00	0.00												
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	202.80	0.00	0.00												
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	405.60	0.00	0.00												
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	608.40	0.00	0.00												
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	811.20	0.00	0.00												
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,014.00	0.00	0.00												
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,216.80	0.00	0.00												
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,622.40	0.00	0.00												
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,028.00	0.00	0.00												
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,433.60	0.00	0.00												
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,839.20	0.00	0.00												
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																				
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																				
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																				
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36												
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																				
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	716.11	468.04	148.75	17.65					
	Bipolar 8 Zero Substitution														
	Clear Channel Capability Format, superframe-Subsqt Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s							
	Clear Channel Capability Format-Extended Superframe-Subsqt Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s							
	Alternate Mark Inversion (AMI)														
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
	Exchange Ports														
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00					
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00					
	Unbundled Exchange Ports, 2W Channelized - Outdial - (AL, KY, LA, MS, & TN)(Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15									
	Unbundled Exchange Ports, 2W Channelized - Combination (AL, KY, LA, MS, & TN) (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.15									
	2W Channelized PBX Area Calling Service Combination Port (AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00							
	2W Channelized PBX Area Calling Service Outgoing Only Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00							
	Feature Activations - Unbundled Loop Concentration														
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.56	54.55								
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.56	77.03								
	Telephone Number/ Group Establishment Charges for DID Service														
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
	Local Number Portability														
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
	FEATURES - Vertical and Optional														
	Local Switching Features Offered with Line Side Ports Only														
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00							
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES														
	1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.														
	2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.														
	3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.														
	4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.														
	5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.														
	UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.70									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		21.19									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		34.80									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.53									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		24.00									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		37.29									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	11.55									

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Inter im	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							First	Add'l	First							Add'l
											SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	36.14										
UNE Ports																
All States (Except NC and SC)																
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY, LA, MS, & TN Only																
	2W VG Port (Centrex)			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local Switching																
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local Number Portability																
	Local No Portability (1 per port)			UEP91	LNPC C	0.35										
Features																
	All Standard Features Offered, per port			UEP91	UEPVF	1.98										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.52									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98										
NARS																
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-India			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP91	UARO X	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.008838										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21									
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.02									
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									
Additional Non-Recurring Charges (NRC)																
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN	11.21	1.10															
	UNE-P CENTREX - 5ESS (Valid in All States)																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
	UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.70																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.19																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		34.80																
	UNE Port/Loop Combination Rates (Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.53																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.00																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		37.29																
	UNE Loop Rate																					
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.55																
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	20.04																
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	33.65																
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.38																
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	22.85																
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	36.14																
	UNE Port Rate																					
	All States																					
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77												
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77												
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63												
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63												
	AL, KY, LA, MS, SC, & TN Only																					
	2W VG Port (Centrex)			UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77												
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63												
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63												
	Local Switching																					
	Centrex Intercom Functionality, per port			UEP95	URECS	0.5488																
	Local Number Portability																					
	Local No Portability (1 per port)			UEP95	LNPCC	0.35																
	Features																					
	All Standard Features Offered, per port			UEP95	UEPVF	1.98																
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52															
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98																
	NARS																					
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00												
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
	Trunk Side Terms, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76												
	4-Wire Digital (1.544 Megabits)																					
	DS1 Circuit Terms, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46												
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48															
	Interoffice Channel Mileage - 2-Wire																					
	Interoffice Channel Facilities Term			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90												
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.008838																
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																					
	D4 Channel Bank Feature Activations																					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56																

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring		NRC Disconnect
First	Add'l	First	Add'l													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.10	0.10									
	Conversion of Existing Centrex Common Block, each			UEP95	USACN	37.75	16.58									
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL	8.33	0.83									
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN	11.21	1.10									
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		12.70										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.19										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		34.80										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		15.53										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.00										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		37.29										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.55										
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.04										
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	33.65										
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.38										
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	22.85										
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	36.14										
	UNE Port Rate															
	ALL STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77												
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63												
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63												
AL, KY, LA, MS, SC, & TN Only																						
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	40.19	19.83	24.91	6.63												
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77												
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77												
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63												
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63												
Local Switching																						
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.5488																
Local Number Portability																						
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35																
Features																						
	All Standard Features Offered, per port			UEP9D	UEPVF	1.98																
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.52															
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98																
NARS																						
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00												
Miscellaneous Terminations																						
2-Wire Trunk Side																						
	Trunk Side Terms, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76												
4-Wire Digital (1.544 Megabits)																						
	DS1 Circuit Terms, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46												
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.48															
Interoffice Channel Mileage - 2-Wire																						
	Interoffice Channel Facilities Term			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90												
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.008838																
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																						
D4 Channel Bank Feature Activations																						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56																

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per ELEC	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.56															
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56															
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56															
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10													
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58													
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21														
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21														
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73														
	Additional Non-Recurring Charges (NRC)																				
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83													
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10													
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																				
	UNE Port/Loop Combination Rates (Non-Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.70															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		21.19															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		34.80															
	UNE Port/Loop Combination Rates (Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.53															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		24.00															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		37.29															
	UNE Loop Rate																				
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.55															
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	20.04															
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	33.65															
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	14.38															
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	22.85															
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	36.14															
	UNE Port Rate																				
	AL, FL, KY, LA, MS, & TN only																				
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77											
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	90.38	57.27	48.66	8.77											
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63											
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63											
	AL, KY, LA, MS, & TN Only																				
	2W VG Port (Centrex)			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63											
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77											
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77											
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63											
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63											
	Local Switching																				
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.5488															
	Local Number Portability																				
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35															
	Features																				
	All Standard Features Offered, per port			UEP9E	UEPVF	1.98															
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52														
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98															
	NARS																				
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00											

UNBUNDLED NETWORK ELEMENTS - Alabama												Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register-Initial			UEP9E	UAR1X	0.00															
	Unbundled Network Access Register-Outdial			UEP9E	UARO	0.00															
	Miscellaneous Terminations																				
	2-Wire Trunk Side																				
	Trunk Side Terms, each			UEP9E	CEND6	8.05		119.31	18.74	59.90	3.76										
	4-Wire Digital (1.544 Megabits)																				
	DS1 Circuit Terms, each			UEP9E	M1HD1	60.09		202.02	95.69	72.59	2.46										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00		14.48													
	Interoffice Channel Mileage - 2-Wire																				
	Interoffice Channel Facilities Term			UEP9E	M1GBC	21.13		40.54	27.41	16.74	6.90										
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.008838															
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																				
	D4 Channel Bank Feature Activations																				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56															
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.56															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.56															
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56															
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.56															
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2			0.10	0.10												
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN			37.75	16.58												
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00		667.21													
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00		667.21													
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00		72.73													
	Additional Non-Recurring Charges (NRC)																				
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL			8.33	0.83												
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN			11.21	1.10												
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)																				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																				
	UNE Port/Loop Combination Rates (Non-Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.70															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		21.19															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		34.80															
	UNE Port/Loop Combination Rates (Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.53															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		24.00															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		37.29															
	UNE Loop Rate																				
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.55															
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	20.04															
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	33.65															
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.38															
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	22.85															
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	36.14															
	UNE Port Rate																				
	AL, KY, LA, MS, & TN only																				
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.15		90.38	57.27	48.66	8.77										
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15		90.38	57.27	48.66	8.77										
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15		40.19	19.83	24.91	6.63										
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex)			UEP93	UEPQA	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15		40.19	19.83	24.91	6.63										
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15		40.19	19.83	24.91	6.63										

UNBUNDLED NETWORK ELEMENTS - Alabama														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77							
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77							
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63							
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63							
	Local Switching																
	Centrex Intercom Functionality, per port			UEP93	URECS	0.5488											
	Local Number Portability																
	Local No Portability (1 per port)			UEP93	LNPCC	0.35											
	Features																
	All Standard Features Offered, per port			UEP93	UEPVF	1.98											
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98											
	NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00							
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terms, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76							
	4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46							
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48										
	Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.008838											
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56											
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.56											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.56											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.56											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56											
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56											

UNBUNDLED NETWORK ELEMENTS - Alabama											Attachment: 2		Exhibit: A											
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)											
													Rec	Nonrecurring		NRC Disconnect		SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																							
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2	0.10	0.10																	
	Conversion of Existing Centrex Common Block, each			UEP93	USACN	37.75	16.58																	
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21																	
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21																	
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73																	
	Additional Non-Recurring Charges (NRC)																							
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL	8.33	0.83																	
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN	11.21	1.10																	
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD																							
	Note 2 - Requires Interoffice Channel Mileage																							
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																							
	Note 4 - Requires Specific Customer Premises Equipment																							
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEC		3.50	0.00	3.50	0.00					
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		11.90	0.00	1.83	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		10.69	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		15.20	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		26.97	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		10.69	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		15.20	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		26.97	49.57	22.83	25.62	6.57				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33		0.83					
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			48.65		48.65					
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			23.95		23.95					
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO			15.78		8.94					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.49							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			9.00		9.00					

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	23.02								
	2-WIRE Unbundled COPPER LOOP													
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45				
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45				
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	8.33	0.83							
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC	9.00								
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU	13.49								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	48.65		48.65						
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA	23.95		23.95						
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO	14.27		7.43						
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57				
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01				
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01				
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.71		36.35						
	Loop Tagging-SL2 (SL2)			UEA	URETL	11.21		1.10						
	4-WIRE ANALOG VOICE GRADE LOOP													
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56				
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56				
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.71		36.35						
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71				
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71				
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71				
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO	91.61		44.15						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63				
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63				
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	23.02								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12				
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12				

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.19	40.39							
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39							
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.12	40.39							
	4-WIRE DS1 DIGITAL LOOP														
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53					
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	100.54	313.75	181.48	61.22	13.53					
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.07	43.04							
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56					
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56					
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56					
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56					
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56					
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02								
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56					
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56					
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.11	49.74							
	2-WIRE Unbundled COPPER LOOP														
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.80		148.50	102.82	75.05	15.63				
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	20.94		148.50	102.82	75.05	15.63				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			9.00	9.00						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	8.30		123.81	70.09	60.64	9.12				
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.80		123.81	70.09	60.64	9.12				
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	20.94		123.81	70.09	60.64	9.12				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			9.00	9.00						
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL -D)			UCL	UREWO			97.21	42.47						
	4-WIRE COPPER LOOP														
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	11.83		177.87	132.76	77.15	17.73				
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	16.81		177.87	132.76	77.15	17.73				
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	29.82		177.87	132.76	77.15	17.73				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			9.00	9.00						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	11.83		153.18	100.03	62.74	11.22				
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	16.81		153.18	100.03	62.74	11.22				
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	29.82		153.18	100.03	62.74	11.22				
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC			9.00	9.00						
	CLEC to CLEC Conversion Charge w/o outside dispatch			UCL	UREWO			97.21	42.47						
	LOOP MODIFICATION														
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L			0.00	0.00						
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft. per Unbundled Loop			UHL, UCL, UEA	ULM4L			0.00	0.00						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,	ULMBT			10.52	10.52						
	SUB-LOOPS														
	Sub-Loop Distribution														
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA			487.23							
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB			6.25							
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC			169.25							
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD			38.65							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.46		60.19	21.78	47.50	5.26				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	9.18		60.19	21.78	47.50	5.26				
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	16.29		60.19	21.78	47.50	5.26				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			9.00	9.00						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.37		68.83	30.42	49.71	6.60				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	10.47		68.83	30.42	49.71	6.60				
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.58		68.83	30.42	49.71	6.60				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			9.00	9.00						
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.96		51.84	13.44	47.50	5.26				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			9.00	9.00						
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9.37		55.91	17.51	49.71	6.60				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC			9.00	9.00						
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			48.65	48.65						
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			23.95	23.95						
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.15		60.19	21.78	47.50	5.26				

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		48.65	48.65								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		23.95	23.95								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4572	18.02									
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		71.49	48.87								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		113.89	89.07								
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		7.63	7.63								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		7.63	7.63								
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.92										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
	LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLP		52.17	52.17								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	LINE SHARING AND LINE SPLITTING															
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
	NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
	NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	NOTE 1: Above will apply to USOCs: ULSDT and UL SCT															
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															
	LINE SHARING															
	SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00	347.90	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activator-deactivation (per LSOD)			ULS	ULSDG		173.66	0.00	97.42	0.00						
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	3.98							29.68	21.28	19.57	9.61				
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	5.97							29.68	21.28	19.57	9.61				
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(BST Owned Splitter)			ULS	ULSDS								21.68	16.44						
	Line Sharing-per Subsqnt Activity per Line Rearrangement -(DLEC Owned Splitter)			ULS	ULSCS								21.68	16.44						
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61							47.44	19.31	20.67	12.74				
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99							47.44	19.31	20.67	12.74				
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98							47.44	19.31	20.67	12.74				
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97							47.44	19.31	20.67	12.74				
LINE SPLITTING																				
END USER ORDERING-CENTRAL OFFICE BASED																				
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61														
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61							29.68	21.28	19.57	9.61				
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	1.134							29.68	21.28	19.57	9.61				
MAINTENANCE																				
	No Trouble Found-per 1/2 hour increments-Basic												80.00	55.00						
	No Trouble Found-per 1/2 hour increments-Overtime												120.00	82.50						
	No Trouble Found-per 1/2 hour increments-Premium												160.00	110.00						
UNBUNDLED DEDICATED TRANSPORT																				
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																				
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0091														
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	25.32							47.35	31.78	18.31	7.03				
	Interoffice Channel -Dedicated Transport t-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0091														
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			U1TVX	U1TR2	25.32							47.35	31.78	18.31	7.03				
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0091														
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.58							47.35	31.78	18.31	7.03				
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0091														
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	18.44							47.35	31.78	18.31	7.03				
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0091														
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	18.44							47.35	31.78	18.31	7.03				
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.1856														
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	88.44							105.54	98.47	21.47	19.05				
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	3.87														
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	1,071.00							335.46	219.28	72.03	70.56				
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	3.87														
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	1,056.00							335.46	219.28	72.03	70.56				
DARK FIBER																				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	26.85														
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14								751.34	193.88	356.21	230.11				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	55.04														
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4								751.34	193.88	356.21	230.11				
8XX ACCESS TEN DIGIT SCREENING																				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252														
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X								4.15	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD									8.78	1.18	5.77	0.70				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX								8.78	1.18	5.77	0.70				

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect		SOMEC
						First	Add'l	First	Add'l								
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX	4.15	2.07										
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX	4.85	2.78										
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	4.85	0.70										
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX	4.15	4.15										
	8XX Access Ten Digit Screening, w/8FL No. Delivery, per query			OHD		0.0006252											
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006252											
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
	LIDB Common Transport Per Query			OQT		0.0000203											
	LIDB Validation Per Query			OQU		0.0136959											
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	55.13	55.13	55.13	55.13								
SIGNALING (CCS7)																	
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	135.05											
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000607											
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31							
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	46.03	46.03	46.03	46.03								
E911 SERVICE																	
	Local Channel-Dedicated-2W VG-Zone 1					21.94	265.84	46.97	37.63	4.00							
	Local Channel-Dedicated-2W VG-Zone 2					29.62	265.84	46.97	37.63	4.00							
	Local Channel-Dedicated-2W VG-Zone 3					57.22	265.84	46.97	37.63	4.00							
	Interoffice Transport-Dedicated-2W VG Per mi					0.0091											
	Interoffice Transport-Dedicated-2W VG Per Facility Term					25.32	47.35	31.78	18.31	7.03							
	Local Channel-Dedicated-DS1-Zone 1					35.28	216.65	183.54	21.47	19.05							
	Local Channel-Dedicated-DS1-Zone 2					47.63	216.65	183.54	21.47	19.05							
	Local Channel-Dedicated-DS1-Zone 3					92.01	216.65	183.54	21.47	19.05							
	Interoffice Transport-Dedicated-DS1 Per mi					0.1856											
	Interoffice Transport-Dedicated-DS1 Per Facility Term					88.44	105.54	98.47	21.47	19.05							
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners-Service Establishment			OQV		25.35	25.35	19.01	19.01								
	CNAM For Non DB Owners-Service Establishment			OQV		25.35	25.35	19.01	19.01								
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV		1,592.00	1,177.00	352.36	259.09								
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV		546.51	393.82	358.06	259.09								
	CNAM for DB Owners, Per Query			OQV		0.001024											
	CNAM for Non DB Owners, Per Query			OQV		0.001024											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per					93.55	93.55	12.71	12.71								
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00							
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC	193,444.00			7,737.00								
	End Office Establishment			SRC	SRCEO	187.36	187.36	0.69	0.69								
	Query NRC, per query			SRC		0.0031868											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE	43.56	43.56	44.93	44.93								
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP	8.64	8.64	10.03	10.03								
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P	8.64	8.64	10.03	10.03								
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU	38.66	38.66	29.88	29.88								
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC	75.10	75.10	12.93	12.93								

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)						0.0028								
	AIN SMS Access Service-Session, Per min						0.7809								
	AIN SMS Access Service-Company Performed Session, Per min						0.4609								
AIN - BELLSOUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93					
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,439.00	8,439.00							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PDDP				BAPTO		38.06	38.06	15.86	15.86					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTC		38.06	38.06	15.86	15.86					
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86					
	AIN Toolkit Service-Query Charge, Per Query						0.0535927								
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query						0.0063698								
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes						0.06								
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS		8.34	8.64	6.08	6.08					
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS		3.73	9.56							
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS		4.73	8.64	6.08	6.08					
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES		0.12	9.56							
ENHANCED EXTENDED LINK (EELS)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.															
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.															
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2		12.24	127.59	60.54	42.79	2.81				
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2		17.40	127.59	60.54	42.79	2.81				
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2		30.87	127.59	60.54	42.79	2.81				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX		0.1856								
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per 1/0 Channelization System in combination Per mo			UNC1X	U1TF1		88.44	174.46	122.46	45.61	17.95				
	VG COCI-Per mo			UNC1X	MQ1		146.77	101.42	71.62						
	VG COCI-Per mo			UNCVX	1D1VG		1.38	10.07	7.08	0.00	0.00				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2		12.24	127.59	60.54	42.79	2.81				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2		17.40	127.59	60.54	42.79	2.81				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2		30.87	127.59	60.54	42.79	2.81				
	VG COCI-Per mo			UNCVX	1D1VG		1.38	10.07	7.08	0.00	0.00				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNC1X			8.98	8.98	8.98	8.98				
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4		18.89	127.59	60.54	42.79	2.81				
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4		26.84	127.59	60.54	42.79	2.81				
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4		47.62	127.59	60.54	42.79	2.81				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX		0.1856								
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1		88.44	174.46	122.46	45.61	17.95				
	1/0 Channel System in combination Per mo			UNC1X	MQ1		146.77	101.42	71.62						
	VG COCI in combination-per mo			UNCVX	1D1VG		1.38	10.07	7.08	0.00	0.00				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4		18.89	127.59	60.54	42.79	2.81				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4		26.84	127.59	60.54	42.79	2.81				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4		47.62	127.59	60.54	42.79	2.81				

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Attachment: 2				Exhibit: A	
						Rec	Nonrecurring		NRC Disconnect		Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l	First	Add'l						
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per 1/0 Channel System in combination Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNC1X	MQ1	146.77	101.42	71.62								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per 1/0 Channel System in combination Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNC1X	MQ1	146.77	101.42	71.62								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1856										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per 1/0 Channel System in combination Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	3.87										
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
	3/1Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0091										

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Attachment: 2				Exhibit: A						
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disco 1st	Incremental Charge - Manual Order vs. Electronic-Disco Add'l	Incremental Charge - Manual Order vs. Electronic-Disco Add'l		
										First	Add'l	First	Add'l						
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	25.32													
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC														
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																		
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81									
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81									
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81									
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0091													
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98									
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																		
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.92													
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82									
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	3.87													
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98									
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																		
	STS-1 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.92													
	STS-1 Local Loop in combination-Facility Term per mo			UNC3X	UDLS1	426.60	249.97	162.05	67.10	26.82									
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNC3X	1L5XX	3.87													
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNC3X	U1TFS	1,056.00	314.45	130.88	38.60	18.23									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98									
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																		
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81									
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81									
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81									
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1856													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95									
	1/0 Channel System in combination-per mo			UNC1X	MQ1	146.77	101.42	71.62											
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00									
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81									
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81									
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81									
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98									
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																		
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45									
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45									
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45									
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNC3X	1L5XX	3.87													
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNC3X	U1TFS	1,056.00	314.45	130.88	38.60	18.23									
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07									
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00									
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45									
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45									
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45									
	DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00									
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98									
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																		
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81									
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81									
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81									

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0091														
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																				
	4W 64 kbps Lcoal Loop in Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81										
	4W 64 kbps Lcoal Loop in Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81										
	4W 64 kbps Lcoal Loop in Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0091														
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81										
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81										
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81										
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1856														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	146.77	101.42	71.62												
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00										
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81										
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81										
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81										
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81										
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81										
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81										
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1856														
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62												
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00										
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00										

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Attachment: 2				Exhibit: A				
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disco 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disco Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disco Add'l
										First	Add'l	First	Add'l				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	8.98	8.98	8.98	8.98								
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81							
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81							
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1856											
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62									
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00							
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07							
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81							
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81							
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81							
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856											
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	8.98	8.98	8.98	8.98								
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81							
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81							
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1856											
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	146.77	101.42	71.62									
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00							
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07							
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81							
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856											
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95							
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	8.98	8.98	8.98	8.98								
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	27.40														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	48.62														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1856														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	146.77	101.42	71.62												
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00										
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07										
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81										
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81										
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81										
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45										
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45										
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45										
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1856														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	3/1 Channel System in combination per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07										
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1856														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95										
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00										
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45										
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45										
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																				
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81										
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81										
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81										
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0091														
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98										
EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																				
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81										
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81										
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81										
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0091														
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A																			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)																		
													Rec	Nonrecurring		NRC Disconnect		SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN								
														First	Add'l	First	Add'l														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	8.98	8.98	8.98	8.98																						
ADDITIONAL NETWORK ELEMENTS																															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																															
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																															
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC	8.98	8.98	8.98	8.98																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC	8.98	8.98	8.98	8.98																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC	8.98	8.98	8.98	8.98																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC	8.98	8.98	8.98	8.98																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC	8.98	8.98	8.98	8.98																						
Optional Features & Functions:																															
	Clear Channel Capability Extended Frame Option-per DS1	i		U1TD1, ULDD1,UNC1X	CCOEF	0l	0l	0l	0l																						
	Clear Channel Capability Super FrameOption-per DS1	i		U1TD1, ULDD1,UNC1X	CCOSF	0l	0l	0l	0l																						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	i		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.92S	23.82S	2.07S	0.8S																						
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3	219.09S	7.67S	0.773S	0S																						
MULTIPLEXERS																															
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	146.77	101.42	71.62																							
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08																							
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00																					
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	3.66	10.07	7.08																							
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00																					
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08																							
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00																					
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07																					
	STS-1 to DS1 Channel System per mo			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07																					
	DS1 COCI used with Loop per mo			USL	UC1D1	13.76	10.07	7.08																							
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00																					
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00																					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00																					
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																															
Exchange Ports																															
2-WIRE VOICE GRADE LINE PORT RATES (RES)																															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80																					
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80																					
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80																					
	Exchange Ports-2W VG unbundled FL area calling with Caller ID-			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80																					
	Exchange Ports-2W VG unbundled FL res Area Calling Plan, w/o Caller ID capability			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80																					
	Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80																					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W VG unbundled FL extended dialing port for use with CREX7, w/o Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80					
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80					
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00							
	FEATURES														
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00							
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80					
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80					
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80					
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80					
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00							
	FEATURES														
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00							
	EXCHANGE PORT RATES (DID & PBX)														
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.40	39.06	18.18	12.35	0.7187					
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.40	39.06	18.18	12.35	0.7187					
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.40	39.06	18.18	12.35	0.7187					
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.40	39.06	18.18	12.35	0.7187					
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187					
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187					
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00							
	FEATURES														
	All Available Vertical Features			UEPSP	UEPSE	2.26	0.00	0.00							
	EXCHANGE PORT RATES (COIN)														
	Exchange Ports-Coin Port					1.40	3.74	3.63	1.88	1.80					
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.														
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
	EXCHANGE PORT RATES														
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.73	78.41	15.82	41.94	4.26					
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10					
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93					
	All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00							
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00							
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.														
	EXCHANGE PORT RATES (continued)														

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)					
							First	Add'l	First	Add'l							SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23												
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23												
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77											
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	CNC1X	7.50	155.00	14.00													
	Detailed E911 with Locator Capability (required with UEPEX port)																					
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,809.00		151.12													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.66															
	New or Additional PRI Telephone Numbers																					
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0699	0.5412															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0699	12.71	12.71														
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.5412															
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42														
	LOCAL NUMBER PORTABILITY																					
	Local No Portability (1 per port)			UEPEX	UEPDX	LNPCN	1.75															
	INTERFACE (Provisioning Only)																					
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00														
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00														
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00														
	New or Additional Channel																					
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48															
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48															
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48															
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00																
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00																
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	15.48															
	CALL TYPES																					
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00													
	Outward			UEPEX	PR7CO	0.00	0.00	0.00														
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00														
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																					
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																					
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80												
	Non-Recurring																					
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-			UEPVR	USAC2		0.102	0.102														
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102														
	UNBUNDLED REMOTE CALL FORWARDING - Bus																					
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80												
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80												
	Non-Recurring																					
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-			UEPVB	USAC2		0.102	0.102														
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102														
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																					
	End Office Switching (Port Usage)																					

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	End Office Switching Function, Per MOU					0.0007662														
	End Office Trunk Port-Shared, Per MOU					0.000164														
	Tandem Switching (Port Usage) (Local or Access Tandem)																			
	Tandem Switching Function Per MOU					0.0001319														
	Tandem Trunk Port-Shared, Per MOU					0.000235														
	Tandem Switching Function Per MOU (Melded)					0.000027185														
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000048434														
	Melded Factor: 20.61% of the Tandem Rate																			
	Common Transport																			
	Common Transport-Per mi, Per MOU					0.0000035														
	Common Transport-Facilities Term Per MOU					0.0004372														
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																			
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																			
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																			
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																			
	The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections.																			
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																			
	UNE Port/Loop Combination Rates																			
	2W VG Loop/Port Combo-Zone 1		1			10.94														
	2W VG Loop/Port Combo-Zone 2		2			15.05														
	2W VG Loop/Port Combo-Zone 3		3			25.80														
	UNE Loop Rates																			
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.77														
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	13.88														
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	24.63														
	2-Wire Voice Grade Line Port Rates (Res)																			
	2W voice unbundled port-res			UEPRX	UEPRL	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled FL Area Calling with Caller ID-res			UEPRX	UEPAF	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled FL extended dialing with Caller ID			UEPRX	UEPA1	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled FL extended dialing port w/o Caller ID capability			UEPRX	UEPA8	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled FL Area Calling Port w/o Caller ID Capability			UEPRX	UEPA9	1.17	53.31	26.46	27.50	8.37										
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.17	53.31	26.46	27.50	8.37										
	FEATURES																			
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00												
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																			
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.102	0.102												
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.102	0.102												
	ADDITIONAL NRCs																			
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL			8.33	0.83											
	OFF/ON PREMISES EXTENSION CHANNELS																			
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57										
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57										
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57										
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01										
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01										
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01										
	INTEROFFICE TRANSPORT																			
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	25.32	47.35	31.78												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0091	0.00	0.00												
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																			
	UNE Port/Loop Combination Rates																			
	2W VG Loop/Port Combo-Zone 1		1			10.94														

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/Port Combo-Zone 2		2			15.05									
	2W VG Loop/Port Combo-Zone 3		3			25.80									
	UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.77									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	13.88									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	24.63									
	2-Wire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
	FEATURES														
	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.102	0.102							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.102	0.102							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83							
	OFF/ON PREMISES EXTENSION CHANNELS														
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	28.97	49.57	22.83	25.62	6.57					
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01					
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01					
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01					
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0091	0.00	0.00							
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			10.94									
	2W VG Loop/Port Combo-Zone 2		2			15.05									
	2W VG Loop/Port Combo-Zone 3		3			25.80									
	UNE Loop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.77									
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	13.88									
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	24.63									
	2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
	FEATURES														
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		8.45	1.91							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							
	OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel VG, per Term		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01					
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01					
	Local Channel VG, per Term		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01					

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0091	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			10.94										
	2W VG Loop/Port Combo-Zone 2		2			15.05										
	2W VG Loop/Port Combo-Zone 3		3			25.80										
UNE Loop Rates																
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	24.63										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.17	174.81	100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.17	174.81	100.65	75.88	12.73						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES																
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		8.45	1.91								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel VG, per Term		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
	Local Channel VG, per Term		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0091	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																
UNE Port/Loop Combination Rates																
	2W VG Coin Port/Loop Combo - Zone 1		1			10.94										
	2W VG Coin Port/Loop Combo - Zone 2		2			15.05										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Coin Port/Loop Combo – Zone 3		3			25.80									
	UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.77									
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	13.88									
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	24.63									
	2-Wire Voice Grade Line Ports (COIN)														
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37					
	2W Coin 2-Way with Oper Screening and 011 Blocking (FL)			UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37					
	2W Coin 2-Way with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37					
	2W Coin Outward with Oper Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37					
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37					
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.17	53.31	26.46	27.50	8.37					
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.17	53.31	26.46	27.50	8.37					
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37					
	ADDITIONAL UNE COIN PORT/LOOP (RC)														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35									
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.102	0.102							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.102	0.102							
	ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.80									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			32.27									
	UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.24									
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.40									
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	30.87									
	2-Wire Voice Grade Line Port Rates (Res)														
	2W voice unbundled port-res			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled FL Area Calling with Caller ID-res			UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73					
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0091									
	FEATURES														
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00							
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		16.97	3.73							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		16.97	3.73							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.21	1.10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.64									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
													Rec	Nonrecurring	
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			18.80									
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			32.27									
	UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.24									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.40									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	30.87									
	2-Wire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35									
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0091									
	FEATURES														
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		16.97	3.73							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		16.97	3.73							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.21	1.10							
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)														
	UNE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			13.64									
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			18.80									
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			32.27									
	UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.24									
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.40									
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	30.87									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)														
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	25.32	47.35	31.78							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0091									
	FEATURES														
	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2	16.97		3.73							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC	16.97		3.73							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN	11.21		1.10							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.95									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.11									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			39.58									
UNE Loop Rates															
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	12.24									
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	17.40									
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	30.87									
UNE Port Rate															
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.71	214.16	98.29							
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1	7.85		1.87							
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C	7.85		1.87							
ADDITIONAL NRCs															
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1	32.26		32.26							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN	11.21		1.10							
Telephone Number/Trunk Group Establishment Charges															
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00							
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00							
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT															
UNE Port/Loop Combination Rates															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	22.63									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	29.05									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	45.84									
UNE Loop Rates															
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25								
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67								
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46								
UNE Port Rate															
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	7.38	194.52	145.09						
NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00						
ADDITIONAL NRCs															
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN	11.21	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL	8.33	0.83							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						
B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00						
	CVS (EWS)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	CSD			UEPPB UEPPR U1UCC		0.00	0.00	0.00					
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)													
USER TERMINAL PROFILE													
	User Terminal Profile (EWSD only)			UEPPB UEPPR U1UMA		0.00	0.00	0.00					
VERTICAL FEATURES													
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR UEPVF		2.26	0.00	0.00					
INTEROFFICE CHANNEL MILEAGE													
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR M1GNC		25.3291	47.35	31.78	18.31	7.03			
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR M1GNM		0.0091	0.00	0.00					
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT													
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.													
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.													
UNE Port/Loop Combination Rates													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		153.48							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		183.28							
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		261.12							
UNE Loop Rates													
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP USL4P		70.74							
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP USL4P		100.54							
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP USL4P		178.38							
UNE Port Rate													
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP UEPPP		82.74	488.36	276.65					
NONRECURRING CHARGES - CURRENTLY COMBINED													
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP USACP		0.00	84.17	61.38					
ADDITIONAL NRCs													
	4W DS1 Loop/4-W ISDN Digt Trk Port-Subsqtl Actvy-Inward/two way Tel Nos			UEPPP PR7TF			0.5412						
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP PR7TO			12.71	12.71					
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqtl Inward Tel			UEPPP PR7ZT			25.42	25.42					
LOCAL NUMBER PORTABILITY													
	Local No Portability (1 per port)			UEPPP LNPCN		1.75							
INTERFACE (Provisioning Only)													
	Voice/Data			UEPPP PR71V		0.00	0.00	0.00					
	Digital Data			UEPPP PR71D		0.00	0.00	0.00					
	Inward Data			UEPPP PR71E		0.00	0.00	0.00					
New or Additional "B" Channel													
	New or Add'l-Voice/Data B Channel			UEPPP PR7BV		0.00	15.48						
	New or Add'l-Digital Data B Channel			UEPPP PR7BF		0.00	15.48						
	New or Add'l Inward Data B Channel			UEPPP PR7BD		0.00	15.48						
CALL TYPES													
	Inward			UEPPP PR7C1		0.00	0.00	0.00					
	Outward			UEPPP PR7CO		0.00	0.00	0.00					
	Two-way			UEPPP PR7CC		0.00	0.00	0.00					
Interoffice Channel Mileage													
	Fixed Each Including First mi			UEPPP 1LN1A		88.6256	105.54	98.47	21.47	19.05			
	Each Airline-Fractional Add'l mi			UEPPP 1LN1B		0.1856							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT													
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.													
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.													
UNE Port/Loop Combination Rates													
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		125.69							
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		155.49							
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		233.33							
UNE Loop Rates													
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC USLDC		70.74							
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC USLDC		100.54							
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC USLDC		178.38							
UNE Port Rate													

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonrecurring First	Nonrecurring Add'l							NRC Disconnect First	NRC Disconnect Add'l
											SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	54.95	464.86	259.23								
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		95.31	46.71								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		95.31	46.71								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		95.31	46.71								
ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.69	15.69								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.69	15.69								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		15.69	15.69								
BIPOLAR 8 ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	655.00s									
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	655.00s									
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF	0.00	0.00									
	AMI-Extended SuperFrame Format			UEPDC	MCOPO	0.00	0.00									
Telephone Number/Trunk Group Establishment Charges																
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.1856	0.00	0.00								
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	CO Terminating Point			UEPDC	CTG	0.00										
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																
Each System can have up to 24 combinations of rates depending on type and number of ports used																
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE DS1 Loop																
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	70.74	0.00	0.00								
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	100.54	0.00	0.00								
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	118.06	0.00	0.00								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	236.12	0.00	0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00								
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	708.36	0.00	0.00								
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48	0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	240 DS0 Channel Capacity-1 per 10 DS1s			UEPMG	VUM2O	1,180.60	0.00	0.00							
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,416.72	0.00	0.00							
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,888.96	0.00	0.00							
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,361.20	0.00	0.00							
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,833.44	0.00	0.00							
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,305.68	0.00	0.00							
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DS0 Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	96.77	4.24							
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	726.11	468.21	145.32	17.24					
Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	655.00s							
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	655.00s							
Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.40	0.00	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.40	0.00	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.40	0.00	0.00	0.00	0.00					
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.71	0.00	0.00	0.00	0.00					
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93					
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95					
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC, & SC)			UEPPX	NDZ	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	2.26	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
4. The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections. Additional NRCs may apply also and are categorized accordingly.															
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.															
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.94									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.05									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		25.80									
UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		13.41									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		18.57									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect						OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		32.04										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.77										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	13.88										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	24.63										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	12.24										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	17.40										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	30.87										
	UNE Ports															
	All States (Except NC and SC)															
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
	Georgia and Florida Only															
	2W VG Port (Centrex)			UEP91	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2W VG Port, Diff SWC 2.3-800 Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP91	URECS	0.7384										
	Local Number Portability															
	Local No Portability (1 per port)			UEP91	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.26										
	NARS															
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP91	CENA6	8.73										
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	25.32										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	618.82									
	Secondary Block, per Block			UEP91	M2CC1	0.00	71.31									

UNBUNDLED NETWORK ELEMENTS - Florida											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	66.48								
	UNE-P CENTREX - 5ESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.94									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.05									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		25.80									
	UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.41									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.57									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		32.04									
	UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.77									
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	13.88									
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	24.63									
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.24									
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.40									
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	30.87									
	UNE Port Rate														
	All States														
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81					
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81					
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37					
	FL & GA Only														
	2W VG Port (Centrex)			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37					
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81					
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81					
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37					
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37					
	Local Switching														
	Centrex Intercom Functionality, per port			UEP95	URECS	0.7384									
	Local Number Portability														
	Local No Portability (1 per port)			UEP95	LNPCC	0.35									
	Features														
	All Standard Features Offered, per port			UEP95	UEPVF	2.26									
	All Select Features Offered, per port			UEP95	UEPVS	0.00	370.70								
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26									
	NARS														
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP95	CEND6	8.73									
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP95	M1HD1	54.95									
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP95	M1GBC	25.32									
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0091									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66									

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A								
									Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.66													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66													
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.66													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66													
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2	0.00													
	Conversion of Existing Centrex Common Block, each			UEP95	USACN														
	New Centrex Standard Common Block			UEP95	M1ACS	0.00													
	New Centrex Customized Common Block			UEP95	M1ACC	0.00													
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00													
Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL														
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN														
UNE-P CENTREX - DMS100 (Valid in All States)																			
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
UNE Port/Loop Combination Rates (Non-Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.94													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.05													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		25.80													
UNE Port/Loop Combination Rates (Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.41													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.57													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		32.04													
UNE Loop Rate																			
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.77													
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	13.88													
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	24.63													
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.24													
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.40													
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	30.87													
UNE Port Rate																			
ALL STATES																			
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.17													
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.17													
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.17													
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.17													
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.17													
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.17													
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.17													
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.17													
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.17													
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.17													
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.17													
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.17													
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.17													
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.17													
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.17													
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.17													
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.17													
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.17													
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.17													
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.17													

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81												
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37												
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37												
	FL & GA Only																					
	2W VG Port (Centrex)			UEP9D	UEPHA	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPHC	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPHE	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPHF	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37												
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81												
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81												
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37												
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37												
	Local Switching																					
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.7384																
	Local Number Portability																					
	Local No Portability (1 per port)			UEP9D	LNPC	0.35																
	Features																					
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26																
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70															
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26																
	NARS																					
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Outdial			UEP9D	UARO	0.00	0.00	0.00	0.00	0.00												
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
	Trunk Side Terms, each			UEP9D	CEND6	8.73																
	4-Wire Digital (1.544 Megabits)																					
	DS1 Circuit Terms, each			UEP9D	M1HD1	54.95																
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	15.69															
	Interoffice Channel Mileage - 2-Wire																					
	Interoffice Channel Facilities Term			UEP9D	M1GBC	25.32																
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0091																

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A											
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		NRC Disconnect		SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																						
	D4 Channel Bank Feature Activations																						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66																	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66																	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.66																	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66																	
	Feature Activation on D-4 Channel Bank Tjlie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66																	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66																	
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																						
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2																		
	Conversion of existing Centrex Common Block, each			UEP9D	USACN																		
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00																	
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00																	
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00																	
	Additional Non-Recurring Charges (NRC)																						
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL																		
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN																		
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																						
	UNE Port/Loop Combination Rates (Non-Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.94																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.05																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		25.80																	
	UNE Port/Loop Combination Rates (Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.41																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.57																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		32.04																	
	UNE Loop Rate																						
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.77																	
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	13.88																	
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	24.63																	
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.24																	
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.40																	
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	30.87																	
	UNE Port Rate																						
	AL, FL, KY, LA, MS, & TN only																						
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81													
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.17	139.49	86.10	65.41	13.81													
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP9E	UEPY9	1.17	53.31	26.46	27.50	8.37													
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37													
	Florida Only																						
	2W VG Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex 800 Term)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37													
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81													
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81													
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPH9	1.17	53.31	26.46	27.50	8.37													
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37													
	Local Switching																						
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.7384																	
	Local Number Portability																						
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35																	
	Features																						
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26																	

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70								
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26									
NARS															
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00					
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terms, each			UEP9E	CEND6	8.73									
	4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP9E	M1HD1	54.95									
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69								
	Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP9E	M1GBC	25.32									
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0091									
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66									
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66									
	Feature Activation on D-4 Channel Bank Tjlie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		21.50	8.42							
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32							
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82								
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82								
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48								
	Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83							
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN		11.21	1.10							
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD														
	Note 2 - Requires Interoffice Channel Mileage														
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port														
	Note 4 - Requires Specific Customer Premises Equipment														
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.														

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
													Rec	Nonrecurring	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm</p>															
<p>OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"</p> <p>NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.</p> <p>NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.</p>															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOME C	3.50	0.00	3.50	0.00						
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN	11.73	0.00	6.13	0.00						
<p>UNE SERVICE DATE ADVANCEMENT CHARGE</p> <p>NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.</p>															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, ULDO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00									
<p>UNBUNDLED EXCHANGE ACCESS LOOP</p>															
<p>2-WIRE ANALOG VOICE GRADE LOOP</p>															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		25.12	25.12							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		13.62	13.62							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92							
	Unbundled Voice Loop, Non-D Voice Loop, billing for BST providing make-up (Engineering Information-EI)			UEANL	UEANM		7.30	7.30							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92							

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)		
													Rec	Nonrecurring First	Nonrecurring Add'l
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	57.79									
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED														
	2W Unbundled Copper Loop Non-Designed-Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00					
	2W Unbundled Copper Loop Non-Designed-Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00					
	2W Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83							
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		18.92	18.92							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		7.30	7.30							
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		25.12	25.12							
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		13.62	13.62							
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42							
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	UNE Loop Rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLX)														
	2W VG Loop (SL1) for Line Splitting-Zone 1	I	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28					
	2W VG Loop (SL1) for Line Splitting-Zone 1	I	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28					
	2W VG Loop (SL1) for Line Splitting-Zone 2	I	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28					
	2W VG Loop (SL1) for Line Splitting-Zone 2	I	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28					
	2W VG Loop (SL1) for Line Splitting-Zone 3	I	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28					
	2W VG Loop (SL1) for Line Splitting-Zone 3	I	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28					
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79								
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36							
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.19	1.10							
	4-WIRE ANALOG VOICE GRADE LOOP														
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12					
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12					
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36							
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97					
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97					
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		120.98	33.04							
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1	I	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2	I	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3	I	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1	I	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00					
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2	I	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00					

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3	I	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UAL	UREWO		44.69	29.29							
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1	I	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2	I	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00					
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3	I	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00					
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		44.69	31.55							
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00					
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00					
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		44.69	31.55							
	4-WIRE DS1 DIGITAL LOOP														
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20					
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20					
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20					
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.91	42.97							
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20					
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20					
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20					
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20					
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20					
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79								
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20					
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20					
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79								
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.95	49.66							
	2-WIRE Unbundled COPPER LOOP														
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1	I	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00					

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2	I	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3	I	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00					
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	I		UCL	UREWO		44.69	31.55							
	4-WIRE COPPER LOOP														
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00					
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92							
	CLEC to CLEC conversion Charge w/o outside dispatch	I		UCL	UREWO		44.69	31.55							
	LOOP MODIFICATION														
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop	I		UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91								
	SUB-LOOPS														
	Sub-Loop Distribution														
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up			UEANL	USBSB		7.29								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up			UEANL	USBSD		51.61								
	Unbundled Sub-Loops, Riser Cable, 2W per Loop, Working and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01					
	Unbundled Sub-Loops, Riser Cable, 4W per Loop, Working and Spare Loop Activation			UEANL	USBRC	7.67	31.07	4.79	2.27	0.01					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01					
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01					
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92							
	Sub-Loop 2W Intrabuilding Network Cable (INC)			UEANL	USB2	3.61	28.46	3.85	2.20	0.01					

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92							
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USB4R	7.67	31.07	4.79	2.27	0.01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		18.92	18.92							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		25.12	25.12							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		13.62	13.62							
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01					
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01					
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92							
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01					
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01					
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		18.92	18.92							
	Loop Testing-Basic 1st Half Hour			UEF	URET1		25.12	25.12							
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		13.62	13.62							
	Unbundled Network Terminating Wire (UNTW)														
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.533	25.12	12.28							
	Network Interface Device (NID)														
	Network Interface Device (NID)-1-2 lines	I		UENTW	UND12		32.86	20.69							
	Network Interface Device (NID)-1-6 lines	I		UENTW	UND16		56.03	43.86							
	Network Interface Device Cross Connect-2 W	I		UENTW	UNDC2		2.45	2.45							
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		2.45	2.45							
	UNE OTHER, PROVISIONING ONLY - NO RATE														
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00								
	UNE OTHER, PROVISIONING ONLY - NO RATE														
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00								
	HIGH CAPACITY UNBUNDLED LOCAL LOOP														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.97									
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88					
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.97									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88					
	LOOP MAKE-UP														
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19							
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85							
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82							

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	OSS Rates (\$)			
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First
LINE SHARING AND LINE SPLITTING																
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																
NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																
NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND																
NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND																
NOTE 1: Above will apply to USOCs: ULSDT and ULSDT																
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSDC applies only to circuits installed and in service on or before October 1, 2003																
LINE SHARING																
SPLITTERS-CENTRAL OFFICE BASED																
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		36.23	13.23	16.94	1.69						
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		36.23	13.23	16.94	1.69						
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0057										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel -Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0057										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0057										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0057										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0057										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.1154										
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l								
													Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
	Interoffice Channel-Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.53														
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81										
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.53														
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81										
DARK FIBER																				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	23.29														
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70										
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	46.84														
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		1,745.99	87.54	73.64	18.70										
8XX ACCESS TEN DIGIT SCREENING																				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0008543														
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		2.50	0.43												
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.65	0.76	4.24	0.51										
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51										
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.50	1.25												
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68												
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43												
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.50													
	8XX Access Ten Digit Screening, w/8FL No. Delivery			OHD		0.0008543														
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543														
LINE INFORMATION DATA BASE ACCESS (LIDB)																				
	LIDB Common Transport Per Query			OQT		0.000682														
	LIDB Validation Per Query			OQU		0.0266962														
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.24	33.24	39.35	39.35										
SIGNALING (CCS7)																				
	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91										
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	108.80														
	CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132														
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527														
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91										
	CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91										
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB		0.0000132														
	CCS7 Signaling Usage Surrogate, per link			UDB	STU56	907.44														
	CCS7 Signaling Point Code, Establishment or Change, per STP affected			UDB	CCAPO		28.15	28.15	33.32	33.32										
E911 SERVICE																				
	Local Channel-Dedicated-2W VG					7.74	121.07	53.30	46.40	13.37										
	Interoffice Transport-Dedicated-2W VG Per mi					0.0057														
	Interoffice Transport-Dedicated-2W VG Per Facility Term					12.87	48.46	19.48	16.58	5.00										
	Local Channel-Dedicated-DS1-Zone 1					18.47	149.46	111.20	40.36	26.12										
	Local Channel-Dedicated-DS1-Zone 2					56.30	149.46	111.20	40.36	26.12										
	Local Channel-Dedicated-DS1-Zone 3					164.70	149.46	111.20	40.36	26.12										
	Interoffice Transport-Dedicated-DS1 Per mi					0.1154														
	Interoffice Transport-Dedicated-DS1 Per Facility Term					34.19	111.03	80.28	31.36	21.73										

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A																									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)																									
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN															
CALLING NAME (CNAM) SERVICE																																						
	CNAM For DB Owners-Service Establishment			OQV					22.90			20.32																										
	CNAM For Non DB Owners-Service Establishment			OQV					22.90			20.32																										
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV					959.77	709.83	251.47	184.91																										
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV					331.89	237.45	257.65	184.91																										
	CNAM for DB Owners, Per Query			OQV				0.0009924																														
	CNAM for Non DB Owners, Per Query			OQV				0.0009924																														
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH				595.00	595.00																												
SELECTIVE ROUTING																																						
	Selective Routing Per Unique Line Class Code Per Request Per								102.19	61.15	12.68	6.34																										
VIRTUAL COLLOCATION																																						
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188			0.00	0.00	0.00	0.00																										
PHYSICAL COLLOCATION																																						
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197			0.00	0.00																												
AIN SELECTIVE CARRIER ROUTING																																						
	Regional Service Establishment			SRC	SRCEC				101,311.67	101,311.67	7,833.25	7,833.25																										
	End Office Establishment			SRC	SRCEO				158.92	158.92	1.64	1.64																										
	Line/Port NRC, per end user			SRC	SRCLP				2.06	2.06																												
	Query NRC, per query			SRC		0.0020368																																
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																																						
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE				41.41	41.41	41.63	41.63																										
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP				8.15	8.15	9.16	9.16																										
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P				8.15	8.15	9.16	9.16																										
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU				35.29	35.29	26.50	26.50																										
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC				40.24	40.24	11.72	11.72																										
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0038																																
	AIN SMS Access Service-Session, Per min					1.81																																
	AIN SMS Access Service-Company Performed Session, Per min					0.8323																																
AIN - BELLSOUTH AIN TOOLKIT SERVICE																																						
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC				41.41	41.41	41.63	41.63																										
	AIN Toolkit Service-Training Session, Per Customer				BAPVX				4,236.62	4,236.62																												
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT				8.15	8.15	9.16	9.16																										
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD				8.15	8.15	9.16	9.16																										
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM				8.15	8.15	9.16	9.16																										
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO				33.98	33.98	14.09	14.09																										
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTC				33.98	33.98	14.09	14.09																										
	AIN Toolkit Service-Query Charge, Per Query				BAPTF				33.98	33.98	14.09	14.09																										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0271438																																
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.04																																
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS				14.78	8.15	8.15	5.71	5.71																									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service			CAM	BAPLS				6.46	8.98	8.98																											
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS				8.54	8.15	8.15	5.71	5.71																									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES				0.22	8.98	8.98																											
ENHANCED EXTENDED LINK (EELs)																																						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)			
							First	Add'l	First	Add'l							SOME	SOMAN	SOMAN	SOMAN
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																				
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																				
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86										
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86										
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86										
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1154														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	69.75	86.10													
	VG COCI-Per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86										
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86										
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86										
	VG COCI-Per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61										
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86										
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154														
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10													
	VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86										
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61										
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86										
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86										
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154														
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10													
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86										
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86										
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61										
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86										
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86										
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86										
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75	86.10													
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86										
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86										

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
													Rec
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.22		195.94	36.38	18.42	6.86		
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963		27.33	2.90	16.86	1.04		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86		
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86		
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86		
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86		
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86		
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.53							
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	342.02		325.91	77.07	49.56	32.88		
	3/1Channel System in combination per mo			UNC3X	MQ3	121.90							
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86		
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86		
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	11.57		195.94	36.38	18.42	6.86		
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	16.95		195.94	36.38	18.42	6.86		
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.08		195.94	36.38	18.42	6.86		
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057							
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	12.87		66.53	33.61	43.42	27.60		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	17.80		195.94	36.38	18.42	6.86		
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	21.68		195.94	36.38	18.42	6.86		
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	30.25		195.94	36.38	18.42	6.86		
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0057							
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	10.78		66.53	33.61	43.42	27.60		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.97							
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	253.38		1,260.47	628.84	41.53	20.76		
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	2.53							
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	342.02		325.91	77.07	49.56	32.88		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	10.97							
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	305.42		1,260.47	628.84	41.53	20.76		
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	2.53							
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	358.67		325.91	77.07	49.56	32.88		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC			5.70	5.70	6.61	6.61		
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT												
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.82		195.94	36.38	18.42	6.86		
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	26.26		195.94	36.38	18.42	6.86		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	42.17		195.94	36.38	18.42	6.86		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1154							
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	69.75		86.10					
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	1.66		27.33	2.90	16.86	1.04		

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)		
													Rec	Nonrecurring First	Nonrecurring Add'l
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.82		195.94	36.38	18.42	6.86				
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	26.26		195.94	36.38	18.42	6.86				
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.17		195.94	36.38	18.42	6.86				
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	1.66		27.33	2.90	16.86	1.04				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT														
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86				
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86				
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86				
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	2.53									
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	358.67		325.91	77.07	49.56	32.88				
	3/1 Channel System in combination per mo			UNCSX	MQ3	121.90									
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04				
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86				
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86				
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86				
	DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC			5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT														
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	21.86		195.94	36.38	18.42	6.86				
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	28.36		195.94	36.38	18.42	6.86				
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.22		195.94	36.38	18.42	6.86				
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0057									
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	7.83		66.53	33.61	43.42	27.60				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC			5.70	5.70	6.61	6.61				
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT														
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	21.86		195.94	36.38	18.42	6.86				
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	28.36		195.94	36.38	18.42	6.86				
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	38.22		195.94	36.38	18.42	6.86				
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0057									
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	7.83		66.53	33.61	43.42	27.60				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC			5.70	5.70	6.61	6.61				
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	11.57		195.94	36.38	18.42	6.86				
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	16.95		195.94	36.38	18.42	6.86				
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.08		195.94	36.38	18.42	6.86				
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1154									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97				
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	69.75		86.10							
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.4689		27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90									
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04				
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	11.57		195.94	36.38	18.42	6.86				
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	16.95		195.94	36.38	18.42	6.86				

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)							
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECH	SOMAN	SOMAN
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	33.08														
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.4689														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19														
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	7.35														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	17.80														
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	21.68														
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	30.25														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.1154														
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	34.19														
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75														
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.4689														
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90														
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35														
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	17.80														
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	21.68														
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	30.25														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19														
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.4689														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	21.86														
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	28.36														
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.22														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154														
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	34.19														
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	69.75														
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963														
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90														
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35														
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	21.86														
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	28.36														
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.22														
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19														
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	7.35														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	21.86														

UNBUNDLED NETWORK ELEMENTS - Georgia														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)					
													Rec	Nonrecurring		NRC Disconnect		SOME
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	28.36		195.94	36.38	18.42	6.86							
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.22		195.94	36.38	18.42	6.86							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97							
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	69.75		86.10										
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963		27.33	2.90	16.86	1.04							
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	21.86		195.94	36.38	18.42	6.86							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	28.36		195.94	36.38	18.42	6.86							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.22		195.94	36.38	18.42	6.86							
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.9963		27.33	2.90	16.86	1.04							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97							
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.70	5.70	6.61	6.61							
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.82		195.94	36.38	18.42	6.86							
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	26.26		195.94	36.38	18.42	6.86							
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	42.17		195.94	36.38	18.42	6.86							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1154												
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97							
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	69.75		86.10										
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	1.66		27.33	2.90	16.86	1.04							
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04							
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.82		195.94	36.38	18.42	6.86							
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	26.26		195.94	36.38	18.42	6.86							
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.17		195.94	36.38	18.42	6.86							
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	1.66		27.33	2.90	16.86	1.04							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19		87.76	45.73	43.80	27.97							
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	7.35		27.33	2.90	16.86	1.04							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.70	5.70	6.61	6.61							
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02		209.45	70.44	37.91	6.86							
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41		209.45	70.44	37.91	6.86							
	First 4W DS1 Digital Lcoal Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03		209.45	70.44	37.91	6.86							

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	OSS Rates (\$)		
													Rec	Nonrecurring	NRC Disconnect
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1154									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	3/1 Channel System in combination per mo			UNC3X	MQ3	121.90									
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1154									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61					
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86					
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86					
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86					
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0057									
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86					
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86					
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86					
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0057									
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61					
ADDITIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61					
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61					
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61					
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.70	5.70	6.61	6.61					
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61					
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option-per DS1		I	U1TD1, ULDD1,UNC1X	CCOEF		0I	0I	0I	0I					
	Clear Channel Capability Super FrameOption-per DS1		I	U1TD1, ULDD1,UNC1X	CCOSF		0I	0I	0I	0I					
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S					
	C-bit Parity Option-Subsqnt Activity-per DS3		I	U1TD3, ULDD3, UE3, UNC3X	NRCCC3		218.74S	7.66S	0.7591S	0S					
MULTIPLEXERS															
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	69.75	86.10								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61					

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61					
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61					
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61					
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61					
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61					
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	121.90									
	STS-1 to DS1 Channel System per mo			UNC3X	MQ3	121.90									
	DS1 COCI used with Loop per mo			USL	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61					
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
Exchange Ports															
NOTE: Although the Port Rate includes all available features in GA, the desired features will need to be ordered using retail USOCs															
2-WIRE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Voice GA basic dialing port w/o Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28					
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28					
	2W voice unbundled GA basic dialing port-outgoing only			UEPSR	UEPWR	1.09	2.42	2.31	1.37	1.28					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28					
	2W VG Unbundled Port w/o Caller ID capability, GA			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28					
	2W VG Unbundled Port with Caller ID capability, GA			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28					
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00							
2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Voice GA bus Basic Dialing Port, with Caller ID capability			UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28					
	Exchange Ports-2W Voice GA bus Dialing Plan w/o Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28					
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28					
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.775	0.00	0.00							
EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.09	28.88	13.63	11.48	0.83					
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.09	28.88	13.63	11.48	0.83					
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.09	28.88	13.63	11.48	0.83					
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPPI	1.09	28.88	13.63	11.48	0.83					
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.09	28.88	13.63	11.48	0.83					
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83					

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-1-Way Outdial Trunk			UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83					
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83					
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00							
FEATURES															
	All Available Vertical Features			UEPSP	UEPSE	0.775	0.00	0.00							
EXCHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.09	2.42	2.31	1.37	1.28					
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
EXCHANGE PORT RATES															
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	5.50	122.26	18.65	54.82	3.45					
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33					
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36					
	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00							
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00							
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
EXCHANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69					
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69					
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	0.3726									
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	0.3726									
Detailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,818.00								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.57								
New or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos. per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0703	0.50								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos. per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0703	10.72	10.72							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.50								
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75									
INTERFACE (Provisioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00							
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
													Rec	Nonrecurring	
										SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
New or Additional Channel															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.71								
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	28.71								
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	28.71								
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00									
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00									
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	28.71								
CALL TYPES															
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00						
	Outward			UEPEX	PR7CO		0.00	0.00	0.00						
	Two-way			UEPEX	PR7CC		0.00	0.00	0.00						
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.09	2.42	2.31	1.37	1.28					
Non-Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-			UEPVR	USAC2		2.01	0.31							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31							
UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28					
Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		2.01	0.31							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31							
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU						0.0006153								
	End Office Trunk Port-Shared, Per MOU						0.0001226								
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU						0.0000972								
	Tandem Trunk Port-Shared, Per MOU						0.0001557								
	Tandem Switching Function Per MOU (Melded)						0.000017904								
	Tandem Trunk Port-Shared, Per MOU (Melded)						0.00002868								
	Melded Factor: 18.42% of the Tandem Rate														
Common Transport															
	Common Transport-Per mi, Per MOU						0.0000027								
	Common Transport-Facilities Term Per MOU						0.0001914								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
End Office & Tandem Switching Usage & Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1				10.46								
	2W VG Loop/Port Combo-Zone 2		2				15.76								
	2W VG Loop/Port Combo-Zone 3		3				32.56								
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX		9.56								
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX		14.86								
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX		31.66								

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port w/o Caller ID capability-res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled GA basic dialing port-outgoing only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28					
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	0.9019	10.05	7.36	1.37	1.28					
	2W VG Unbundled Port w/o Caller ID, GA			UEPRX	UEPRV	0.9019	10.05	7.36	1.37	1.28					
	2W VG Unbundled Port with Caller ID, GA			UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28					
FEATURES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83							
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72					
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87					
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87					
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0057	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.46									
	2W VG Loop/Port Combo-Zone 2		2			15.76									
	2W VG Loop/Port Combo-Zone 3		3			32.56									

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)	
													Rec	Nonrecurring First
UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.56								
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.86								
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	31.66								
2-Wire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28				
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35								
FEATURES														
	All Features Offered			UEPBX	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10						
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10						
ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83						
OFF/ON PREMISES EXTENSION CHANNELS														
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72				
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72				
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72				
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87				
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87				
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87				
INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0057	0.00	0.00						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)														
UNE Port/Loop Combination Rates														
	2W VG Loop/Port Combo-Zone 1		1			10.46								
	2W VG Loop/Port Combo-Zone 2		2			15.76								
	2W VG Loop/Port Combo-Zone 3		3			32.56								
UNE Loop Rates														
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.56								
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.86								
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	31.66								
2-Wire Voice Grade Line Port Rates (RES - PBX)														
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28				
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00						
FEATURES														
	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		0.10	0.10						
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		0.10	0.10						
ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00						
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						6.70	6.70						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)		
													Rec	Nonrecurring	NRC Disconnect
OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	11.57									
	Local Channel VG, per Term		2	UEPRG	P2JHX	16.95									
	Local Channel VG, per Term		3	UEPRG	P2JHX	33.08									
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.74									
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	19.76									
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	37.18									
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	12.87									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0057									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.46									
	2W VG Loop/Port Combo-Zone 2		2			15.76									
	2W VG Loop/Port Combo-Zone 3		3			32.56									
UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.56									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.86									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	31.66									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	0.9019									
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	0.9019									
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	0.9019									
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	0.9019									
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	0.9019									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019									
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019									
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	0.9019									
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPPX	UEPXE	0.9019									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	0.9019									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	0.9019									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	0.9019									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	0.9019									
	2W voice unbundled GA basic dialing port-1-Way Outdial Trunk			UEPPX	UEPWS	0.9019									
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPPX	UEPWT	0.9019									
	2W voice unbundled GA basic dialing port-2-way PBX Trunk			UEPPX	UEPPQ	0.9019									
	2W voice unbundled GA basic dialing port-PBX LD Terminal Ports			UEPPX	UEPPS	0.9019									
	2W voice unbundled GA basic dialing port-PBX Toll Terminal Ports			UEPPX	UEPPT	0.9019									
	2W voice unbundled GA basic dialing port-PBX LD DDD Terminal			UEPPX	UEPPU	0.9019									
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard Port			UEPPX	UEPPV	0.9019									
	2W voice unbundled GA basic dialing port-PBX LD Terminal Switchboard DDD Capable Port			UEPPX	UEPPW	0.9019									
	2W voice unbundled GA basic dialing port-PBX 2-Way Trunk			UEPPX	UEPPC	0.9019									
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15									
FEATURES															
	All Features Offered			UEPPX	UEPVF	0.775									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2										
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC										
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00									
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group														
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL										

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual vs. Electronic-1st Add'l	Incremental Charge - Manual vs. Electronic-Add'l	Incremental Charge - Manual vs. Electronic-1st Add'l	Incremental Charge - Manual vs. Electronic-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring
OFF/ON PREMISES EXTENSION CHANNELS														
	Local Channel VG, per Term		1	UEPPX	P2JHX	11.57		79.85	24.65	18.92	7.87			
	Local Channel VG, per Term		2	UEPPX	P2JHX	16.95		79.85	24.65	18.92	7.87			
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.08		79.85	24.65	18.92	7.87			
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.74		56.92	7.70	4.40	0.02			
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	19.76		56.92	7.70	4.40	0.02			
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	37.18		56.92	7.70	4.40	0.02			
INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	12.87		48.46	19.48	16.58	5.00			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0057		0.00	0.00					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT														
UNE Port/Loop Combination Rates														
	2W VG Coin Port/Loop Combo - Zone 1		1			10.46								
	2W VG Coin Port/Loop Combo - Zone 2		2			15.76								
	2W VG Coin Port/Loop Combo - Zone 3		3			32.56								
UNE Loop Rates														
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.56								
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.86								
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	31.66								
2-Wire Voice Grade Line Ports (COIN)														
	2W Coin 2-Way with Oper Screening (GA)			UEPCO	UEPGC	0.9019		10.05	7.36	1.37	1.28			
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019		10.05	7.36	1.37	1.28			
	2W Coin 2-Way with Oper Screening and 011 Blocking (GA)			UEPCO	UEPGA	0.9019		10.05	7.36	1.37	1.28			
	2W Coin 2-Way with Oper Screening and 900/976 Blocking (GA)			UEPCO	UEPGB	0.9019		10.05	7.36	1.37	1.28			
	2W Coin 2-Way with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019		10.05	7.36	1.37	1.28			
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	0.9019		10.05	7.36	1.37	1.28			
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019		10.05	7.36	1.37	1.28			
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	0.9019		10.05	7.36	1.37	1.28			
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	0.9019		10.05	7.36	1.37	1.28			
ADDITIONAL UNE COIN PORT/LOOP (RC)														
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59		0.00	0.00	0.00	0.00			
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35								
NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2			0.10	0.10					
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC			0.10	0.10					
ADDITIONAL NRCs														
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2			0.00	0.00					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL			8.33	0.83					
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			25.53								
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			30.92								
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			47.04								
UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	11.57								
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	16.95								
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.08								
2-Wire Voice Grade Line Port Rates (Res)														
	2W voice unbundled port-res			UEPFR	UEPRL	1.09		166.05	43.66	41.89	15.44			
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.09		166.05	43.66	41.89	15.44			
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.09		166.05	43.66	41.89	15.44			
	2W voice unbundles res. low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.09		166.05	43.66	41.89	15.44			
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-res			UEPFR	UEPWC	1.09		166.05	43.66	41.89	15.44			
	2W voice unbundled GA basic dialing port for use with Caller ID-res			UEPFR	UEPWQ	1.09		166.05	43.66	41.89	15.44			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
													Rec	Nonrecurring First
	2W voice unbundled GA basic dialing port-outgoing only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44				
	INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0057	0.00	0.00						
	FEATURES													
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00						
	LOCAL NUMBER PORTABILITY													
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		7.85	1.86						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		7.85	1.86						
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1				25.53							
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2				30.92							
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3				47.04							
	UNE Loop Rates													
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2		11.57							
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2		16.95							
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2		33.08							
	2-Wire Voice Grade Line Port (Bus)													
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44				
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44				
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44				
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44				
	2W voice unbundled GA basic dialing port, w/o Caller ID capability-bus			UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44				
	2W voice unbundled GA basic dialing port for use with Caller ID-bus			UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44				
	LOCAL NUMBER PORTABILITY													
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35								
	INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0057	0.00	0.00						
	FEATURES													
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		7.85	1.86						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		7.85	1.86						
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.19	1.10						
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)													
	UNE Port/Loop Combination Rates													
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1				25.53							
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2				30.92							
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3				47.04							
	UNE Loop Rates													
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2		11.57							
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2		16.95							
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2		33.08							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFB	UEPPC	1.09	166.05	43.66	41.89	15.44				
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFB	UEPPO	1.09	166.05	43.66	41.89	15.44				
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFB	UEPP1	1.09	166.05	43.66	41.89	15.44				
	2W Voice Unbundled PBX LD Terminal Ports			UEPFB	UEPLD	1.09	166.05	43.66	41.89	15.44				
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFB	UEPXA	1.09	166.05	43.66	41.89	15.44				

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44					
	2W voice unbundled GA basic dialing port-1-Way Outdial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44					
	2W voice unbundled GA basic dialing port-2-Way Trunk			UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0057	0.00	0.00							
	FEATURES														
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		7.85	1.86							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		7.85	1.86							
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	UNE Port/Loop Combination Rates														
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				17.05								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				22.44								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				38.56								
	UNE Loop Rates														
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1		11.57								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1		16.95								
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1		33.08								
	UNE Port Rate														
	Exchange Ports-2W DID Port			UEPPX	UEPD1		5.48	174.55	13.64	59.31	4.27				
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		6.66	1.86							
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		6.66	1.86							
	ADDITIONAL NRCs														
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.19	1.10							
	Telephone Number/Trunk Group Establishment Charges														
	DID Trunk Term (One Per Port)			UEPPX	NDT		0.00	0.00	0.00						
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPPX	NDZ		0.00	0.00	0.00						
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4		0.00	0.00	0.00						
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5		0.00	0.00	0.00						
	Reserve Non-Consecutive DID Nos			UEPPX	ND6		0.00	0.00	0.00						
	Reserve DID Nos			UEPPX	NDV		0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
	UNE Port/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR		19.44								

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	OSS Rates (\$)		
													Rec	Nonrecurring First	Nonrecurring Add'l
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB UEPPR		24.45									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB UEPPR		38.09									
	UNE Loop Rates														
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB UEPPR USL2X		14.25									
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR USL2X		19.26									
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR USL2X		32.90									
	UNE Port Rate														
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR UEPPB		5.19	161.36	141.68	43.68	8.37					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB UEPPR USACB		0.00	42.52	26.99							
	ADDITIONAL NRCs														
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB UEPPR USASB			0.00								
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR URETN			11.19	1.10							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR URETL			8.33	0.83							
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPB UEPPR LNPCX		0.35	0.00	0.00							
	B-CHANNEL USER PROFILE ACCESS:														
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR U1UCA		0.00	0.00	0.00							
	CVS (EWSD)			UEPPB UEPPR U1UCB		0.00	0.00	0.00							
	CSD			UEPPB UEPPR U1UCC		0.00	0.00	0.00							
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)														
	USER TERMINAL PROFILE														
	User Terminal Profile (EWSD only)			UEPPB UEPPR U1UMA		0.00	0.00	0.00							
	VERTICAL FEATURES														
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR UEPVF		0.775	0.00	0.00							
	INTEROFFICE CHANNEL MILEAGE														
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR M1GNC		12.8757	48.46	19.48	16.58	5.00					
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR M1GNM		0.0057	0.00	0.00							
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT														
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.														
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		106.15									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		111.54									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		127.15									
	UNE Loop Rates														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP USL4P		41.02									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP USL4P		46.41									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP USL4P		62.03									
	UNE Port Rate														
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP UEPPP		65.13	365.73	187.42	73.41	21.80					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP USACP		0.00	122.56	77.97							

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	OSS Rates (\$)	
													Rec	Nonrecurring First
ADDITIONAL NRCs														
	4W DS1 Loop/4-W ISDN Digit Trk Port-Subsqnt Actvy-Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF	0.50								
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO	10.72								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel			UEPPP	PR7ZT	21.43								
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75								
INTERFACE (Provisioning Only)														
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00						
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00						
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00						
New or Additional "B" Channel														
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	13.59							
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	13.59							
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	13.59							
CALL TYPES														
	Inward			UEPPP	PR7C1	0.00	0.00	0.00						
	Outward			UEPPP	PR7CO	0.00	0.00	0.00						
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00						
Interoffice Channel Mileage														
	Fixed Each Including First mi			UEPPP	1LN1A	34.31	111.03	80.28	31.36	21.73				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.1154								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT														
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.														
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
UNE Port/Loop Combination Rates														
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		82.22								
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		87.61								
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		103.22								
UNE Loop Rates														
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	41.02								
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	46.41								
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	62.03								
UNE Port Rate														
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86				
NONRECURRING CHARGES - CURRENTLY COMBINED														
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79						
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79						
ADDITIONAL NRCs														
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4	0.00	0.00							
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA	13.95	13.95							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB	13.95	13.95							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	13.95	13.95							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD	13.95	13.95							
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE	13.95	13.95							
BIPOLAR 8 ZERO SUBSTITUTION														
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	392.25s							
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	392.25s							
Alternate Mark Inversion														

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring First
	AMI -Superframe Format			UEPDC	MCOSF	0.00	0.00							
	AMI-Extended SuperFrame Format			UEPDC	MCOPO	0.00	0.00							
Telephone Number/Trunk Group Establishment Charges														
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00								
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00								
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00						
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00								
	DID Nos, Non-consecutive DID Nos, Per No			UEPDC	ND5	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00						
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00						
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port														
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73				
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.1154	0.00	0.00						
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00						
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.1154	0.00	0.00						
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00						
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.1154	0.00	0.00						
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15								
	CO Terminating Point			UEPDC	CTG	0.00								
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT														
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations														
Each System can have up to 24 combinations of rates depending on type and number of ports used														
The UNE-P DS1 combination rates below for 4W DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
UNE DS1 Loop														
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	41.02	0.00	0.00						
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	46.41	0.00	0.00						
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	62.03	0.00	0.00						
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)														
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	43.04	0.00	0.00						
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	86.06	0.00	0.00						
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	172.16	0.00	0.00						
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	258.24	0.00	0.00						
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	344.32	0.00	0.00						
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	430.40	0.00	0.00						
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM288	516.48	0.00	0.00						
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM384	688.64	0.00	0.00						
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM480	860.80	0.00	0.00						
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM576	1,032.96	0.00	0.00						
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM672	1,205.12	0.00	0.00						
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.														
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.														
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	153.24	8.37						
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's														
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35				
Bipolar 8 Zero Substitution														
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	392.25s						
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	392.25s						
Alternate Mark Inversion (AMI)														
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00						
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	OSS Rates (\$)			
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																
Exchange Ports																
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00						
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00						
Feature Activations - Unbundled Loop Concentration																
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95						
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34						
Telephone Number/ Group Establishment Charges for DID Service																
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00								
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00								
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00								
Local Number Portability																
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEATURES - Vertical and Optional																
Local Switching Features Offered with Line Side Ports Only																
	All Features Available			UEPPX	UEPVF	0.775	0.00	0.00								
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.																
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																
UNE Port/Loop Combination Rates (Non-Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.46										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.76										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		32.56										
UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		12.47										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		17.85										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		33.98										
UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.56										
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.86										
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	31.66										
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	11.57										
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	16.95										
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.08										
UNE Ports																
All States (Except NC and SC)																
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						
Georgia and Florida Only																
	2W VG Port (Centrex)			UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex 800 Term)			UEP91	UEPHB	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28						
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	OSS Rates (\$)	
													SOME	SOMAN
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l				
	2W VG Port, Diff SWC 2,3-800 Service Term			UEP91	UEPHZ	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPH9	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term			UEP91	UEPH2	0.9019	10.05	7.36	1.37	1.28				
	Local Switching													
	Centrex Intercom Functionality, per port			UEP91	URECS	0.4237								
	Local Number Portability													
	Local No Portability (1 per port)			UEP91	LNPC	0.35								
	Features													
	All Standard Features Offered, per port			UEP91	UEPVF	0.775								
	All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00							
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00								
	NARS													
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Outdial			UEP91	UARO	0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terms, each			UEP91	CENA6	5.50	122.26	18.65	54.82	3.45				
	Interoffice Channel Mileage - 2-Wire													
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0057								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.4689								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.4689								
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.4689								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.4689								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10						
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92				
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	317.90	37.59	48.99	5.92				
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.10							
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.19	1.10						
	UNE-P CENTREX - 5ESS (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.46								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.76								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		32.56								
	UNE Port/Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		12.47								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		17.85								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		33.98								
	UNE Loop Rate													
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.56								
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.86								
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	31.66								
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	11.57								
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	16.95								
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.08								
	UNE Port Rate													
	All States													

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring
						First	Add'l	First	Add'l					
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port, Diff SWC 2.3-800 Service Term-Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28				
	FL & GA Only													
	2W VG Port (Centrex)			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex 800 Term)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term			UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28				
	Local Switching													
	Centrex Intercom Functionality, per port			UEP95	URECS	0.4237								
	Local Number Portability													
	Local No Portability (1 per port)			UEP95	LNPCC	0.35								
	Features													
	All Standard Features Offered, per port			UEP95	UEPVF	0.775								
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00								
	NARS													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terms, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				
	4-Wire Digital (1.544 Megabits)													
	DS1 Circuit Terms, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33				
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95							
	Interoffice Channel Mileage - 2-Wire													
	Interoffice Channel Facilities Term			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0057								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.4689								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.4689								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689								
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.4689								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10						
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92				
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92				
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00							
	Additional Non-Recurring Charges (NRC)													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.19	1.10						
	UNE-P CENTREX - DMS100 (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.46								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.76								

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring First
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		32.56								
	UNE Port/Loop Combination Rates (Design)													
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		12.47								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		17.85								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		33.98								
	UNE Loop Rate													
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.56								
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.86								
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	31.66								
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	11.57								
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	16.95								
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.08								
	UNE Port Rate													
	ALL STATES													
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15				
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28				
	FL & GA Only													
	2W VG Port (Centrex)			UEP9D	UEPHA	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPHB	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPHI	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28				
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECC	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPHH	0.9019		10.05	7.36	1.37	1.28											
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPHW	0.9019		10.05	7.36	1.37	1.28											
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019		10.05	7.36	1.37	1.28											
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPHM	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5312)2, 3, 4			UEP9D	UEPHS	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPHZ	0.9019		82.27	26.96	20.29	9.15											
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019		10.05	7.36	1.37	1.28											
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPH2	0.9019		10.05	7.36	1.37	1.28											
	Local Switching																					
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.4237																
	Local Number Portability																					
	Local No Portability (1 per port)			UEP9D	LNPC	0.35																
	Features																					
	All Standard Features Offered, per port			UEP9D	UEPVF	0.775																
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00															
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00																
	NARS																					
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	0.00											
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00											
	Unbundled Network Access Register-Outdial			UEP9D	UARO	0.00	0.00	0.00	0.00	0.00	0.00											
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
	Trunk Side Terms, each			UEP9D	CE6D	5.50	122.26	18.65	54.82	3.45												
	4-Wire Digital (1.544 Megabits)																					
	DS1 Circuit Terms, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33												
	DS0 Channels Activated per Channel			UEP9D	M1HD0	0.00	13.95															
	Interoffice Channel Mileage - 2-Wire																					
	Interoffice Channel Facilities Term			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00												
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0057																
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																					
	D4 Channel Bank Feature Activations																					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689																
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.4689																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.4689																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689																
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.4689																
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689																
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10														
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92												
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92												
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00															
	Additional Non-Recurring Charges (NRC)																					
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.19	1.10														
	Additional Non-Recurring Charges (NRC)																					
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL																	
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN																	
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD																					

UNBUNDLED NETWORK ELEMENTS - Georgia											Attachment: 2		Exhibit: A											
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)											
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
													First	Add'l	First	Add'l								
	Note 2 - Requires Interoffice Channel Mileage																							
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																							
	Note 4 - Requires Specific Customer Premises Equipment																							
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																							

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only										SOME C				
	OSS-Manual Service Order Charge, Per LSR-UNE Only										SOMAN				
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA											
					SDASP						200.00				
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		10.56	46.66	22.57	26.65	7.65				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		15.34	46.66	22.57	26.65	7.65				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		31.11	46.66	22.57	26.65	7.65				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		10.56	46.66	22.57	26.65	7.65				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		15.34	46.66	22.57	26.65	7.65				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		31.11	46.66	22.57	26.65	7.65				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83						
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			46.88	46.88						
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			24.16	24.16						
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO			15.78	8.94						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.49	13.49						
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			9.00	9.00						

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
										First	Add'l	First	Add'l				
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	23.01	23.01										
	2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65							
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65							
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83									
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		9.00	9.00									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.49	13.49									
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		46.88	46.88									
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		24.16	24.16									
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-			UEQ	UREWO		14.27	7.43									
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65							
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65							
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65							
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65							
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65							
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65							
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01										
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88							
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88							
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36									
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.21	1.10									
	4-WIRE ANALOG VOICE GRADE LOOP																
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	29.26	164.11	112.36	78.91	18.66							
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	34.25	164.11	112.36	78.91	18.66							
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.72	36.36									
	2-WIRE ISDN DIGITAL GRADE LOOP																
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83							
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83							
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83							
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.63	44.16									
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47							
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47							
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47							
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01										
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54							

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st				
															Rec	Nonrecurring		NRC Disconnect
First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54								
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.20	40.40										
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																		
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54								
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54								
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01											
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40										
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																		
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69								
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69								
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01											
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.14	40.40										
4-WIRE DS1 DIGITAL LOOP																		
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	86.47	306.69	174.44	65.83	14.55								
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	114.10	306.69	174.44	65.83	14.55								
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55								
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.09	43.04										
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																		
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66								
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66								
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66								
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66								
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66								
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01											
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66								
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66								
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.13	49.75										
2-WIRE Unbundled COPPER LOOP																		

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-			UCL	UREWO		97.23	42.48								
	4-WIRE COPPER LOOP															
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-			UCL	UREWO		97.23	42.48								
	LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft., per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft., per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
	SUB-LOOPS															
	Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		207.91	207.91								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		12.50	12.50								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		80.87	80.87								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		45.04	45.04								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00								

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		9.00	9.00							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		46.88	46.88							
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		24.16	24.16							
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90					
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90					
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00							
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88					
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88					
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		9.00	9.00							
	Loop Testing-Basic 1st Half Hour			UEF	URET1		46.88	46.88							
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		24.16	24.16							
	Unbundled Network Terminating Wire (UNTW)														
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.53	23.51	23.51							
	Network Interface Device (NID)														
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		73.53	49.47							
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		115.96	91.91							
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		8.56	8.56							
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		8.56	8.56							
	UNE OTHER, PROVISIONING ONLY - NO RATE														
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00								
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00								
	UNE OTHER, PROVISIONING ONLY - NO RATE														
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,UCL	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00								
	HIGH CAPACITY UNBUNDLED LOCAL LOOP														
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.25									
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42					
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	9.25									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42					
	LOOP MAKE-UP														
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40							
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.85	24.85							
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67							

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING AND LINE SPLITTING															
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
NOTE 1: Above will apply to USOCs: ULSDT and ULSC															
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															
LINE SHARING															
SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00					
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00					
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90					
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		32.90	16.43							
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		32.90	16.43							
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74					
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87					
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87					
MAINTENANCE															
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00							
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50							
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00							
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.01									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel -Dedicated Transport-t2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.01									
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.01									

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A							
									Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l						
															Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)
First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	25.86														
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0115														
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	20.97														
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0115														
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	20.97														
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.23														
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	96.04														
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.97														
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per			U1TD3	U1TF3	1,175.15														
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.97														
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	1,149.51														
DARK FIBER																				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	30.74														
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14															
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	47.01														
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4															
8XX ACCESS TEN DIGIT SCREENING																				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006478														
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X															
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD																
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX															
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX															
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX															
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX															
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX															
	8XX Access Ten Digit Screening w/8FL No. Delivery,			OHD		0.0006478														
	8XX Access Ten Digit Screening, w/POTS No. Delivery,			OHD		0.0006478														
LINE INFORMATION DATA BASE ACCESS (LIDB)																				
	LIDB Common Transport Per Query			OQT		0.000023														
	LIDB Validation Per Query			OQU		0.0137322														
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX															
SIGNALING (CCS7)																				
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71														
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	151.39														
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656														
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71														
	CCS7 Signaling Connection, Per link (B link) (also known as D			UDB	TPP++	20.71														
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000164														
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08														
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO															
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD															
E911 SERVICE																				
	Local Channel-Dedicated-2W VG					18.57														
	Interoffice Transport-Dedicated-2W VG Per mi					0.0115														
	Interoffice Transport-Dedicated-2W VG Per Facility Term					29.11														
	Local Channel-Dedicated-DS1-Zone 1					40.46														
	Local Channel-Dedicated-DS1-Zone 2					43.39														
	Local Channel-Dedicated-DS1-Zone 3					164.50														
	Interoffice Transport-Dedicated-DS1 Per mi					0.23														

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
															OSS Rates (\$)	
Rec	Nonrecurring	NRC Disconnect														
	First	Add'l	First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN					
	Interoffice Transport-Dedicated-DS1 Per Facility Term					96.04	105.52	98.46	23.09	20.49						
CALLING NAME (CNAM) SERVICE																
	CNAM For DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30						
	CNAM For Non DB Owners-Service Establishment			OQV			25.34	25.34	23.30	23.30						
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			1,591.54	1,177.08	431.95	317.61						
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			546.40	393.74	438.93	317.61						
	CNAM for DB Owners, Per Query			OQV		0.0010348										
	CNAM for Non DB Owners, Per Query			OQV		0.0010348										
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00								
SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.53	93.53	15.58	15.58						
VIRTUAL COLLOCATION																
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL COLLOCATION																
	Physical Collocation-2W Cross Connects (Loop) for Line			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment			SRC	SRCEC		193,401.00	193,401.00	9,483.34	9,483.34						
	End Office Establishment			SRC	SRCEO		194.09	194.09	0.85	0.85						
	Line/Port NRC, per end user			SRC	SRCLP		2.06	2.06								
	Query NRC, per query			SRC		0.0037502										
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.55	43.55	44.93	44.93						
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMPD		8.64	8.64	10.03	10.03						
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0025										
	AIN SMS Access Service-Session, Per min					0.666										
	AIN SMS Access Service-Company Performed Session, Per min					0.4608										
AIN - BELLSOUTH AIN TOOLKIT SERVICE																
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		8,436.93	8,436.93								
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50						
	AIN Toolkit Service-Query Charge, Per Query					0.0549207										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0066492										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	7.87	8.64	8.64	6.08	6.08						

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A								
									Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l							
															OSS Rates (\$)						
Rec	Nonrecurring		NRC Disconnect																		
	First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN										
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription																				
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription																				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription																				
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription																				
ENHANCED EXTENDED LINK (EELs)																					
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																					
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																					
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 2W VG Loop (SL2) in Combination-Zone 1																				
	First 2W VG Loop (SL2) in Combination-Zone 2																				
	First 2W VG Loop (SL2) in Combination-Zone 3																				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo																				
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo																				
	1/0 Channelization System in combination Per mo																				
	VG COCI-Per mo																				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1																				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2																				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3																				
	VG COCI-Per mo																				
	NRC Currently Combined Network Elements Switch -As-Is																				
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 4W Analog VG Loop in Combination -Zone 1																				
	First 4W Analog VG Loop in Combination -Zone 2																				
	First 4W Analog VG Loop in Combination -Zone 3																				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo																				
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo																				
	1/0 Channel System in combination Per mo																				
	VG COCI in combination-per mo																				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1																				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2																				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3																				
	Add'l VG COCI in combination-per mo																				
	NRC Currently Combined Network Elements Switch -As-Is																				
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1																				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2																				
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3																				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo																				
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo																				
	1/0 Channel System in combination Per mo																				
	OCU-DP COCI (data) per mo (2.4-64kbs)																				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1																				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2																				
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3																				
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)																				
	NRC Currently Combined Network Elements Switch -As-Is																				
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1																				
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2																				

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A						
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	SOMEc	SOMAN	SOMAN	SOMAN			
																	Rec	Nonrecurring	
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	36.37													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19													
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02													
	1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33													
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37													
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32													
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC														
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47													
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10													
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02													
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC														
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																		
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47													
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10													
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76													
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	966.89													
	3/1Channel System in combination per mo			UNC3X	MQ3	158.20													
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80													
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47													
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10													
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76													
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	11.80													
	NRC Currently Combined Network Elements Switch -As-Is			UNC3X	UNCCC														
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																		
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	12.67													
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	17.45													
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	33.22													
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01													
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	23.95													
	NRC Currently Combined Network Elements Switch -As-Is			UNCVX	UNCCC														
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																		
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	29.26													
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	34.25													
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	85.06													
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.01													
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	21.28													
	NRC Currently Combined Network Elements Switch -As-Is			UNCVX	UNCCC														
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																		
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	9.25													
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	308.31													
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.09													
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	966.89													
	NRC Currently Combined Network Elements Switch -As-Is			UNC3X	UNCCC														
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																		
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	9.25													
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	320.51													

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st		
															OSS Rates (\$)	
Rec	Nonrecurring		NRC Disconnect													
	First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN					
	Interoffice Transport-Dedicated-STS-1 combination-per mi per			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	NRC Currently Combined Network Elements Switch -As-Is			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.19										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	1/0 Channel System in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.84	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per			UNCSX	1L5XX	4.09										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84								
	NRC Currently Combined Network Elements Switch -As-Is			UNCSX	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.01										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	NRC Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A		
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)		
													SOMEc	SOMAN	SOMAN
Rec	Nonrecurring	NRC Disconnect		OSS Rates (\$)											
	First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN						
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.62	6.71	4.84							
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84							
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.62	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84					
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84					
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84							
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A		
									Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
															SOMEK
Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)										
	First	Add'l	First	Add'l											
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84					
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84					
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84					
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84					
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each OCU-DP COCI (data) in combination-per mo (2.4-3/1 Channel System in combination per mo			UNCDX	1D1DD	1.32	6.71	4.84							
				UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84					
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84					
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84					
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC		8.98	8.98	11.17	11.17					
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNXX	U1L2X	18.44	125.22	60.48	59.69	7.84					
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNXX	U1L2X	25.08	125.22	60.48	59.69	7.84					
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNXX	U1L2X	42.87	125.22	60.48	59.69	7.84					
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67					
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNXX	UC1CA	2.84	6.71	4.84							
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.80	6.71	4.84							

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)		
													Rec	Nonrecurring First	Nonrecurring Add'l
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	18.44		125.22	60.48	59.69	7.84				
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.08		125.22	60.48	59.69	7.84				
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	42.87		125.22	60.48	59.69	7.84				
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.84		6.71	4.84						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02		181.24	123.53	56.72	22.32				
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80		6.71	4.84						
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC			8.98	8.98	11.17	11.17				
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47		210.70	114.60	63.96	17.97				
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10		210.70	114.60	63.96	17.97				
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76		210.70	114.60	63.96	17.97				
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.19									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	79.02		181.24	123.53	56.72	22.32				
	3/1 Channel System in combination per mo			UNC3X	MQ3	158.20		115.48	56.53	15.12	5.30				
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	11.80		6.71	4.84						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.19									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	79.02		181.24	123.53	56.72	22.32				
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.80		6.71	4.84						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	86.47		210.70	114.60	63.96	17.97				
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	114.10		210.70	114.60	63.96	17.97				
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	297.76		210.70	114.60	63.96	17.97				
	NRC Currently Combined Network Elements Switch -As-Is			UNC1X	UNCCC			8.98	8.98	11.17	11.17				
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.59		125.22	60.48	59.69	7.84				
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	32.48		125.22	60.48	59.69	7.84				
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	36.37		125.22	60.48	59.69	7.84				
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per			UNCDX	1L5XX	0.01									
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	17.25		98.09	53.67	56.31	22.42				
	NRC Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC			8.98	8.98	11.17	11.17				
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT															
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	27.59		125.22	60.48	59.69	7.84				
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	32.48		125.22	60.48	59.69	7.84				
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	36.37		125.22	60.48	59.69	7.84				
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.01									
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	17.25		98.09	53.67	56.31	22.42				
	NRC Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC			8.98	8.98	11.17	11.17				
ADDITIONAL NETWORK ELEMENTS															
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.															
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)															
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC			8.98	8.98	11.17	11.17				
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC			8.98	8.98	11.17	11.17				

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring
						First	Add'l	First	Add'l					
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC	8.98	8.98	11.17	11.17					
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC	8.98	8.98	11.17	11.17					
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC	8.98	8.98	11.17	11.17					
Optional Features & Functions:														
	Clear Channel Capability Extended Frame Option-per DS1	I		U1TD1, ULDD1,UNC1X	CCOEF	0I	0I	0I	0I					
	Clear Channel Capability Super FrameOption-per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF	0I	0I	0I	0I					
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184.91S	23.82S	1.99S	0.78S					
	C-bit Parity Option-Subsqnt Activity-per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3	205.70S	7.20S	.6924S	0S					
MULTIPLEXERS														
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67				
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.84	10.07	7.08						
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08						
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08						
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08						
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30				
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30				
	DS1 COCI used with Loop per mo			USL	UC1D1	11.80	10.07	7.08						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	11.80	10.07	7.08						
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.80	10.07	7.08						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.80	10.07	7.08						
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)														
Exchange Ports														
NOTE: Although the Port Rate includes all available features in KY, the desired features will need to be ordered using retail USOCs														
2-WIRE VOICE GRADE LINE PORT RATES (RES)														
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W Voice KY res Dialing Plan w/o Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13				
	2W voice unbundled Low Usage Line Port w/o Caller ID			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13				
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00						
FEATURES														
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00						
2-WIRE VOICE GRADE LINE PORT RATES (BUS)														
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13				

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
															OSS Rates (\$)	
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W VG unbundled KY extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports-2W Voice KY bus Dialing Plan w/o Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2W voice unbundled Incoming Only Port w/o Caller ID			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
	EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled PBX KY Premium Calling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX KY Area Calling Port w/o LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89						
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSP	UEPSE	0.00	0.00	0.00								
	EXCHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.49	3.74	3.63	2.23	2.13						
	Local Switching Features offered with Port															
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
	Exchange port-4W ISDN trunk port -all available features				UEPEX	101.60	188.36	95.15	61.92	22.67						
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)															
	EXCHANGE PORT RATES															
	The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	10.51	92.18	15.82	52.16	5.30						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
	EXCHANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67						

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
										First	Add'l	First	Add'l				
										OSS Rates (\$)							
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15	61.92	22.67							
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57						
	Virtual collocation-Special Access & UNE, cross-connect per			UEPEX	UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
	Detailed E911 with Locator Capability (required with UEPEX port)																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,811.00		156.69								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.82										
	New or Additional PRI Telephone Numbers																
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos. per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.07	0.54										
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos. per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.07	12.71	12.71									
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.54										
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41									
	LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPEX	UEPDX	LNPCN	1.75										
	INTERFACE (Provisioning Only)																
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00									
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00									
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00									
	New or Additional Channel																
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	15.48										
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	15.48										
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	15.48										
	New or Add'l Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	15.48										
	New or Add'l Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	15.48										
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	15.48										
	CALL TYPES																
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00								
	Outward			UEPEX	PR7CO	0.00	0.00	0.00									
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00									
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.49	3.74	3.63									
	Non-Recurring																
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10									
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10									
	UNBUNDLED REMOTE CALL FORWARDING - Bus																
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.49	3.74	3.63									
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.49	3.74	3.63									
	Non-Recurring																
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10									
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10									
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																
	End Office Switching (Port Usage)																

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)	
													Rec	Nonrecurring
													First	Add'l
	End Office Switching Function, Per MOU					0.0011971								
	End Office Trunk Port-Shared, Per MOU					0.0002112								
	Tandem Switching (Port Usage) (Local or Access Tandem)													
	Tandem Switching Function Per MOU					0.000194								
	Tandem Trunk Port-Shared, Per MOU					0.0002416								
	Tandem Switching Function Per MOU (Melded)					0.000094381								
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000117538								
	Melded Factor: 48.65% of the Tandem Rate													
	Common Transport													
	Common Transport-Per mi, Per MOU					0.000003								
	Common Transport-Facilities Term Per MOU					0.0007466								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.													
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.													
	End Office & Tandem Switching Usage & Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.													
	The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.													
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
	UNE Port/Loop Combination Rates													
	2W VG Loop/Port Combo-Zone 1		1			10.79								
	2W VG Loop/Port Combo-Zone 2		2			15.52								
	2W VG Loop/Port Combo-Zone 3		3			31.74								
	UNE Loop Rates													
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	9.64								
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	14.37								
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	30.59								
	2-Wire Voice Grade Line Port Rates (Res)													
	2W voice unbundled port-res			UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.15	21.29	15.49	2.85	2.67				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.15	21.29	15.49	2.85	2.67				
	2W VG unbundled KY extended local dialing parity port with Caller ID-res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67				
	2W voice unbundles res, low usage line port with Caller ID			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67				
	2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67				
	2W voice unbundled Low Usage Line Port w/o Caller ID			UEPRX	UEPRT	1.15	21.29	15.49	2.85	2.67				
	FEATURES													
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY													
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10						
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.10	0.10						
	ADDITIONAL NRCs													
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83						
	OFF/OFF PREMISES EXTENSION CHANNELS													
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65				
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65				
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65				
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88				
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88				
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88				
	INTEROFFICE TRANSPORT													
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0095	0.00	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2W VG Loop/Port Combo-Zone 1		1			10.79								
	2W VG Loop/Port Combo-Zone 2		2			15.52								

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A						
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
										First	Add'l	First	Add'l					SOMEc	SOMAN
	2W VG Loop/Port Combo-Zone 3		3			31.74													
	UNE Loop Rates																		
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	9.64													
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	14.37													
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.59													
	2-Wire Voice Grade Line Port (Bus)																		
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67									
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.15	21.29	15.49	2.85	2.67									
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.15	21.29	15.49	2.85	2.67									
	2W VG unbundled KY extended local dialing parity port with Caller ID-bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67									
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67									
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67									
	2W voice unbundled Incoming Only Port w/o Caller ID			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67									
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35													
	FEATURES																		
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00											
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10											
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.10	0.10											
	ADDITIONAL NRCs																		
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00											
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83											
	OFF/OFF PREMISES EXTENSION CHANNELS																		
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65									
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65									
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65									
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88									
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	17.45	134.89	81.87	73.65	14.88									
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88									
	INTEROFFICE TRANSPORT																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0095	0.00	0.00											
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/Port Combo-Zone 1		1			10.79													
	2W VG Loop/Port Combo-Zone 2		2			15.52													
	2W VG Loop/Port Combo-Zone 3		3			31.74													
	UNE Loop Rates																		
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	9.64													
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	14.37													
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.59													
	2-Wire Voice Grade Line Port Rates (RES - PBX)																		
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67									
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00											
	FEATURES																		
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00											
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		8.45	1.91											
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		8.45	1.91											
	ADDITIONAL NRCs																		
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00											
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86											
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83											

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
OFF/OFF PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88					
	Local Channel VG, per Term		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88					
	Local Channel VG, per Term		3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88					
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80					
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80					
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0095	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			10.79									
	2W VG Loop/Port Combo-Zone 2		2			15.52									
	2W VG Loop/Port Combo-Zone 3		3			31.74									
UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.59									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled OutDial AL NAR Area Calling Port			UEPPX	UEPOA										
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPPX	UEPXG	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled PBX KY Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled OutDial KY NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES															
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		8.45	1.91							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		8.45	1.91							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.86	7.86							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83							
OFF/OFF PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88					

UNBUNDLED NETWORK ELEMENTS - Kentucky														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)				
													SOMEc	SOMAN			
						Rec	First	Add'l	First	Add'l							
	Local Channel VG, per Term		2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88							
	Local Channel VG, per Term		3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88							
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	12.68	170.06	78.10	119.62	15.80							
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	18.12	170.06	78.10	119.62	15.80							
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00							
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0095	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																	
UNE Port/Loop Combination Rates																	
	2W VG Coin Port/Loop Combo - Zone 1		1			10.79											
	2W VG Coin Port/Loop Combo - Zone 2		2			15.52											
	2W VG Coin Port/Loop Combo - Zone 3		3			31.74											
UNE Loop Rates																	
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	9.64											
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	14.37											
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.59											
2-Wire Voice Grade Line Ports (COIN)																	
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.15	21.29	15.49	2.85	2.67							
	2W Coin 2-Way with Oper Screening			UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67							
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67							
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67							
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67							
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67							
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67							
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67							
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67							
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67							
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67							
ADDITIONAL UNE COIN PORT/LOOP (RC)																	
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35											
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10									
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.10	0.10									
ADDITIONAL NRCs																	
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83									
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			13.90											
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			18.68											
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			34.45											
UNE Loop Rates																	
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	12.67											
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	17.45											
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	33.22											
2-Wire Voice Grade Line Port Rates (Res)																	
	2W voice unbundled port-res			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97							
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97							
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97							
	2W VG unbundled KY extended local dialing parity port with Caller ID-res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97							

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
													Rec	Nonrecurring	
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97					
	2W Voice Unbundled KY res Dialing Plan w/o Caller ID			UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0095									
FEATURES															
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		9.03	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		9.03	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	12.67									
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	17.45									
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	33.22									
2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97					
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97					
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97					
	2W VG unbundled KY extended local dialing parity port with Caller ID-bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97					
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97					
	2W Voice Unbundled KY bus Dialing Plan w/o Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35									
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0095									
FEATURES															
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		9.03	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		9.03	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			13.90									
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			18.68									
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			34.45									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	12.67									
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	17.45									
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	33.22									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 2-Way PBX KY Room Area Calling Port w/o LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX KY LUD Area Calling Port			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled PBX KY Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 2-Way KY Area Calling Port w/o LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73					
	LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
	INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0095									
	FEATURES														
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		9.03	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		9.03	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES														
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	UNE Port/Loop Combination Rates														
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1				21.30								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2				26.08								
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3				41.85								
	UNE Loop Rates														
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1		12.67								
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1		17.45								
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1		33.22								
	UNE Port Rate														
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.85	1.87							
	ADDITIONAL NRCs														
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		32.25	32.25							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPX	URETN		11.21	1.10							
	Telephone Number/Trunk Group Establishment Charges														
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00							
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l										
													Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)				
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00														
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																						
UNE Port/Loop Combination Rates																						
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR	25.69																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR	31.92																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR	50.21																
UNE Loop Rates																						
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10															
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33															
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63															
UNE Port Rate																						
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56											
NONRECURRING CHARGES - CURRENTLY COMBINED																						
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00													

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOME C	SOMAN	SOMAN	SOMAN
ADDITIONAL NRCs																
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPB UEPPR	URETN	11.21	1.10									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL	8.33	0.83									
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00								
USER TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES																
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00								
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities			UEPPB UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75						
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.01	0.00	0.00								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		381.35										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	86.47										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	114.10										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	297.76										
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37								
ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digt Trk Port-Subsqt Actvy-Inward/two way Tel Nos			UEPPP	PR7TF	0.54										
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO	12.71	12.71									
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqt Inward Tel Nos			UEPPP	PR7ZT	25.41	25.41									
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOMEK	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l							
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49						
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.23										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		147.99										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		175.62										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		359.28										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	86.47										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	114.10										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	297.76										
UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98						
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		92.84	46.70								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								
BIPOLAR & ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establishment Charges																
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00	0.00	0.00								
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00	0.00	0.00								
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00	0.00	0.00								
	DID Nos, Non-consecutive DID Nos, Per No			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.23	0.00	0.00								
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.45	0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00							
	CO Terminating Point			UEPDC	CTG	0.00									
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT														
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations														
	Each System can have up to 24 combinations of rates depending on type and number of ports used														
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.														
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	UNE DS1 Loop														
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00							
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00							
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00							
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)														
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	111.16	0.00	0.00							
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	222.32	0.00	0.00							
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	444.64	0.00	0.00							
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	666.96	0.00	0.00							
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	889.28	0.00	0.00							
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	1,111.60	0.00	0.00							
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM288	1,333.92	0.00	0.00							
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM384	1,778.56	0.00	0.00							
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM480	2,223.20	0.00	0.00							
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM576	2,667.84	0.00	0.00							
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM672	3,112.48	0.00	0.00							
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System														
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.														
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.														
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24							
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's														
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77					
	Bipolar 8 Zero Substitution														
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	730.00s							
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s							
	Alternate Mark Inversion (AMI)														
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port														
	Exchange Ports														
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port-bus			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID (E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00					
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00					
	Unbundled Exchange Ports, 2W Channelized - Outdial - (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00					
	Unbundled Exchange Ports, 2W Channelized - Combination (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.15	0.00	0.00	0.00	0.00					
	Unbundled Exchange Ports, 2W Channelized - Outdial - KY Only - Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00					
	Unbundled Exchange Ports, 2W Channelized - Two Way-KY Only - Calling Plan (E:4/1/2004)			UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00					
	Feature Activations - Unbundled Loop Concentration														

UNBUNDLED NETWORK ELEMENTS - Kentucky												Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)		
													Rec	Nonrecurring First	Nonrecurring Add'l
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15					
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54					
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.															
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.															
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		10.79									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		15.52									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		31.74									
UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		13.82									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		18.60									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		34.37									
UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	9.64									
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	14.37									
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	30.59									
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	12.67									
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	17.45									
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	33.22									
UNE Ports															
All States (Except NC and SC)															
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67					
AL, KY, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67					
Local Switching															
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873									

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOMEK	SOMAN	SOMAN	SOMAN	
																	Rec
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
Local Number Portability																	
	Local No Portability (1 per port)			UEP91	LNPC	0.35											
Features																	
	All Standard Features Offered, per port			UEP91	UEPVF	0.00											
	All Select Features Offered, per port			UEP91	UEPVS	0.00	405.66										
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00											
NARS																	
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Initial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00							
	Unbundled Network Access Register-Outdial			UEP91	JAROX	0.00	0.00	0.00	0.00	0.00							
Miscellaneous Terminations																	
2-Wire Trunk Side																	
	Trunk Side Terms, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30							
Interoffice Channel Mileage - 2-Wire																	
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	29.11											
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.01											
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW7	0.62											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff			UEP91	1PQWP	0.62											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62											
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop			UEP91	1PQWQ	0.62											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62											
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																	
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.102	0.102									
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32									
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27							
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27							
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27							
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75										
Additional Non-Recurring Charges (NRC)																	
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83									
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.21	1.10									
UNE-P CENTREX - 5ESS (Valid in All States)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																	
UNE Port/Loop Combination Rates (Non-Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		10.79											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		15.52											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		31.74											
UNE Port/Loop Combination Rates (Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		13.82											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		18.60											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		34.37											
UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	9.64											
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	14.37											
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	30.59											
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	12.67											
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	17.45											
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	33.22											
UNE Port Rate																	
All States																	
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67							

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A							
									Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
																			Rec	Nonrecurring
						First	Add'l	First	Add'l											
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.15		21.29	15.49	2.85	2.67									
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.15		21.29	15.49	2.85	2.67									
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.15		21.29	15.49	2.85	2.67									
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.15		21.29	15.49	2.85	2.67									
	AL, KY, LA, MS, SC, & TN Only																			
	2W VG Port (Centrex)			UEP95	UEPQA	1.15		21.29	15.49	2.85	2.67									
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.15		21.29	15.49	2.85	2.67									
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15		21.29	15.49	2.85	2.67									
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.15		21.29	15.49	2.85	2.67									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.15		21.29	15.49	2.85	2.67									
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15		21.29	15.49	2.85	2.67									
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15		21.29	15.49	2.85	2.67									
	Local Switching																			
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8873														
	Local Number Portability																			
	Local No Portability (1 per port)			UEP95	LNPC	0.35														
	Features																			
	All Standard Features Offered, per port			UEP95	UEPVF	0.00														
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66													
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00														
	NARS																			
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00									
	Unbundled Network Access Register-Outdial			UEP95	JAROX	0.00	0.00	0.00	0.00	0.00	0.00									
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terms, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30										
	4-Wire Digital (1.544 Megabits)																			
	DS1 Circuit Terms, each			UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86										
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.09													
	Interoffice Channel Mileage - 2-Wire																			
	Interoffice Channel Facilities Term			UEP95	M1GBC	29.11														
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.01														
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62														
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62														
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW7	0.62														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.62														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62														
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.62														
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.62														
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.102	0.102												
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		18.95	8.32												
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27										
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27										
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.75													
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83												
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10												
	UNE-P CENTREX - DMS100 (Valid in All States)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
	UNE Port/Loop Combination Rates (Non-Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		10.79														

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		15.52											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		31.74											
	UNE Port/Loop Combination Rates (Design)																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		13.82											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		18.60											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		34.37											
	UNE Loop Rate																
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	9.64											
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	14.37											
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.59											
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	12.67											
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	17.45											
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	33.22											
	UNE Port Rate																
	ALL STATES																
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67							
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67							
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67							
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67							
	AL, KY, LA, MS, SC, & TN Only																
	2W VG Port (Centrex)			UEP9D	UEPQA	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67							

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A										
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN						
																		Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)
						First	Add'l	First	Add'l														
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67													
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67													
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67													
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	21.29	15.49	2.85	2.67													
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.67													
	Local Switching																						
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.8873																	
	Local Number Portability																						
	Local No Portability (1 per port)			UEP9D	LNPC	0.35																	
	Features																						
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00																	
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66																
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00																	
	NARS																						
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00													
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00													
	Unbundled Network Access Register-Outdial			UEP9D	JAROX	0.00	0.00	0.00	0.00	0.00													
	Miscellaneous Terminations																						
	2-Wire Trunk Side																						
	Trunk Side Terms, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30													
	4-Wire Digital (1.544 Megabits)																						
	DS1 Circuit Terms, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86													
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	15.09																
	Interoffice Channel Mileage - 2-Wire																						
	Interoffice Channel Facilities Term			UEP9D	M1GBC	29.11																	
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.01																	

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOMEK	SOMAN	SOMAN	SOMAN	
																	Rec
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62											
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW7	0.62											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.62											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62											
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop			UEP9D	1PQWQ	0.62											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62											
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																	
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.102	0.102									
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32									
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27							
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27							
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.75										
Additional Non-Recurring Charges (NRC)																	
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83									
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.21	1.10									
UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																	
UNE Port/Loop Combination Rates (Non-Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		10.79											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		15.52											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		31.74											
UNE Port/Loop Combination Rates (Design)																	
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		13.82											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		18.60											
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		34.37											
UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	9.64											
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	14.37											
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	30.59											
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	12.67											
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	17.45											
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	33.22											
UNE Port Rate																	
AL, FL, KY, LA, MS, & TN only																	
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67							
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67							
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67							
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67							
AL, KY, LA, MS, & TN Only																	
	2W VG Port (Centrex)			UEP9E	UEPQA	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	21.29	15.49	2.85	2.67							
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67							
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67							
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67							
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67							

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A	
									Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
Local Switching														
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.8873								
Local Number Portability														
	Local No Portability (1 per port)			UEP9E	LNPCC	0.35								
Features														
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00								
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	405.66							
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00								
NARS														
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Initial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00				
Miscellaneous Terminations														
2-Wire Trunk Side														
	Trunk Side Terms, each			UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30				
4-Wire Digital (1.544 Megabits)														
	DS1 Circuit Terms, each			UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.09							
Interoffice Channel Mileage - 2-Wire														
	Interoffice Channel Facilities Term			UEP9E	M1GBC	29.11								
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.01								
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	1PQW7	0.62								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.62								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62								
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWQ	0.62								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.62								
Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.102	0.102						
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32						
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27				
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27				
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75							
Additional Non-Recurring Charges (NRC)														
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.21	1.10						
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE Port/Loop Combination Rates (Non-Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		10.79								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		15.52								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		31.74								
UNE Port/Loop Combination Rates (Design)														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		13.82								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		18.60								
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		34.37								
UNE Loop Rate														
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	9.64								
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	14.37								
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	30.58								
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	12.67								
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	17.45								
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	33.22								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port Rate															
AL, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex)			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67					
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67					
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67					
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67					
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67					
Local Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873									
Local Number Portability															
	Local No Portability (1 per port)			UEP93	LNPCC	0.35									
Features															
	All Standard Features Offered, per port			UEP93	UEPVF	0.00									
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00									
NARS															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP93	UAROY	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
2-Wire Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30					
4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86					
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09								
Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	29.11									
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.01									
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.62									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.62									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW7	0.62									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.62									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			UEP93	1PQWQ	0.62									
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62									
Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.102	0.102							
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32							
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27					
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27					
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75								

UNBUNDLED NETWORK ELEMENTS - Kentucky											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL								8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN								11.21	1.10						
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD																			
	Note 2 - Requires Interoffice Channel Mileage																			
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																			
	Note 4 - Requires Specific Customer Premises Equipment																			
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																			

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																				
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																				
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																				
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEc rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEc rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																				
	OSS-Electronic Service Order Charge, Per LSR-UNE Only					SOMEc		3.50	0.00	3.50	0.00									
	OSS-Manual Service Order Charge, Per LSR-UNE Only					SOMAN		15.20	0.00	15.20	0.00									
UNE SERVICE DATE ADVANCEMENT CHARGE																				
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																				
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day					SDASP		200.00												
UNBUNDLED EXCHANGE ACCESS LOOP																				
2-WIRE ANALOG VOICE GRADE LOOP																				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2			12.90	36.54	16.87										
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2			23.33	36.54	16.87										
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2			48.43	36.54	16.87										
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL			12.90	36.54	16.87										
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL			23.33	36.54	16.87										
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL			48.43	36.54	16.87										
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL				8.33	0.83										
	Loop Testing-Basic 1st Half Hour			UEANL	URET1				33.17	33.17										
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA				19.28	19.28										
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO				15.75	8.93										
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.1.)			UEANL	UEANM				13.04	13.04										
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC				7.92	7.92										

UNBUNDLED NETWORK ELEMENTS - Louisiana											Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMECC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL															
	2-WIRE Unbundled COPPER LOOP																			
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	12.40														
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	14.32														
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	16.87														
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	8.33														
	Manual Order Coordination 2W Unbundled Copper Loop-Non-D (per loop)			UEQ	USBMC	7.92														
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU	13.04														
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	33.17														
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA	19.28														
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO	14.25														
	UNBUNDLED EXCHANGE ACCESS LOOP																			
	2-WIRE ANALOG VOICE GRADE LOOP																			
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.90														
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.90														
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	23.33														
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	23.33														
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	48.43														
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	48.43														
	UNBUNDLED EXCHANGE ACCESS LOOP																			
	2-WIRE ANALOG VOICE GRADE LOOP																			
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.93														
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.35														
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	50.46														
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	17.56														
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.93														
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.35														
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	50.46														
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	17.56														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.59														
	Loop Tagging-SL2 (SL2)			UEA	URETL	11.20														
	4-WIRE ANALOG VOICE GRADE LOOP																			
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	30.81														
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.32														
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	60.39														
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	17.56														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.59														
	2-WIRE ISDN DIGITAL GRADE LOOP																			
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.09														
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	35.28														
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	65.18														
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	17.56														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO	91.49														
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																			
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	12.29														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	14.09														
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	15.75														
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL	17.56														
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	12.29														
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	14.09														

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
						First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.07	40.34								
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	16.65	153.26	104.54								
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.00	40.34								
4-WIRE DS1 DIGITAL LOOP																
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	85.70	245.16	152.98								
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	194.96	245.16	152.98								
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	491.94	245.16	152.98								
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.93	42.98								
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	36.78	121.86	85.48								
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	30.99	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	36.78	121.86	85.48								
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	38.92	121.86	85.48								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	30.99	121.86	85.48								
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	36.78	121.86	85.48								
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.97	49.67								
2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	14.09							116.18	67.46							
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	15.75							116.18	67.46							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC								7.92	7.92							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	12.29							91.92	55.12							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	14.09							91.92	55.12							
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	15.75							91.92	55.12							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC								7.92	7.92							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO								91.92	42.47							
4-WIRE COPPER LOOP																					
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	22.27							139.69	90.96							
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	18.95							139.69	90.96							
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	10.99							139.69	90.96							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC								7.92	7.92							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	22.27							115.43	78.63							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	18.95							115.43	78.63							
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	10.99							115.43	78.63							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC								7.92	7.92							
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO								91.92	42.47							
LOOP MODIFICATION																					
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L								0.00	0.00							
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L								0.00	0.00							
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT								12.15	12.15							
SUB-LOOPS																					
Sub-Loop Distribution																					
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA								144.09	144.09							
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB								10.99	10.99							
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC								86.16	86.16							
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD								27.13	27.13							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2								63.89	30.06							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2								12.75	63.89							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2								21.45	63.89							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC								7.92	7.92							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4								11.76	76.75							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4								16.84	76.75							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4								19.27	76.75							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC								7.92	7.92							
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2								2.91	51.48							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC								7.92	7.92							
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4								6.58	57.54							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC								7.92	7.92							
	Loop Testing-Basic 1st Half Hour			UEANL	URET1								33.17	33.17							

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA																	
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	6.26		63.89	30.06													
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	10.07		63.89	30.06													
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	12.70		63.89	30.06													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC			7.92	7.92													
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	8.03		76.75	42.92													
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	10.71		76.75	42.92													
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	6.08		76.75	42.92													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC			7.92	7.92													
	Loop Testing-Basic 1st Half Hour			UEF	URET1			33.17	33.17													
	Loop Testing-Basic Add'l Half Hour			UEF	URETA			19.28	19.28													
	Unbundled Network Terminating Wire (UNTW)																					
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3454		14.72	14.72													
	Network Interface Device (NID)																					
	Network Interface Device (NID)-1-2 lines			UENTW	UND12			42.26	27.83													
	Network Interface Device (NID)-1-6 lines			UENTW	UND16			62.86	48.43													
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2			5.73	5.73													
	Network Interface Device Cross Connect-4W			UENTW	UNDC4			5.73	5.73													
	UNE OTHER, PROVISIONING ONLY - NO RATE																					
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00		0.00														
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00		0.00														
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00		0.00														
	UNE OTHER, PROVISIONING ONLY - NO RATE																					
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00		0.00														
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00		0.00														
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00		0.00														
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00		0.00														
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00		0.00														
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																					
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	10.04																
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	362.34		438.46	256.30													
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	10.04																
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	374.56		438.46	256.30													
	LOOP MAKE-UP																					
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW			23.29	23.29													
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP			24.70	24.70													
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ			0.19	0.19													
	LINE SHARING AND LINE SPLITTING																					
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																					
	NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																					
	NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND																					
	NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND																					
	NOTE 1: Above will apply to USOCs: ULSDT and ULSCT																					
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																					
	LINE SHARING																					
	SPLITTERS-CENTRAL OFFICE BASED																					
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17		183.33	0.00													
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.79		183.33	0.00													
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59		183.33	0.00													
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG			83.98	0.00													
	END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																					
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61		17.97	10.29													

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.10															
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.20															
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.30															
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS																
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS																
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61															
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10															
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20															
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30															
	LINE SPLITTING																				
	END USER ORDERING-CENTRAL OFFICE BASED																				
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61															
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61															
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61															
	MAINTENANCE																				
	No Trouble Found-per 1/2 hour increments-Basic																				
	No Trouble Found-per 1/2 hour increments-Overtime																				
	No Trouble Found-per 1/2 hour increments-Premium																				
	UNBUNDLED DEDICATED TRANSPORT																				
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT																				
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.013															
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.60															
	Interoffice Channel -Dedicated Transport-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.013															
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	22.60															
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.013															
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.81															
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.013															
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.61															
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.013															
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.61															
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.2652															
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	70.47															
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	6.04															
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	850.45															
	Interoffice Channel-Dedicated Transport-ST5-1-Per mi per mo			U1TS1	1L5XX	6.04															
	Interoffice Channel-Dedicated Transport-ST5-1-Facility Term			U1TS1	U1TFS	830.19															
	DARK FIBER																				
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	25.28															
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	52.23															
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4																
	8XX ACCESS TEN DIGIT SCREENING																				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006387															
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X	2.51															

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD		5.77	0.78													
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX	5.77	0.78													
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX	2.51	1.26													
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX	2.93	1.68													
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	2.93	0.43													
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX	2.51														
	8XX Access Ten Digit Screening, w/8XX No. Delivery, per query			OHD		0.0006387														
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006387														
LINE INFORMATION DATA BASE ACCESS (LIDB)																				
	LIDB Common Transport Per Query			OQT		0.0000221														
	LIDB Validation Per Query			OQU		0.0135077														
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	33.33														
SIGNALING (CCS7)																				
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	147.60														
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.000064														
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50												
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	15.77	34.50	34.50												
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016														
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10														
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	28.17	28.17													
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD	28.17	28.17													
E911 SERVICE																				
	Local Channel-Dedicated-2W VG-Zone 1					18.32	187.51	32.21												
	Local Channel-Dedicated-2W VG-Zone 2					18.32	187.51	32.21												
	Local Channel-Dedicated-2W VG-Zone 3					18.32	187.51	32.21												
	Interoffice Transport-Dedicated-2W VG Per mi					0.013														
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.60	39.36	26.62												
	Local Channel-Dedicated-DS1-Zone 1					39.18	172.34	149.27												
	Local Channel-Dedicated-DS1-Zone 2					121.58	172.34	149.27												
	Local Channel-Dedicated-DS1-Zone 3					70.02	172.34	149.27												
	Interoffice Transport-Dedicated-DS1 Per mi					0.2652														
	Interoffice Transport-Dedicated-DS1 Per Facility Term					70.47	86.69	79.44												
CALLING NAME (CNAM) SERVICE																				
	CNAM For DB Owners-Service Establishment			OQV		22.29														
	CNAM For Non DB Owners-Service Establishment			OQV		22.29														
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV		962.22	711.64													
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV		332.43	238.05													
	CNAM for DB Owners, Per Query			OQV		0.0010217														
	CNAM for Non DB Owners, Per Query			OQV		0.0010217														

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per																
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00							
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			UEBIB	SRCEC		100,209.33										
	End Office Establishment			UEBIB	SRCEO		164.29	164.29									
	Query NRC, per query			UEBIB		0.0030293											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE		38.30	38.30									
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.60	7.60									
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.60	7.60									
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		33.99	33.99									
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.39	41.39									
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0022											
	AIN SMS Access Service-Session, Per min					0.5795											
	AIN SMS Access Service-Company Performed Session, Per min					0.8104											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		38.30	38.30									
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,175.10	4,175.10									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPTT		7.60	7.60									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.60	7.60									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.60	7.60									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		33.47	33.47									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTC		33.47	33.47									
	AIN Toolkit Service-Query Charge, Per Query				BAPTF		33.47	33.47									
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0536446											
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.006569											
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	10.90	7.60	7.60									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.20	7.60	7.60									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.09	8.41	8.41									
ENHANCED EXTENDED LINK (EELs)																	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																	
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																	
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09									
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09									
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09									
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.2652											
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	70.47	143.58	103.88									
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96									
	VG COCI-Per mo			UNCVX	1D1VG	0.6497	5.91	4.26									
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09									
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09									

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)						
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMEc	SOMAN
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46													
	VG COCI-Per mo			UNCVX	1D1VG	0.6497													
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC														
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81													
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32													
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652													
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47			143.58		103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09			59.97		12.96								
	VG COCI in combination-per mo			UNCVX	1D1VG	0.6497			5.91		4.26								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81													
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32													
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39													
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.6497			5.91		4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.43		5.43								
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652													
	Interoffice Transport-Dedicated-DS1-Facility Term Per			UNC1X	U1TF1	70.47			143.58		103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09			59.97		12.96								
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.38			5.91		4.26								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	36.78													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.92													
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.38			5.91		4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.43		5.43								
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	30.99													
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	36.78													
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	38.92													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	70.47			143.58		103.88								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09			59.97		12.96								
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38			5.91		4.26								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	30.99													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92													
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38			5.91		4.26								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.43		5.43								
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70					169.22								
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96					169.22								
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94					169.22								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652													
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	70.47			143.58		103.88								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC				5.43		5.43								
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																		

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECC	SOMAN	SOMAN	SOMAN	
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70																
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96																
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94																
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.04																
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	850.45																
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48																
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.78																
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70																
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96																
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94																
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	11.78																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC																	
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.93																
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	25.35																
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	50.46																
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.013																
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	22.60																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC																	
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	30.81																
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.32																
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	60.39																
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.013																
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	19.81																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC																	
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	10.04																
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	362.34																
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.04																
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per			UNC3X	U1TF3	850.45																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC																	
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																					
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	10.04																
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	374.56																
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.04																
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	830.19																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC																	
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																					
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	22.09																
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	35.28																
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	65.18																
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.2652																
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	70.47																
	1/0 Channel System in combination-per mo			UNC1X	MQ1	105.09																
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.96																
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.09																
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	35.28																
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	65.18																
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.96																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC																	
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																					
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	85.70																
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	194.96																
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	491.94																
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	6.04																

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring	NRC Disconnect	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	830.19	296.68	121.16												
	3/1 Channel System in combination per mo			UNCSX	MQ3	201.48	107.05	91.25												
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89												
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89												
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89												
	DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.43	5.43												
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																				
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09												
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09												
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09												
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.013														
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	15.61	72.60	41.75												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43												
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																				
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09												
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09												
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09												
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.013														
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	15.61	72.60	41.75												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.43	5.43												
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09												
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09												
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	105.09	59.97	12.96												
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.6497	5.91	4.26												
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09												
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09												
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09												
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43												
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09												
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09												
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96												
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26												
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.6497	5.91	4.26												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43												
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96												
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26												
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09												
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.43	5.43												
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47	143.58	103.88												
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	105.09	59.97	12.96												
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26												
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48	107.05	91.25												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78	5.91	4.26												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	30.99														
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	36.78														
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	38.92														
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.38														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47														
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	11.78														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	22.09														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	35.28														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	65.18														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	70.47														
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	105.09														
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.96														
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48														
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	11.78														
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.09														
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	35.28														
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	65.18														
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.96														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47														
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.78														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC															
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																			
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70														
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96														
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94														
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.2652														
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	70.47														
	3/1 Channel System in combination per mo			UNC3X	MQ3	201.48														
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	11.78														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.2652														
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	70.47														
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	11.78														
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	85.70														

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	
														First	Add'l	First	Add'l					
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	194.96																
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	491.94																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.43														
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL56	30.99		94.21														
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL56	36.78		94.21														
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL56	38.92		94.21														
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNC1X	1L5XX	0.013																
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per			UNC1X	U1TD5	15.61		72.60														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.43														
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNC1X	UDL64	30.99		94.21														
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNC1X	UDL64	36.78		94.21														
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNC1X	UDL64	38.92		94.21														
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNC1X	1L5XX	0.013																
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per			UNC1X	U1TD6	15.61		72.60														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			5.43														
ADDITIONAL NETWORK ELEMENTS																						
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC			5.43														
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNC1X	UNCCC			5.43														
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC			5.43														
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC			5.43														
	NRC Currently Combined Network Elements Switch -As-Is Charge-ST51			UNCSX	UNCCC			5.43														
Optional Features & Functions:																						
	Clear Channel Capability Extended Frame Option-per DS1		I	U1TD1, ULDD1, UNC1X	CCOEF		0I	0I	0I	0I												
	Clear Channel Capability Super Frame Option-per DS1		I	U1TD1, ULDD1, UNC1X	CCOSF		0I	0I	0I	0I												
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S												
	C-bit Parity Option-Subsqnt Activity-per DS3		I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S												
MULTIPLEXERS																						
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	105.09		59.97		12.96												
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38		6.39		4.58												
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38		6.39		4.58												
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.96		6.39		4.58												
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96		6.39		4.58												
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.6497		6.39		4.58												
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6497		6.39		4.58												
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	201.48		107.05		91.25												
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	201.48		107.05		91.25												
	DS1 COCI used with Loop per mo			USL	UC1D1	11.78		6.39		4.58												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	11.78														
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	11.78														
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	11.78														
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																				
Exchange Ports																				
NOTE: Although the Port Rate includes all available features in LA, the desired features will need to be ordered using retail USOCs																				
2-WIRE VOICE GRADE LINE PORT RATES (RES)																				
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.52														
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.52														
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.52														
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAS	1.52														
	Exchange Ports-2W VG unbundled LA Area Plus with Caller ID-Res (RUL)			UEPSR	UEPAG	1.52														
	Exchange Ports-2W VG unbundled res. low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.52														
	Exchange Ports-2W VG LA res Dialing Plan w/o Caller ID			UEPSR	UEPWG	1.52														
	Exchange Ports-2W VG LA res Area Plus w/o Caller ID			UEPSR	UEPRQ	1.52														
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.52														
	Subsqnt Activity			UEPSR	USASC	0.00														
FEATURES																				
	All Available Vertical Features			UEPSR	UEPVF	0.00														
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																				
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.52														
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.52														
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.52														
	Exchange Ports-2W VG unbundled LA extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAX	1.52														
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.52														
	Exchange Ports-2W VG unbundled LA Bus Area Calling Port with Caller ID-Bus (BUC)			UEPSB	UEPAA	1.52														
	Exchange Ports-2W Voice LA bus Dialing Plan w/o Caller ID			UEPSB	UEPWH	1.52														
	Exchange Ports-2W Voice LA bus Area Calling Port w/o Caller ID			UEPSB	UEPBA	1.52														
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.52														
	Subsqnt Activity			UEPSB	USASC	0.00														
FEATURES																				
	All Available Vertical Features			UEPSB	UEPVF	0.00														
EXCHANGE PORT RATES (DID & PBX)																				
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.52														
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.52														
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.52														
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.52														
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.52														
	2W Voice Unbundled 2-Way PBX LA Calling Port			UEPSP	UEPL2	1.52														
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.52														
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52														
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52														
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52														
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.52														
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52														
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPSP	UEPXX	1.52														
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52														
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52														

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42												
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPSP	UEXPX	1.52	30.37	14.42												
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.52	30.37	14.42												
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00												
FEATURES																				
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00												
EXCHANGE PORT RATES (COIN)																				
	Exchange Ports-Coin Port					1.52	2.31	2.21												
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																				
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																				
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																				
EXCHANGE PORT RATES																				
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																				
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																				
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.29	115.85	18.20												
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92												
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSP	U1PMA	10.07	70.76	51.46												
	All Features Offered			UEPTX, UEPSP	UEPVF	0.00	0.00	0.00												
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSP	U1UMA	0.00	0.00	0.00												
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																				
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																				
EXCHANGE PORT RATES (continued)																				
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62												
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62												
	Physical Collocation-DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47												
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47												
Detailed E911 with Locator Capability (required with UEPEX port)																				
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,792.00													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.03													
New or Additional PRI Telephone Numbers																				
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0692	0.48													
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0692	11.18	11.18												
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.48													
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35												
LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75														
INTERFACE (Provisioning Only)																				
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00												
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00												
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00												
New or Additional Channel																				
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11													
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11													
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11													
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11													
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11													
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.11													
CALL TYPES																				
	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Outward			UEPEX	PR7CO	0.00		0.00												
	Two-way			UEPEX	PR7CC	0.00		0.00												
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																				
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																				
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52		2.31												
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.52		2.31												
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.52		2.31												
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.52		2.31												
Non-Recurring																				
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2			0.10		0.10										
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC			0.10		0.10										
UNBUNDLED REMOTE CALL FORWARDING - Bus																				
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.52		2.31		2.21										
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.52		2.31		2.21										
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.52		2.31		2.21										
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.52		2.31		2.21										
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.52		2.31		2.21										
Non-Recurring																				
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2			0.10		0.10										
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC			0.10		0.10										
UNBUNDLED LOCAL SWITCHING, PORT USAGE																				
End Office Switching (Port Usage)																				
	End Office Switching Function, Per MOU					0.001868														
	End Office Trunk Port-Shared, Per MOU					0.00018														
Tandem Switching (Port Usage) (Local or Access Tandem)																				
	Tandem Switching Function Per MOU					0.0001067														
	Tandem Trunk Port-Shared, Per MOU					0.000222														
	Tandem Switching Function Per MOU (Melded)					0.000035296														
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000073438														
	Melded Factor: 33.08% of the Tandem Rate																			
Common Transport																				
	Common Transport-Per mi, Per MOU					0.0000032														
	Common Transport-Facilities Term Per MOU					0.0003748														
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																				
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																				
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																				
End Office & Tandem Switching Usage & Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																				
The first & add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.																				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/Port Combo-Zone 1		1			13.13														
	2W VG Loop/Port Combo-Zone 2		2			23.75														
	2W VG Loop/Port Combo-Zone 3		3			49.62														
UNE Loop Rates																				
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	11.77														
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	22.39														
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	48.26														
2-Wire Voice Grade Line Port Rates (Res)																				
	2W voice unbundled port-res			UEPRX	UEPLX	1.36		38.85		19.08										
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.36		38.85		19.08										
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.36		38.85		19.08										
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPRX	UEPAS	1.36		38.85		19.08										
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPRX	UEPAG	1.36		38.85		19.08										

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)						
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECE	SOMAN
	2W voice unbundles res. low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.36													
	2W Voice Unbundled LA res Dialing Plan w/o Caller ID			UEPRX	UEPWG	1.36													
	2W voice unbundled LA Area Plus Port w/o Caller ID Capability			UEPRX	UEPRQ	1.36													
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.36													
	FEATURES																		
	All Features Offered			UEPRX	UEPVF	0.00													
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35													
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2														
	2W VG Loop/Line Port Combination-Conversion-Switch w change			UEPRX	USACC														
	ADDITIONAL NRCs																		
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00													
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL														
	OFF/ON PREMISES EXTENSION CHANNELS																		
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.90													
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	23.33													
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	48.43													
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	14.93													
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	25.35													
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	50.46													
	INTEROFFICE TRANSPORT																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	22.60													
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.013													
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/Port Combo-Zone 1		1			13.13													
	2W VG Loop/Port Combo-Zone 2		2			23.75													
	2W VG Loop/Port Combo-Zone 3		3			49.62													
	UNE Loop Rates																		
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	11.77													
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	22.39													
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	48.26													
	2-Wire Voice Grade Line Port (Bus)																		
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.36													
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.36													
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.36													
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPBX	UEPAX	1.36													
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.36													
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPBX	UEPAA	1.36													
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPBX	UEPWH	1.36													
	2W voice unbundled LA bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBA	1.36													
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.36													
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35													
	FEATURES																		
	All Features Offered			UEPBX	UEPVF	0.00													
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2														
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPBX	USACC														
	ADDITIONAL NRCs																		
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2														
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL														
	OFF/ON PREMISES EXTENSION CHANNELS																		
	2W Analog VG Extension Loop - Non-Design		1	UEPBX	UEAEN	12.90													
	2W Analog VG Extension Loop - Non-Design		2	UEPBX	UEAEN	23.33													
	2W Analog VG Extension Loop - Non-Design		3	UEPBX	UEAEN	48.43													

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring First	Nonrecurring Add'l							NRC Disconnect First	NRC Disconnect Add'l
											SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.93	102.10	65.72								
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	25.35	102.10	65.72								
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	50.46	102.10	65.72								
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.013	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			13.13										
	2W VG Loop/Port Combo-Zone 2		2			23.75										
	2W VG Loop/Port Combo-Zone 3		3			49.62										
UNE Loop Rates																
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	11.77										
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	22.39										
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	48.26										
2-Wire Voice Grade Line Port Rates (RES - PBX)																
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.36	66.91	31.29								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES																
	All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.68	1.85								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.68	1.85								
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.93	102.10	65.72								
	Local Channel VG, per Term		2	UEPRG	P2JHX	25.35	102.10	65.72								
	Local Channel VG, per Term		3	UEPRG	P2JHX	50.46	102.10	65.72								

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	22.60		39.36	26.62											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.013		0.00	0.00											
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/Port Combo-Zone 1		1			13.13														
	2W VG Loop/Port Combo-Zone 2		2			23.75														
	2W VG Loop/Port Combo-Zone 3		3			49.62														
UNE Loop Rates																				
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	11.77														
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	22.39														
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	48.26														
2-Wire Voice Grade Line Port Rates (BUS - PBX)																				
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.36	66.91	31.29												
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.36	66.91	31.29												
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.36	66.91	31.29												
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPPX	UEPL2	1.36	66.91	31.29												
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.36	66.91	31.29												
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.36	66.91	31.29												
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29												
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.36	66.91	31.29												
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.36	66.91	31.29												
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.36	66.91	31.29												
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPPX	UEPXE	1.36	66.91	31.29												
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29												
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29												
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29												
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29												
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29												
LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00												
FEATURES																				
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00												
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2	7.68	1.85													
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC	7.68	1.85													
ADDITIONAL NRCs																				
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00												
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.11	7.11												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83												
OFF/ON PREMISES EXTENSION CHANNELS																				
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.93	102.10	65.72												
	Local Channel VG, per Term		2	UEPPX	P2JHX	25.35	102.10	65.72												
	Local Channel VG, per Term		3	UEPPX	P2JHX	50.46	102.10	65.72												
INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	22.60		39.36	26.62											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.013		0.00	0.00											
2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																				
UNE Port/Loop Combination Rates																				
	2W VG Coin Port/Loop Combo - Zone 1		1			13.13														
	2W VG Coin Port/Loop Combo - Zone 2		2			23.75														
	2W VG Coin Port/Loop Combo - Zone 3		3			49.62														
UNE Loop Rates																				

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	11.77														
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	22.39														
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	48.26														
	2-Wire Voice Grade Line Ports (COIN)																			
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.36	38.85	19.08												
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.36	38.85	19.08												
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.36	38.85	19.08												
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.36	38.85	19.08												
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.36	38.85	19.08												
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPLA	1.36	38.85	19.08												
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.36	38.85	19.08												
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.36	38.85	19.08												
	2W Coin 2-Way Smartline with 900/976			UEPCO	UEPNA	1.36	38.85	19.08												
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCB	1.36	38.85	19.08												
	ADDITIONAL UNE COIN PORT/LOOP (RC)																			
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00										
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35														
	NONRECURRING CHARGES - CURRENTLY COMBINED																			
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10												
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPCO	USACC		0.10	0.10												
	ADDITIONAL NRCs																			
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83												
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																			
	UNE Port/Loop Combination Rates																			
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45														
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87														
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98														
	UNE Loop Rates																			
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.93														
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.35														
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	50.46														
	2-Wire Voice Grade Line Port Rates (Res)																			
	2W voice unbundled port-res			UEPFR	UEPRL	1.52	104.41	67.93												
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.52	104.41	67.93												
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.52	104.41	67.93												
	2W VG unbundled LA extended local dialing parity port with Caller ID-res			UEPFR	UEPAS	1.52	104.41	67.93												
	2W voice unbundled LA Area Plus with Caller ID-res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93												
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93												
	2W Voice Unbundled LA res Dialing Plan w/o Caller ID			UEPFR	UEPWG	1.52	104.41	67.93												
	INTEROFFICE TRANSPORT																			
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	22.60	39.36	26.62												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.013														
	FEATURES																			
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00												
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35														

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2	8.24	1.81													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC	8.24	1.81													
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN	11.20	1.10													
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45														
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87														
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98														
UNE Loop Rates																				
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.93														
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.35														
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	50.46														
2-Wire Voice Grade Line Port (Bus)																				
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.52	104.41	67.93												
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.52	104.41	67.93												
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.52	104.41	67.93												
	2W VG unbundled LA extended local dialing parity port with Caller ID-bus			UEPFB	UEPAX	1.52	104.41	67.93												
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.52	104.41	67.93												
	2W voice unbundled LA Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93												
	2W Voice Unbundled LA bus Dialing Plan w/o Caller ID			UEPFB	UEPWH	1.52	104.41	67.93												
LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35														
INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	22.60	39.36	26.62												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.013														
FEATURES																				
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00												
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2	8.24	1.81													
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC	8.24	1.81													
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN	11.20	1.10													
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			16.45														
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			26.87														
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			51.98														
UNE Loop Rates																				
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.93														
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.35														
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	50.46														
2-Wire Voice Grade Line Port Rates (BUS - PBX)																				
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.52	132.47	82.14												
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.52	132.47	82.14												
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.52	132.47	82.14												
	2W Voice Unbundled 2-Way Combination PBX LA Calling Port			UEPFP	UEPL2	1.52	132.47	82.14												
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.52	132.47	82.14												
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.52	132.47	82.14												
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.52	132.47	82.14												
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.52	132.47	82.14												
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.52	132.47	82.14												
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.52	132.47	82.14												
	2W Voice Unbundled 2-Way PBX LA Local Optional Calling Port			UEPFP	UEP XK	1.52	132.47	82.14												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.52															
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.52															
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.52															
	2W Voice Unbundled 1-Way Outgoing PBX LA Local Discount Calling Port			UEPFP	UEPXP	1.52															
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52															
	LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15															
	INTEROFFICE TRANSPORT																				
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	22.60															
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.013															
	FEATURES																				
	All Features Offered			UEPFP	UEPVF	0.00															
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN																
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																				
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																				
	UNE Port/Loop Combination Rates																				
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.20															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			33.62															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			58.73															
	UNE Loop Rates																				
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	14.93															
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	25.35															
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	50.46															
	UNE Port Rate																				
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.27															
	NONRECURRING CHARGES - CURRENTLY COMBINED																				
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1																
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C																
	ADDITIONAL NRCs																				
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1																
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN																
	Telephone Number/Trunk Group Establishment Charges																				
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00															
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00															
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00															
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00															
	Reserve DID Nos			UEPPX	NDV	0.00															
	LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15															
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																				
	UNE Port/Loop Combination Rates																				
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	27.48															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	40.34															
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	70.99															
	UNE Loop Rates																				
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	19.09															

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB UEPPR	USL2X	31.95														
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB UEPPR	USL2X	62.60														
	UNE Port Rate																			
	Exchange Port-2W ISDN Line Side Port			UEPPB UEPPR	UEPPB	8.39	184.10	128.42												
	NONRECURRING CHARGES - CURRENTLY COMBINED																			
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB UEPPR	USACB	0.00	37.40	26.23												
	ADDITIONAL NRCs																			
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB UEPPR	URETN		11.20	1.10												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB UEPPR	URETL		8.33	0.83												
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPPB UEPPR	LNPCX	0.35	0.00	0.00												
	B-CHANNEL USER PROFILE ACCESS:																			
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00												
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00												
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00												
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																			
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCD	0.00	0.00	0.00												
	CVS (EWSD)			UEPPB UEPPR	U1UCE	0.00	0.00	0.00												
	CSD			UEPPB UEPPR	U1UCF	0.00	0.00	0.00												
	USER TERMINAL PROFILE																			
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00												
	VERTICAL FEATURES																			
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	0.00	0.00	0.00												
	INTEROFFICE CHANNEL MILEAGE																			
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR	M1GNC	22.613	39.36	26.62												
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.013	0.00	0.00												
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																			
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																			
	Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																			
	UNE Port/Loop Combination Rates																			
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		180.52														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		289.78														
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		586.76														
	UNE Loop Rates																			
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	85.70														
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	194.96														
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	491.94														
	UNE Port Rate																			
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	94.82	443.08	251.60												
	NONRECURRING CHARGES - CURRENTLY COMBINED																			
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	115.63	76.29												
	ADDITIONAL NRCs																			
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqtl Actvy-Inward/two way Tel Nos			UEPPP	PR7TF		0.48													
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.18	11.18												
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port-Subsqtl Inward Tel			UEPPP	PR7ZT		22.35	22.35												
	LOCAL NUMBER PORTABILITY																			
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75														

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.11									
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.11									
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.11									
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	70.7352	86.69	79.44								
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.2652										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		154.17										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		263.43										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		560.41										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	85.70										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	194.96										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	491.94										
UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	68.47	441.34	245.90								
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		125.75	65.08								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		125.75	65.08								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		125.75	65.08								
ADDITIONAL NRCs																
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		14.06	14.06								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		14.06	14.06								
BIPOLAR & ZERO SUBSTITUTION																
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	605.00s									
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	605.00s									
Alternate Mark Inversion																
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number/Trunk Group Establishment Charges																
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00										
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	Reserve DID Nos			UEPDC	NDV	0.00																
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																						
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	70.47																
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.2652																
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00																
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.2652																
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00																
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.2652																
	Local No Portability, per DSO Activated			UEPDC	LNPCP	3.15																
	CO Terminating Point			UEPDC	CTG	0.00																
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																						
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																						
Each System can have up to 24 combinations of rates depending on type and number of ports used																						
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																						
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																						
UNE DS1 Loop																						
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	85.70																
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	194.96																
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	491.94																
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																						
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	97.35																
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	194.70																
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	389.40																
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	584.10																
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	778.80																
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	973.50																
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM288	1,168.20																
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM384	1,557.60																
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM480	1,947.00																
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM576	2,336.40																
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM672	2,725.80																
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																						
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																						
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																						
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00																
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																						
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00																
Bipolar 8 Zero Substitution																						
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i															
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i															
Alternate Mark Inversion (AMI)																						
	Superframe Format			UEPMG	MCOSF	0.00																
	Extended Superframe Format			UEPMG	MCOPO	0.00																
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																						
Exchange Ports																						
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.52	0.00															
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.52	0.00															
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.52	0.00															
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.29	0.00															
	Unbundled Exchange Ports, 2W Channelized - Outdial - (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.52	0.00															
	Unbundled Exchange Ports, 2W Channelized - Combination (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.52	0.00															
	Unbundled Exchange Ports, 2W Channelized - Outdial - LA Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00															

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Electronically per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Unbundled Exchange Ports, 2W Channelized – Two Way-LA Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00										
Feature Activations - Unbundled Loop Concentration																				
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.6497	25.36	13.40												
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.6497	78.05	18.40												
Telephone Number/ Group Establishment Charges for DID Service																				
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00												
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00												
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00												
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00												
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00												
Local Number Portability																				
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00												
FEATURES - Vertical and Optional																				
Local Switching Features Offered with Line Side Ports Only																				
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00												
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																				
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																				
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																				
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																				
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.																				
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																				
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																				
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																				
UNE Port/Loop Combination Rates (Non-Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1		UEP91		13.13														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	2		UEP91		23.75														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3		UEP91		49.62														
UNE Port/Loop Combination Rates (Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1		UEP91		16.29														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	2		UEP91		26.71														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	3		UEP91		48.26														
UNE Loop Rate																				
	2W VG Loop (SL 1)-Zone 1	1		UEP91	UECS1	11.77														
	2W VG Loop (SL 1)-Zone 2	2		UEP91	UECS1	22.39														
	2W VG Loop (SL 1)-Zone 3	3		UEP91	UECS1	48.26														
	2W VG Loop (SL 2)-Zone 1	1		UEP91	UECS2	14.93														
	2W VG Loop (SL 2)-Zone 2	2		UEP91	UECS2	25.35														
	2W VG Loop (SL 2)-Zone 3	3		UEP91	UECS2	50.46														
UNE Ports																				
All States (Except NC and SC)																				
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.36	38.85	19.08												
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.36	104.41	67.93												
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.36	104.41	67.93												
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.36	38.85	19.08												
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.36	38.85	19.08												
AL, KY, LA, MS, & TN Only																				
	2W VG Port (Centrex)			UEP91	UEPQA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.36	38.85	19.08												
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.36	104.41	67.93												
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.36	104.41	67.93												
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.36	38.85	19.08												
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.36	38.85	19.08												
Local Switching																				

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	Centrex Intercom Functionality, per port			UEP91	URECS	0.8577														
	Local Number Portability																			
	Local No Portability (1 per port)			UEP91	LNPCc	0.35														
	Features																			
	All Standard Features Offered, per port			UEP91	UEPVF	0.00														
	All Select Features Offered, per port			UEP91	UEPVS	0.00	412.25													
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00														
	NARS																			
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Outdial			UEP91	UAROx	0.00	0.00	0.00	0.00	0.00										
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terms, each			UEP91	CENA6	8.29	115.85	18.20												
	Interoffice Channel Mileage - 2-Wire																			
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.60	39.36	26.62												
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.013														
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497														
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497														
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.6497														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.6497														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.6497														
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.6497														
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.6497														
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10												
	Conversion of Existing Centrex Common Block			UEP91	USACN	0.00	36.66	16.10												
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	680.40													
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	680.40													
	Secondary Block, per Block			UEP91	M2CC1	0.00	79.31													
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	73.93													
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83												
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP91	URETN		11.20	1.10												
	UNE-P CENTREX - 5ESS (Valid in All States)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
	UNE Port/Loop Combination Rates (Non-Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		13.13														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		23.75														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		49.62														
	UNE Port/Loop Combination Rates (Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		16.29														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		26.71														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		51.82														
	UNE Loop Rate																			
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	11.77														
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	22.39														
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	48.26														
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	14.93														
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	25.35														
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	50.46														
	UNE Port Rate																			
	All States																			
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.36	38.85	19.08												

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.36		104.41	67.93											
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.36		104.41	67.93											
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	1.36		38.85	19.08											
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.36		38.85	19.08											
	AL, KY, LA, MS, SC, & TN Only																			
	2W VG Port (Centrex)			UEP95	UEPQA	1.36		38.85	19.08											
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.36		38.85	19.08											
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36		38.85	19.08											
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.36		104.41	67.93											
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.36		104.41	67.93											
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.36		38.85	19.08											
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.36		38.85	19.08											
	Local Switching																			
	Centrex Intercom Functionality, per port			UEP95	URECS	0.8577														
	Local Number Portability																			
	Local No Portability (1 per port)			UEP95	LNPCC	0.35														
	Features																			
	All Standard Features Offered, per port			UEP95	UEPVF	0.00														
	All Select Features Offered, per port			UEP95	UEPVS	0.00	412.25													
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00														
	NARS																			
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00										
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terms, each			UEP95	CEND6	8.29		115.85	18.20											
	4-Wire Digital (1.544 Megabits)																			
	DS1 Circuit Terms, each			UEP95	M1HD1	68.47		196.18	92.92											
	DS0 Channels Activated, each			UEP95	M1HDO	0.00		14.06												
	Interoffice Channel Mileage - 2-Wire																			
	Interoffice Channel Facilities Term			UEP95	M1GBC	22.60		39.36	26.62											
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.013														
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497														
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497														
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.6497														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.6497														
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497														
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.6497														
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497														
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2			0.10	0.10											
	Conversion of Existing Centrex Common Block, each			UEP95	USACN			36.66	16.10											
	New Centrex Standard Common Block			UEP95	M1ACS	0.00		680.40												
	New Centrex Customized Common Block			UEP95	M1ACC	0.00		680.40												
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00		73.93												
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL			8.33	0.83											
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN			11.20	1.10											
	UNE-P CENTREX - DMS100 (Valid in All States)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
	UNE Port/Loop Combination Rates (Non-Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.13														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		23.75														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		49.62														
	UNE Port/Loop Combination Rates (Design)																			

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEC	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		16.29														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		26.71														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		51.82														
	UNE Loop Rate																			
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	11.77														
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	22.39														
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	48.26														
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.93														
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.35														
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	50.46														
	UNE Port Rate																			
	ALL STATES																			
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.36	38.85	19.08												
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.36	38.85	19.08												
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.36	38.85	19.08												
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08												
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.36	38.85	19.08												
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.36	38.85	19.08												
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.36	38.85	19.08												
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08												
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.36	38.85	19.08												
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08												
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08												
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.36	38.85	19.08												
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.36	104.41	67.93												
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.36	104.41	67.93												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93												
	2W VG Port terminated in on Megalink or equivalent Basic Local			UEP9D	UEPY9	1.36	38.85	19.08												
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.36	38.85	19.08												

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A					
									Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
						First	Add'l	First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
AL, KY, LA, MS, SC, & TN Only																
	2W VG Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08								
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5209)4			UEP9D	UEPQE	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5112)4			UEP9D	UEPQF	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5312)4			UEP9D	UEPQG	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5008)4			UEP9D	UEPQT	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.36	38.85	19.08								
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.36	38.85	19.08								
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.36	38.85	19.08								
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.36	38.85	19.08								
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.36	38.85	19.08								
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
Local Switching																
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.8577										
Local Number Portability																
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	412.25									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP9D	CEND6	8.29	115.85	18.20								
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP9D	M1HD1	68.47	196.18	98.62								
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.06									
Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP9D	M1GBC	22.60	39.36	26.62								
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.013										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.6497										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWW	0.6497										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.6497										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2															
	Conversion of existing Centrex Common Block, each			UEP9D	USACN															
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00														
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00														
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00														
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL															
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN															
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																			
	UNE Port/Loop Combination Rates (Non-Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		13.13														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		23.75														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		49.62														
	UNE Port/Loop Combination Rates (Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		16.29														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		26.71														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		51.82														
	UNE Loop Rate																			
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	11.77														
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	22.39														
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	48.26														
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	14.93														
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	25.35														
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	50.46														
	UNE Port Rate																			
	AL, FL, KY, LA, MS, & TN only																			
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.36	38.85	19.08												
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.36	104.41	67.93												
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93												
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08												
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08												
	AL, KY, LA, MS, & TN Only																			
	2W VG Port (Centrex)			UEP9E	UEPQA	1.36	38.85	19.08												
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.36	38.85	19.08												
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPOH	1.36	38.85	19.08												
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPOM	1.36	104.41	67.93												
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.36	104.41	67.93												
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.36	38.85	19.08												
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.36	38.85	19.08												
	Local Switching																			
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.8577														
	Local Number Portability																			
	Local No Portability (1 per port)			UEP9E	LNPC	0.35														
	Features																			
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00														
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	412.25													
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00														
	NARS																			
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00										
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terms, each			UEP9E	CEND6	8.29	115.85	18.20												

UNBUNDLED NETWORK ELEMENTS - Louisiana														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
4-Wire Digital (1.544 Megabits)																							
	DS1 Circuit Terms, each			UEP9E	M1HD1	68.47		196.18	92.92														
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00		14.06															
Interoffice Channel Mileage - 2-Wire																							
	Interoffice Channel Facilities Term			UEP9E	M1GBC	22.60		39.36	26.62														
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.013																	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																							
D4 Channel Bank Feature Activations																							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.6497																	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.6497																	
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.6497																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.6497																	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.6497																	
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.6497																	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.6497																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																							
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2			0.10	0.10														
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN			36.66	16.10														
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00		680.40															
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00		680.40															
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00		73.93															
Additional Non-Recurring Charges (NRC)																							
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL			8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9E	URETN			11.20	1.10														
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)																							
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																							
UNE Port/Loop Combination Rates (Non-Design)																							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		13.13																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		23.75																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		49.62																	
UNE Port/Loop Combination Rates (Design)																							
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		16.29																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		26.71																	
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		51.82																	
UNE Loop Rate																							
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	11.77																	
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	22.36																	
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	48.26																	
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	14.93																	
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	25.35																	
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	50.46																	
UNE Port Rate																							
AL, KY, LA, MS, & TN only																							
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.36		38.85	19.08														
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.36		38.85	19.08														
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.36		38.85	19.08														
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.36		104.41	67.93														
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.36		104.41	67.93														
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP93	UEPY9	1.36		38.85	19.08														
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.36		38.85	19.08														
	2W VG Port (Centrex)			UEP93	UEPQA	1.36		38.85	19.08														
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.36		38.85	19.08														
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.36		38.85	19.08														
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.36		104.41	67.93														
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.36		104.41	67.93														
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36		38.85	19.08														
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.36		38.85	19.08														
Local Switching																							

UNBUNDLED NETWORK ELEMENTS - Louisiana													Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l					
	Centrex Intercom Functionality, per port			UEP93	URECS	0.8577															
	Local Number Portability																				
	Local No Portability (1 per port)			UEP93	LNPCc	0.35															
	Features																				
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14													
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14													
	NARS																				
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00											
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00											
	Unbundled Network Access Register-Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00											
	Miscellaneous Terminations																				
	2-Wire Trunk Side																				
	Trunk Side Terms, each			UEP93	CEND6	8.27	115.85	18.20													
	4-Wire Digital (1.544 Megabits)																				
	DS1 Circuit Terms, each			UEP93	M1HD1	68.47	196.18	92.92													
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.06														
	Interoffice Channel Mileage - 2-Wire																				
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.60	39.36	26.62													
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.013															
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																				
	D4 Channel Bank Feature Activations																				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.6497															
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.6497															
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.6497															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.6497															
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.6497															
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.6497															
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.6497															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10													
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		36.66	16.10													
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	680.40														
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	680.40														
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	73.93														
	Additional Non-Recurring Charges (NRC)																				
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83													
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP93	URETN		11.20	1.10													
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD																				
	Note 2 - Requires Interoffice Channel Mileage																				
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																				
	Note 4 - Requires Specific Customer Premises Equipment																				
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																				

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only					SOMEC	3.50	0.00	3.50	0.00					
	OSS-Manual Service Order Charge, Per LSR-UNE Only					SOMAN	15.75	0.00	1.97	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP	200.00									
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		12.03	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		16.87	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		25.68	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEAL2		43.85	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		12.03	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		16.87	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		25.68	37.92	17.55	23.48	5.25				
	2W Analog VG Loop-SL1-Zone 4		4	UEANL	UEASL		43.85	37.92	17.55	23.48	5.25				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83						
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.36	34.36						
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.97	19.97						
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEANL	UREWO			15.75	8.92						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM		13.51	13.51							

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMECS	SOMAN
						First	Add'l	First	Add'l								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	8.20	8.20										
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	18.19	18.19										
	2-WIRE Unbundled COPPER LOOP																
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42							
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42							
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42							
	2W Unbundled Copper Loop-Non-Designed-Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL	8.33	0.83										
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC	8.20	8.20										
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU	13.51	13.51										
	Loop Testing-Basic 1st Half Hour			UEQ	URET1	34.36	34.36										
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA	19.97	19.97										
	CLEC to CLEC Conversion Charge w/o Outside Dispatch			UEQ	UREWO	14.24	7.42										
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25							
	2W Analog VG Loop-SL1-Line Splitting-Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25							
	UNBUNDLED EXCHANGE ACCESS LOOP																
	2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.19											
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37							
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.19											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.56	36.29										
	Loop Tagging-SL2 (SL2)			UEA	URETL	11.19	1.10										
	4-WIRE ANALOG VOICE GRADE LOOP																
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64							
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64							
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64							
	4W Analog VG Loop-Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64							
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.19											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO	87.56	36.29										
	2-WIRE ISDN DIGITAL GRADE LOOP																
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37							
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37							
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37							
	2W ISDN Digital Grade Loop-Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37							
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	18.19											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO	91.46	44.07										

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																							
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93													
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93													
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19																
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93													
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93													
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93													
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93													
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19																
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.04	40.33															
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																							
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93													
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93													
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93													
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93													
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19																
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93													
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93													
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93													
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93													
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19																
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33															
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																							
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68													
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68													
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68													
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68													
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19																
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68													
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68													
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68													
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68													
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19																
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		85.98	40.33															
4-WIRE DS1 DIGITAL LOOP																							
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07													
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	129.38	253.93	158.45	46.10	12.07													

UNBUNDLED NETWORK ELEMENTS - Mississippi															Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)	
							First	Add'l	First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN		
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	206.74	253.93	158.45	46.10	12.07								
	4W DS1 Digital Loop-Zone 4		4	USL	USLXX	458.46	253.93	158.45	46.10	12.07								
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19											
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.90	42.96										
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64								
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64								
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64								
	4W Unbundled Digital 19.2 Kbps		4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 56 Kbps-Zone 4		4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19											
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	40.76	126.53	88.85	60.68	14.64								
	4W Unbundled Digital Loop 64 Kbps-Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64								
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19											
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		101.94	49.66										
	2-WIRE Unbundled COPPER LOOP																	
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93								
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93								
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93								
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20										
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20										
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		95.21	42.40										
	4-WIRE COPPER LOOP																	
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68								
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68								
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68								
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20										
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20										

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMEc	SOMAN
						First	Add'l	First	Add'l								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO	95.21	42.40										
LOOP MODIFICATION																	
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L	32.57	32.57										
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L	32.57	32.57										
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT	32.59	32.59										
SUB-LOOPS																	
Sub-Loop Distribution																	
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA	259.69											
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB	22.77											
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC	178.47											
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD	56.39											
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71							
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 4	I	4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20									
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1	I	1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2	I	2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3	I	3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35							
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 4	I	4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20									
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20									
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.20	8.20									
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.36	34.36									
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.97	19.97									
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71							
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71							
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71							
	2W Copper Unbundled Sub-Loop Distribution-Zone 4	I	4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.20	8.20									
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35							
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35							
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35							
	4W Copper Unbundled Sub-Loop Distribution-Zone 4	I	4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.20	8.20									
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.36	34.36									
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.97	19.97									
Unbundled Network Terminating Wire (UNTW)																	
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3366	30.55										
Network Interface Device (NID)																	
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.84	28.90									
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		65.30	50.36									
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.94	5.94									
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.94	5.94									
UNE OTHER, PROVISIONING ONLY - NO RATE																	
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00										
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00										
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00										
UNE OTHER, PROVISIONING ONLY - NO RATE																	

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00								
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00								
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00								
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	11.20									
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19					
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	11.20									
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19					
LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12							
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58							
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652							
LINE SHARING AND LINE SPLITTING															
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
NOTE 1: Above will apply to USOCS: ULSDT and ULSC															
**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															
LINE SHARING															
SPLITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00					
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00					
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00					
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93					
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93					
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24							
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24							
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47.44	19.31	20.67	12.74					
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.26	47.44	19.31	20.67	12.74					
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61									
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93					
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93					
MAINTENANCE															

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMECH	SOMAN
						First	Add'l	First	Add'l								
	No Trouble Found-per 1/2 hour increments-Basic					80.00	55.00										
	No Trouble Found-per 1/2 hour increments-Overtime					120.00	82.50										
	No Trouble Found-per 1/2 hour increments-Premium					160.00	110.00										
UNBUNDLED DEDICATED TRANSPORT																	
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																	
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0098											
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11							
	Interoffice Channel -Dedicated Transport-1-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0098											
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11							
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0098											
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11							
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0098											
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11							
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0098											
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11							
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.201											
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90							
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	4.76											
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29							
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	4.76											
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29							
DARK FIBER																	
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	28.27											
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14	642.79	138.67	326.97	203.85								
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	59.95											
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4	642.79	138.67	326.97	203.85								
8XX ACCESS TEN DIGIT SCREENING																	
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006216											
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X	2.60	0.44										
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD		5.97	0.81	4.60	0.54								
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX	5.97	0.81	4.60	0.54								
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX	2.60	1.30										
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX	3.04	1.74										
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX	3.04	0.44										
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX	2.60											
	8XX Access Ten Digit Screening, w/8FL No. Delivery, per query			OHD		0.0006216											
	8XX Access Ten Digit Screening, w/POTS No. Delivery, per query			OHD		0.0006216											
LINE INFORMATION DATA BASE ACCESS (LIDB)																	
	LIDB Common Transport Per Query			OQT		0.0000197											
	LIDB Validation Per Query			OQU		0.0137053											
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	34.52	34.52	42.33	42.33								
SIGNALING (CCS7)																	
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.21											
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597											
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53							
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149											
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55											
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	29.18	29.18	35.78	35.78								
E911 SERVICE																	
	Local Channel-Dedicated-2W VG					14.91	194.22	33.36	37.79	3.30							

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN		
	Interoffice Transport-Dedicated-2W VG Per mi					0.0098											
	Interoffice Transport-Dedicated-2W VG Per Facility Term					22.52	40.77	27.57	17.26	7.11							
	Local Channel-Dedicated-DS1-Zone 1					36.83	178.50	154.61	22.89	15.74							
	Local Channel-Dedicated-DS1-Zone 2					35.99	178.50	154.61	22.89	15.74							
	Local Channel-Dedicated-DS1-Zone 3					221.63	178.50	154.61	22.89	15.74							
	Local Channel-Dedicated-DS1-Zone 4					221.63	178.50	154.61	22.89	15.74							
	Interoffice Transport-Dedicated-DS1 Per mi					0.2010											
	Interoffice Transport-Dedicated-DS1 Per Facility Term					57.33	89.79	82.28	16.86	14.90							
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners-Service Establishment			QOV			23.09	23.09	21.23	21.23							
	CNAM For Non DB Owners-Service Establishment			QOV			23.09	23.09	21.23	21.23							
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			QOV			996.62	737.08	270.49	198.89							
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			QOV			344.32	246.56	276.85	198.89							
	CNAM for DB Owners, Per Query			QOV		0.0010231											
	CNAM for Non DB Owners, Per Query			QOV		0.0010231											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per						85.19	85.19	14.19	14.19							
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45							
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45							
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51								
	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71							
	Query NRC, per query			SRC		0.0030502											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial			A1N	CAMSE		39.67	39.67	40.92	40.92							
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.87	7.87	9.14	9.14							
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.87	7.87	9.14	9.14							
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU		35.21	35.21	27.21	27.21							
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		42.13	42.13	11.78	11.78							
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0021											
	AIN SMS Access Service-Session, Per min					0.5649											
	AIN SMS Access Service-Company Performed Session, Per min					0.8393											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC		39.67	39.67	40.92	40.92							
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,226.54	4,226.54									
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term, Attempt				BAPTT		7.87	7.87	9.14	9.14							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.87	7.87	9.14	9.14							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.67	34.67	14.44	14.44							
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44							
	AIN Toolkit Service-Query Charge, Per Query					0.0535577											
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0063509											
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06											
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS		11.11	7.87	7.87	5.54	5.54						
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS		2.71	8.71	8.71								

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54													
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPEP	0.09	8.71	8.71															
ENHANCED EXTENDED LINK (EELs)																							
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																							
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																							
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																							
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37													
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37													
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37													
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37													
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1813																	
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90													
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10													
	VG COCI-Per mo			UNCVX	1D1VG	0.5737	6.62	4.74															
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37													
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37													
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37													
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37													
	VG COCI-Per mo			UNCVX	1D1VG	0.5737	6.62	4.74															
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20													
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																							
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64													
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64													
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64													
	First 4W Analog VG Loop in Combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																	
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90													
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10													
	VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74															
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64													
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64													
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64													
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64													
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74															
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20													
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																							
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64													
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64													
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																	
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90													
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10													
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64													
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00													

UNBUNDLED NETWORK ELEMENTS - Mississippi

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A											
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l										
									Rec						Nonrecurring		NRC Disconnect		OSS Rates (\$)			
									First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.63	5.63	7.20	7.20													
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10												
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.63	5.63	7.20	7.20													
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07												
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07												
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07												
	4W DS1 Digital Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07												
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	5.63	5.63	7.20	7.20													
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07												
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07												
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07												
	First DS1 Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07												
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	4.29																
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29												
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82												
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07												
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07												
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07												
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07												
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC	5.63	5.63	7.20	7.20													
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37												
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37												
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37												
	2WVG Loop in combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37												
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.00088																
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	5.63	5.63	7.20	7.20													
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64												
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64												
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	4WVG Loop in combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.00088																
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC	5.63	5.63	7.20	7.20													

UNBUNDLED NETWORK ELEMENTS - Mississippi

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A	
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect
	First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	11.20						
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19		
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	4.29						
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20		
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	11.20						
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19		
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	4.29						
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT												
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		
	First 2W ISDN Loop in Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.1813						
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10		
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37		
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		
	First DS1 Loop Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	4.29						
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29		
	3/1 Channel System in combination per mo			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82		
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		
	DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64		
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64		
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64		
	4W 56 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64		
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per			UNCDCX	1L5XX	0.0098						
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDCX	U1TD5	22.52	40.78	27.57	17.26	7.11		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDCX	UNCCC		5.63	5.63	7.20	7.20		

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																						
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
	4W 64 kbps Local Loop in Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per			UNCDX	1L5XX	0.0098																
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20												
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																						
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37												
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37												
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37												
	First 2W VG Loop (SL2) in Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.1813																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10												
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.5737	6.62	4.74														
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37												
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37												
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37												
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37												
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20												
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																						
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64												
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64												
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	First 4W Analog VG Local Loop in Combination -Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10												
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74														
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	34.30												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.5737	6.62	4.74														
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20												
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64												
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10												
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64												
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64												
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20												
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10												
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82												
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90												

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First 4W DS1 Digital Local Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.1813										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	3/1 Channel System in combination per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.1813										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Add'l DS1 COCI in the same 3/1 channel system combination			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0098										
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4W 64 kbps Local Loop in combination-Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First 14W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0098										
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITIONAL NETWORK ELEMENTS																
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option-per DS1		I	U1TD1, ULDD1,UNC1X	CCOEF		0I	0I	0I	0I						
	Clear Channel Capability Super FrameOption-per DS1		I	U1TD1, ULDD1,UNC1X	CCOSF		0I	0I	0I	0I						
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S						
	C-bit Parity Option-Subsqnt Activity-per DS3		i	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
MULTIPLEXERS																
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	DS1 COCI used with Loop per mo			USL	UC1D1	12.96	6.62	4.74								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	12.96	6.62	4.74								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	12.96	6.62	4.74								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	12.96	6.62	4.74								
UNBUNDLED LOCAL EXCHANGE SWITCH(PORTS)																
Exchange Ports																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						

UNBUNDLED NETWORK ELEMENTS - Mississippi													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W Voice MS res Dialing Plan w/o Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.41	2.39	2.29	1.42	1.33						
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled MS extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
	Exchange Ports-2W Voice MS bus Dialing Plan w/o Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.41	2.39	2.29	1.42	1.33						
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								
	EXCHANGE PORT RATES (DID & PBX)															
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92						
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92						
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92						
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPSP	UEPXR	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled PBX Port, MS only			UEPSP	UEPA5	1.41	31.45	14.93	14.38	0.92						
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.41	31.45	14.93	14.38	0.92						
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00								
	FEATURES															
	All Available Vertical Features			UEPSP	UEPVF	2.56	0.00	0.00								
	EXCHANGE PORT RATES (COIN)															
	Exchange Ports-Coin Port					1.41	2.39	2.29	1.42	1.33						
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															
	UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)															
	EXCHANGE PORT RATES															
	The DS1 Port rates below for 4W DDITS Trunk Port & 4W ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
	Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.25	120.00	18.85	61.77	3.88						
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54						
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76						
	All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00								
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.															
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.															

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
EXCHANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69					
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69					
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	1.14	22.16	16.02	6.60	5.97					
	Virtual Collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	1.14	22.16	16.02	6.60	5.97					
Detailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,814.00		156.15						
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	176.15								
New or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0701	0.49								
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0701	11.58	11.58							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.49								
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.15	23.15							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75									
INTERFACE (Provisioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00							
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00							
New or Additional Channel															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61								
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.61								
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61								
	New or Add'l Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.61								
	New or Add'l Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.61								
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.61								
CALL TYPES															
	Inward			UEPEX	UEPDX	0.00	0.00	0.00							
	Outward			UEPEX	PR7CO	0.00	0.00	0.00							
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00							
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33					
Non-Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.0988	0.0988							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.0988	0.0988							
UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.41	2.39	2.29	1.42	1.33					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UEVJ	1.41	2.39	2.29	1.42	1.33					
Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.0988	0.0988							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.0988	0.0988							
UNBUNDLED LOCAL SWITCHING, PORT USAGE															

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
End Office Switching (Port Usage)																				
	End Office Switching Function, Per MOU					0.0010269														
	End Office Trunk Port-Shared, Per MOU					0.000161														
Tandem Switching (Port Usage) (Local or Access Tandem)																				
	Tandem Switching Function Per MOU					0.0001723														
	Tandem Trunk Port-Shared, Per MOU					0.0001828														
	Tandem Switching Function Per MOU (Melded)					0.000063441														
	Tandem Trunk Port-Shared, Per MOU (Melded)					0.000067307														
	Melded Factor: 36.82% of the Tandem Rate																			
Common Transport																				
	Common Transport-Per mi, Per MOU					0.0000026														
	Common Transport-Facilities Term Per MOU					0.0004541														
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																				
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																				
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																				
End Office & Tandem Switching Usage & Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																				
The first & add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.																				
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																				
UNE Port/Loop Combination Rates																				
	2W VG Loop/Port Combo-Zone 1		1			12.22														
	2W VG Loop/Port Combo-Zone 2		2			17.13														
	2W VG Loop/Port Combo-Zone 3		3			26.26														
	2W VG Loop/Port Combo-Zone 4		4			44.91														
UNE Loop Rates																				
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	10.98														
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	15.91														
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	25.04														
	2W VG Loop (SL1)-Zone 4		4	UEPRX	UEPLX	43.68														
2-Wire Voice Grade Line Port Rates (Res)																				
	2W voice unbundled port-res			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58										
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58										
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58										
	2W VG unbundled MS extended local dialing parity port with Caller ID-res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58										
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58										
	2W Voice Unbundled MS res Dialing Plan w/o Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58										
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58										
FEATURES																				
	All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00												
LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35														
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.0988	0.0988												
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		0.0988	0.0988												
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00												
ADDITIONAL NRCs																				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00												
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83												
OFF/ON PREMISES EXTENSION CHANNELS																				
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25										
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25										
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25										
	2W Analog VG Extension Loop - Non-Design		4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25										
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	13.89	105.96	68.28	52.82	10.37										
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED	18.75	105.96	68.28	52.82	10.37										
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED	27.55	105.96	68.28	52.82	10.37										
	2W Analog VG Extension Loop - Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37										
INTEROFFICE TRANSPORT																				

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	20.32											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0088	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/Port Combo-Zone 1		1			12.22											
	2W VG Loop/Port Combo-Zone 2		2			17.13											
	2W VG Loop/Port Combo-Zone 3		3			26.26											
UNE Loop Rates																	
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.98											
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	15.91											
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	25.04											
	2W VG Loop (SL1)-Zone 4		4	UEPBX	UEPLX	43.68											
2-Wire Voice Grade Line Port (Bus)																	
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58							
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58							
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58							
	2W VG unbundled MS extended local dialing parity port with Caller ID-bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58							
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58							
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58							
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58							
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35											
FEATURES																	
	All Features Offered			UEPBX	UEPVF	2.56	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.0988	0.0988									
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		0.0988	0.0988									
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00									
ADDITIONAL NRCs																	
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83									
OFF/OFF PREMISES EXTENSION CHANNELS																	
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25							
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25							
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	25.68	37.92	17.55	23.48	5.25							
	2W Analog VG Extension Loop – Non-Design		4	UEPBX	UEAEN	43.85	37.92	17.55	23.48	5.25							
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	13.89	105.96	68.28	52.82	10.37							
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	18.75	105.96	68.28	52.82	10.37							
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	27.55	105.96	68.28	52.82	10.37							
	2W Analog VG Extension Loop – Design		4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37							
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11							
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0088	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/Port Combo-Zone 1		1			12.22											
	2W VG Loop/Port Combo-Zone 2		2			17.13											
	2W VG Loop/Port Combo-Zone 3		3			26.26											
	2W VG Loop/Port Combo-Zone 4		4			44.91											
UNE Loop Rates																	
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.98											
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	15.91											
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	25.04											
	2W VG Loop (SL 1)-Zone 4		4	UEPRG	UEPLX	43.68											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17							
LOCAL NUMBER PORTABILITY																	

UNBUNDLED NETWORK ELEMENTS - Mississippi																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A	
						Rec	Nonrecurring		NRC Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l	First	Add'l						
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
	FEATURES															
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.96	1.91								
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel VG, per Term		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMECH	SOMAN
						First	Add'l	First	Add'l								
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	20.32		40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0088		0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/Port Combo-Zone 1		1			12.22											
	2W VG Loop/Port Combo-Zone 2		2			17.13											
	2W VG Loop/Port Combo-Zone 3		3			26.26											
	2W VG Loop/Port Combo-Zone 4		4			44.91											
UNE Loop Rates																	
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.98											
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	15.91											
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	25.04											
	2W VG Loop (SL 1)-Zone 4		4	UEPPX	UEPLX	43.68											
2-Wire Voice Grade Line Port Rates (BUS - PBX)																	
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17							
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.23	69.37	32.48	37.86	6.17							
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17							
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17							
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17							
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00									
FEATURES																	
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.96	1.91									
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		7.96	1.91									
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.00	0.00									
ADDITIONAL NRCs																	
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00									
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						7.36	7.36									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83									
OFF/OFF PREMISES EXTENSION CHANNELS																	
	Local Channel VG, per Term		1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37							
	Local Channel VG, per Term		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37							
	Local Channel VG, per Term		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37							
	Local Channel VG, per Term		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37							
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	20.32		40.77	27.57	17.26	7.11						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0088		0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT																					
	UNE Port/Loop Combination Rates																					
	2W VG Coin Port/Loop Combo - Zone 1		1			12.22																
	2W VG Coin Port/Loop Combo - Zone 2		2			17.13																
	2W VG Coin Port/Loop Combo - Zone 3		3			26.26																
	2W VG Coin Port/Loop Combo - Zone 4		4			44.91																
	UNE Loop Rates																					
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.98																
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	15.91																
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	25.04																
	2W VG Loop (SL1)-Zone 4		4	UEPCO	UEPLX	43.68																
	2-Wire Voice Grade Line Ports (COIN)																					
	2W Coin 2-Way w/o Oper Screening and w/o Blocking			UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-Way w/o Oper Screening and w/o Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-W with Oper Screening and Blocking: 011, 900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-Way with Oper Screening and 011 Blocking			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-Way with Oper Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-Way with Oper Screening & Blocking: 900/976, 1+DDD, 011+, & Local			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58												
	2W Coin 2-W Oper Screening: 900 Block: 900/976, 1+DDD, 011+, Local; with Dialing Parity (MS)			UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward w/o Blocking and w/o Oper Screening			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward w/o Blocking and w/o Oper Screening; With Dialing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward with Oper Screening and 011 Blocking			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward with Oper Screening and 011 Blocking; with Dialing Parity (MS)			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward Oper Screening & Blocking: 900/976, 1+DDD, 011+, and Local			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58												
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58												
	2W 2-Way Smartline with 900/976			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58												
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58												
	ADDITIONAL UNE COIN PORT/LOOP (RC)																					
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00												
	LOCAL NUMBER PORTABILITY																					
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35																
	NONRECURRING CHARGES - CURRENTLY COMBINED																					
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.0988	0.0988														
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		0.0988	0.0988														
	ADDITIONAL NRCs																					
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00														
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83														
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																					
	UNE Port/Loop Combination Rates																					
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			15.16																
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			20.02																
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			28.82																
	2W VG Loop/IO Tranport/Port Combo-Zone 4		4			46.99																

UNBUNDLED NETWORK ELEMENTS - Mississippi

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A	
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring		NRC Disconnect
	First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNE Loop Rates												
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	13.89						
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	18.75						
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	27.55						
	2W VG Loop (SL2)-Zone 4		4	UEPFR	UECF2	45.72						
2-Wire Voice Grade Line Port Rates (Res)												
	2W voice unbundled port-res			UEPFR	UEPRL	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.27	108.35	70.57	54.24	11.70		
	2W VG unbundled MS extended local dialing parity port with Caller ID-res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70		
	2W Voice Unbundled MS res Dialing Plan w/o Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70		
INTEROFFICE TRANSPORT												
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0088						
FEATURES												
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00				
LOCAL NUMBER PORTABILITY												
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35						
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		16.94	3.72				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		16.94	3.72				
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.19	1.10				
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)												
UNE Port/Loop Combination Rates												
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.16						
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			20.02						
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			28.82						
	2W VG Loop/IO Transport/Port Combo-Zone 4		4			46.99						
UNE Loop Rates												
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	13.89						
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	18.75						
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	27.55						
	2W VG Loop (SL2)-Zone 4		4	UEPFB	UECF2	45.72						
2-Wire Voice Grade Line Port (Bus)												
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70		
	2W VG unbundled MS extended local dialing parity port with Caller ID-bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70		
	2W Voice Unbundled MS bus Dialing Plan w/o Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70		
LOCAL NUMBER PORTABILITY												
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35						
INTEROFFICE TRANSPORT												
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0088						
FEATURES												
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		16.94	3.72				
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		16.94	3.72				
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.19	1.10				
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)												

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)										
													Rec	Nonrecurring	NRC Disconnect	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN			
													First	Add'l									
UNE Port/Loop Combination Rates																							
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			15.16																	
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			20.02																	
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			28.82																	
	2W VG Loop/IO Transport/Port Combo-Zone 4		4			46.99																	
UNE Loop Rates																							
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	13.89																	
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	18.75																	
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	27.55																	
	2W VG Loop (SL2)-Zone 4		4	UEPFP	UECF2	45.72																	
2-Wire Voice Grade Line Port Rates (BUS - PBX)																							
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29													
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29													
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 2-Way PBX MS Local Economy Calling Port			UEPFP	UEPXP	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 2-Way PBX MS Local Optional Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29													
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29													
	MS PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29													
LOCAL NUMBER PORTABILITY																							
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00															
INTEROFFICE TRANSPORT																							
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11													
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0088																	
FEATURES																							
	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00															
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		16.94	3.72															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		16.94	3.72															
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.19	1.10															
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																							
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																							
UNE Port/Loop Combination Rates																							
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			21.32																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			26.16																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			34.98																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 4		4			53.15																	
UNE Loop Rates																							
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	13.89																	
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	18.75																	
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	27.55																	
	2W Analog VG Loop-(SL2)-UNE Zone 4		4	UEPPX	UECD1	45.72																	
UNE Port Rate																							
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.43	225.96	87.13	114.59	14.25													
NONRECURRING CHARGES - CURRENTLY COMBINED																							
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.35	1.88															

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOME C	SOMAN
						First	Add'l	First	Add'l								
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C	7.35	1.88										
ADDITIONAL NRCs																	
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1	26.94	26.94										
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN	11.19	1.10										
Telephone Number/Trunk Group Establishment Charges																	
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00									
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00									
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00									
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00									
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00									
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00									
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	28.59											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	35.00											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	45.18											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 4		4			67.61											
UNE Loop Rates																	
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	34.85										
	2W ISDN Digital Grade Loop-UNE Zone 4		4	UEPPB	UEPPR	USL2X	57.28										
UNE Port Rate																	
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDITIONAL NRCs																	
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN	11.19	1.10									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL	8.33	0.83									
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES																	
	All Vertical Features-One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.56	0.00	0.00								
INTEROFFICE CHANNEL MILEAGE																	
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB	UEPPR	M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel miage each, Add'l mi			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																	
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																	
Requests for 4W DS1 Digital Loop with 4W ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		155.43											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		205.74											

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOME C	SOMAN
													First	Add'l	First	Add'l	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		283.10											
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 4		4	UEPPP		534.81											
	UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	79.08											
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	129.38											
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	206.74											
	4W DS1 Digital Loop-UNE Zone 4		4	UEPPP	USL4P	458.46											
	UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	76.35	458.93	260.59	127.75	32.76							
	NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	119.76	79.01									
	ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Inward/two way Tel Nos			UEPPP	PR7TF		0.49										
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP	PR7TO		11.58	11.58									
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		23.15	23.15									
	LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75											
	INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00									
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00									
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00									
	New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.61										
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.61										
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.61										
	CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00									
	Outward			UEPPP	PR7CO	0.00	0.00	0.00									
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00									
	Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	57.53	89.79	82.28	16.66	14.90							
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.20											
	4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
	The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
	Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
	UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		131.78											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		182.07											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		259.44											
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 4		4	UEPDC		511.15											
	UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	79.08											
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	129.38											
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	206.74											
	4W DS1 Digital Loop-UNE Zone 4		4	UEPDC	USLDC	458.46											
	UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61							

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMEc	SOMAN
						First	Add'l	First	Add'l								
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4	130.24	67.41										
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA	130.24	67.41										
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB	130.24	67.41										
ADDITIONAL NRCs																	
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA	14.56	14.56										
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB	14.56	14.56										
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	14.56	14.56										
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD	14.56	14.56										
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE	14.56	14.56										
BIPOLAR & ZERO SUBSTITUTION																	
	B8ZS - Superframe Format			UEPDC	CCOSF	0.00i	600.00s										
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	600.00s										
Alternate Mark Inversion																	
	AMI -Superframe Format			UEPDC	MCOSF	0.00	0.00										
	AMI-Extended SuperFrame Format			UEPDC	MCOPO	0.00	0.00										
Telephone Number/Trunk Group Establishment Charges																	
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00											
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00											
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00											
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00											
	DID Nos. Non-consecutive DID Nos. Per No			UEPDC	ND5	0.00											
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00									
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00									
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																	
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90							
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.20	0.00	0.00									
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00									
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.20	0.00	0.00									
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00								
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOc	0.20	0.00	0.00									
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00								
	CO Terminating Point			UEPDC	CTG	0.00											
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																	
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																	
Each System can have up to 24 combinations of rates depending on type and number of ports used																	
The UNE-P DS1 combination rates below for 4W DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																	
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
UNE DS1 Loop																	
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00									
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	129.38	0.00	0.00									
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	206.74	0.00	0.00									
	4W DS1 Loop-UNE Zone 4		4	UEPMG	USLDC	458.46	0.00	0.00									
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																	
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	95.06	0.00	0.00									
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00									
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00									
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	570.36	0.00	0.00									
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	760.48	0.00	0.00									
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	950.60	0.00	0.00									

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	288 DS0 Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00														
	384 DS0 Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00														
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,901.20	0.00	0.00														
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00														
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00														
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																						
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																						
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																						
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41														
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																						
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.15	327.39	148.05	17.56												
Bipolar 8 Zero Substitution																						
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s														
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s														
Alternate Mark Inversion (AMI)																						
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00														
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00														
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																						
Exchange Ports																						
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00												
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00												
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00												
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00												
	Unbundled Exchange Ports, 2W Channelized - Outdial - (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00												
	Unbundled Exchange Ports, 2W Channelized - Combination (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00												
	Unbundled Exchange Ports, 2W Channelized - Outdial- MS Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00												
	Unbundled Exchange Ports, 2W Channelized - Two Way-MS Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00												
Feature Activations - Unbundled Loop Concentration																						
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26												
	Feature (Service) Activation for each Trunk Port Terminated in D4			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85												
Telephone Number/ Group Establishment Charges for DID Service																						
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00														
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00														
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00														
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00														
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00														
Local Number Portability																						
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00														
FEATURES - Vertical and Optional																						
Local Switching Features Offered with Line Side Ports Only																						
	All Features Available			UEPPX	UEPVF	2.56	0.00	0.00														
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																						
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																						
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																						
3. End Office & Tandem Switching Usage & Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																						
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.																						
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																						
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																						
UNE Port/Loop Combination Rates (Non-Design)																						

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)							
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN
													First	Add'l	First	Add'l				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		12.22														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		17.13														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		26.26														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP91		44.91														
	UNE Port/Loop Combination Rates (Design)																			
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		15.12														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		19.98														
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		28.78														
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP91		46.95														
	UNE Loop Rate																			
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	10.98														
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	15.91														
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	25.04														
	2W VG Loop (SL 1)-Zone 4		4	UEP91	UECS1	43.68														
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	13.89														
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	18.75														
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	27.55														
	2W VG Loop (SL 2)-Zone 4		4	UEP91	UECS2	45.72														
	UNE Ports																			
	All States (Except NC and SC)																			
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70										
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70										
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58										
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58										
	AL, KY, LA, MS, & TN Only																			
	2W VG Port (Centrex)			UEP91	UEPQA	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58										
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70										
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70										
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58										
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58										
	Local Switching																			
	Centrex Intercom Functionality, per port			UEP91	URECS	0.7947														
	Local Number Portability																			
	Local No Portability (1 per port)			UEP91	LNPCc	0.35														
	Features																			
	All Standard Features Offered, per port			UEP91	UEPVF	2.56														
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98													
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56														
	NARS																			
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Initial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00										
	Unbundled Network Access Register-Outdial			UEP91	JAROX	0.00	0.00	0.00	0.00	0.00										
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terms, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88										
	Interoffice Channel Mileage - 2-Wire																			
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	22.52	40.77	27.57	17.26	7.11										
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0098														
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations																			
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.57														
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.57														
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.57														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.57														

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.57																
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWQ	0.57																
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.57																
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																					
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2	0.10	0.10															
	Conversion of Existing Centrex Common Block			UEP91	USAGN		37.97	16.68														
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	666.32															
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	666.32															
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91															
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.63															
	Additional Non-Recurring Charges (NRC)																					
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10														
	UNE-P CENTREX - 5ESS (Valid in All States)																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
	UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		12.22																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		17.13																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		26.26																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP95		44.91																
	UNE Port/Loop Combination Rates (Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		15.12																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		19.98																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		28.78																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP95		46.95																
	UNE Loop Rate																					
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	10.98																
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	15.91																
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	25.04																
	2W VG Loop (SL 1)-Zone 4		4	UEP95	UECS1	43.68																
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	13.89																
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	18.75																
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	27.55																
	2W VG Loop (SL 2)-Zone 4		4	UEP95	UECS2	45.72																
	UNE Port Rate																					
	All States																					
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70												
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70												
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58												
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58												
	AL, KY, LA, MS, SC, & TN Only																					
	2W VG Port (Centrex)			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70												
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70												
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58												
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.23	40.31	19.84	24.90	6.58												
	Local Switching																					
	Centrex Intercom Functionality, per port			UEP95	URECS	0.7947																
	Local Number Portability																					
	Local No Portability (1 per port)			UEP95	LNPC	0.35																
	Features																					
	All Standard Features Offered, per port			UEP95	UEPVF	2.56																
	All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98															

UNBUNDLED NETWORK ELEMENTS - Mississippi																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring		NRC Disconnect
First	Add'l	First	Add'l													
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56										
NARS																
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP95	UARO X	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.56									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0098										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP95	USAGN		37.97	16.68								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.63									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.19	1.10								
	UNE-P CENTREX - DMS100 (Valid in All States)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	1		UEP9D		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	2		UEP9D		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design	3		UEP9D		26.26										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design	4		UEP9D		44.91										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	1		UEP9D		15.12										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	2		UEP9D		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design	3		UEP9D		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design	4		UEP9D		46.95										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1	1		UEP9D	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2	2		UEP9D	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3	3		UEP9D	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4	4		UEP9D	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1	1		UEP9D	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2	2		UEP9D	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3	3		UEP9D	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4	4		UEP9D	UECS2	45.72										
	UNE Port Rate															
	ALL STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)	
													Rec	Nonrecurring
													First	Add'l
	2W VG Port (Centrex/EBS-M5009)3 Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5312)3 Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5008)3 Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70				
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70				
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58				
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58				
	AL, KY, LA, MS, SC, & TN Only													
	2W VG Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5008)4			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQI	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQK	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58				
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70				
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70				
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70				
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58				
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58				
	Local Switching													
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.7947								
	Local Number Portability													
	Local No Portability (1 per port)			UEP9D	LNPC	0.35								
	Features													
	All Standard Features Offered, per port			UEP9D	UEPVF	2.56								

UNBUNDLED NETWORK ELEMENTS - Mississippi														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98															
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56																
NARS																						
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00												
	Unbundled Network Access Register-Outdial			UEP9D	UAROY	0.00	0.00	0.00	0.00	0.00												
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
	Trunk Side Terms, each			UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88												
	4-Wire Digital (1.544 Megabits)																					
	DS1 Circuit Terms, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54												
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.56															
	Interoffice Channel Mileage - 2-Wire																					
	Interoffice Channel Facilities Term			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11												
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0098																
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																					
	D4 Channel Bank Feature Activations																					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57																
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.57																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.57																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57																
	Feature Activation on D-4 Channel Bank Tjle Line/Trunk Loop Slot			UEP9D	1PQWQ	0.57																
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57																
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.10	0.10														
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68														
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32															
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32															
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63															
	Additional Non-Recurring Charges (NRC)																					
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.19	1.10														
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
	UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		12.22																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		17.13																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		26.26																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP9E		44.91																
	UNE Port/Loop Combination Rates (Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		15.12																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		19.98																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		28.78																
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP9E		46.95																
	UNE Loop Rate																					
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	10.98																
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	15.91																
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	25.04																
	2W VG Loop (SL 1)-Zone 4		4	UEP9E	UECS1	43.68																
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	13.89																
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	18.75																
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	27.55																
	2W VG Loop (SL 2)-Zone 4		4	UEP9E	UECS2	45.72																
	UNE Port Rate																					
	AL, FL, KY, LA, MS, & TN only																					
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58												
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58												

UNBUNDLED NETWORK ELEMENTS - Mississippi																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
						First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP9E	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP9E	URECS	0.7947										
	Local Number Portability															
	Local No Portability (1 per port)			UEP9E	LNPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.56										
	NARS															
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9E	UARO	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.56									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0098										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.63									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.19	1.10								
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		12.22										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		17.13										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		26.26										

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring	NRC Disconnect	SOMECH
													First	Add'l	First	Add'l
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		4	UEP93		44.91										
	UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		15.12										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		19.98										
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		28.78										
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		4	UEP93		46.95										
	UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	10.98										
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	15.91										
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	25.04										
	2W VG Loop (SL 1)-Zone 4		4	UEP93	UECS1	43.68										
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	13.89										
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	18.75										
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	27.55										
	2W VG Loop (SL 2)-Zone 4		4	UEP93	UECS2	45.72										
	UNE Port Rate															
	AL, KY, LA, MS, & TN only															
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex)			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						
	Local Switching															
	Centrex Intercom Functionality, per port			UEP93	URECS	0.7947										
	Local Number Portability															
	Local No Portability (1 per port)			UEP93	LNPC	0.35										
	Features															
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
	NARS															
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP93	JAROX	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88						
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0098										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.57										

UNBUNDLED NETWORK ELEMENTS - Mississippi

UNBUNDLED NETWORK ELEMENTS - Mississippi										Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

UNBUNDLED NETWORK ELEMENTS - North Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the state specific OSS charges as ordered by the state Commissions. The OSS charges currently contained in this exhibit are the BellSouth regional service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEc rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEc rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.															
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge**															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOMEc		3.50	0.00	3.50	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCvx, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1	1		UEANL	UEAL2		12.11	57.99	42.37			26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL1-Zone 2	2		UEANL	UEAL2		21.24	57.99	42.37			26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL1-Zone 3	3		UEANL	UEAL2		33.65	57.99	42.37			26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL1-Zone 1	1		UEANL	UEASL		12.11	57.99	42.37			26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL1-Zone 2	2		UEANL	UEASL		21.24	57.99	42.37			26.94	12.76	0.00	0.00
	2W Analog VG Loop-SL1-Zone 3	3		UEANL	UEASL		33.65	57.99	42.37			26.94	12.76	0.00	0.00
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83				26.94	12.76	0.00	0.00
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		76.24	76.24				26.94	12.76	0.00	0.00
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		39.51	39.51				26.94	12.76	0.00	0.00
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.76	8.93				26.94	12.76	0.00	0.00
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM		28.74	28.74							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		61.38	61.38							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		45.34	45.34							

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
										First	Add'l	First	Add'l				
2-WIRE Unbundled COPPER LOOP																	
	2W Unbundled Copper Loop-Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60				26.94	12.76	0.00	0.00		
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60				26.94	12.76	0.00	0.00		
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60				26.94	12.76	0.00	0.00		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				26.94	12.76	0.00	0.00		
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		61.38	61.38									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		28.74	28.74				26.94	12.76	0.00	0.00		
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		76.24	76.24				26.94	12.76	0.00	0.00		
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		39.51	39.51				26.94	12.76	0.00	0.00		
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26	7.42				26.94	12.76	0.00	0.00		
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00		26.94	12.76				
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00		26.94	12.76				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00		26.94	12.76				
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00		26.94	12.76				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00		26.94	12.76				
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00		26.94	12.76				
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	14.97	142.97	106.56				26.94	12.76	0.00	0.00		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	25.93	142.97	106.56				26.94	12.76	0.00	0.00		
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	40.81	142.97	106.56				26.94	12.76	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34										
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	14.97	142.97	106.56				26.94	12.76	0.00	0.00		
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	25.93	142.97	106.56				26.94	12.76	0.00	0.00		
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	40.81	142.97	106.56				26.94	12.76	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33				26.94	12.76	0.00	0.00		
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.20	1.10				26.94	12.76	0.00	0.00		
4-WIRE ANALOG VOICE GRADE LOOP																	
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	21.32	288.47	237.45				26.94	12.76	0.00	0.00		
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	36.27	288.47	237.45				26.94	12.76	0.00	0.00		
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	56.57	288.47	237.45				26.94	12.76	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.64	36.33				26.94	12.76	0.00	0.00		
2-WIRE ISDN DIGITAL GRADE LOOP																	
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	19.42	325.91	251.31				26.94	12.76	0.00	0.00		
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	0.00		
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.00		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.55	44.12				26.94	12.76	0.00	0.00		
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.00		
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.00		
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34										
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 1		1	UAL	UAL2W	11.00	190.25	114.82				26.94	12.76	0.00	0.00		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				26.94	12.76	0.00	0.00		
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservaton-Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34										
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.12	40.36				26.94	12.76	0.00	0.00		
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							First	Add'l	First							Add'l
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.01	284.74	163.54					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	14.87	284.74	163.54					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	22.82	284.74	163.54					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		1	UHL	UHL2W	9.01	207.48	132.05					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		2	UHL	UHL2W	14.87	207.48	132.05					26.94	12.76	0.00	0.00
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		3	UHL	UHL2W	22.82	207.48	132.05					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	10.62	341.65	220.45					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	17.67	341.65	220.45					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	27.24	341.65	220.45					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		1	UHL	UHL4W	10.62	264.39	188.96					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		2	UHL	UHL4W	17.67	264.39	188.96					26.94	12.76	0.00	0.00
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-		3	UHL	UHL4W	27.24	264.39	188.96					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.06	40.36					26.94	12.76	0.00	0.00
	4-WIRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	47.60	714.84	421.47					42.19	12.76	0.00	0.00
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	84.36	714.84	421.47					42.19	12.76	0.00	0.00
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	134.29	714.84	421.47					42.19	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		48.31									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		100.99	43.00					26.94	12.76	0.00	0.00
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	25.32	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	43.11	489.04	337.51					26.94	12.76	0.00	0.00
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	67.26	489.04	337.51					26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.03	49.70					26.94	12.76	0.00	0.00
	2-WIRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	13.26	262.86	143.75					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	22.39	262.86	143.75					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	34.80	262.86	143.75					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	13.26	188.39	112.96					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	22.39	188.39	112.96					26.94	12.76	0.00	0.00
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	34.80	188.39	112.96					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								

UNBUNDLED NETWORK ELEMENTS - North Carolina																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							First	Add'l	First							Add'l
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44					26.94	12.76	0.00	0.00
	4-WIRE COPPER LOOP															
	4W Copper Loop including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	17.36	311.03	191.93					26.94	12.76	0.00	0.00
	4W Copper Loop including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	29.61	311.03	191.93					26.94	12.76	0.00	0.00
	4W Copper Loop including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	46.26	311.03	191.93					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	17.36	236.57	161.14					26.94	12.76	0.00	0.00
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	29.61	236.57	161.14					26.94	12.76	0.00	0.00
	4W Copper Loop w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	46.26	236.57	161.14					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)			UCL	UREWO		97.14	42.44								
	LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24					26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		21.24	21.24					26.94	12.76	0.00	0.00
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA, UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84					26.94	12.76	0.00	0.00
	SUB-LOOPS															
	Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up		1	UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up		1	UEANL	USBSB			33.78					26.94	12.76	0.00	0.00
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up		1	UEANL	USBSC			234.76					26.94	12.76	0.00	0.00
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up		1	UEANL	USBSD			81.05					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1		1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2		2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3		3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2W Intrabuilding Network Cable (INC)		1	UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4W Intrabuilding Network Cable (INC)		1	UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		61.38	61.38								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		76.24	76.24								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		39.51	39.51								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS2X	6.10	137.10	60.24					26.94	12.76	0.00	0.00
	2W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	0.00
	2W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		61.38	61.38								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1		1	UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
	4W Copper Unbundled Sub-Loop Distribution-Zone 2		2	UEF	UCS4X	10.51	162.24	85.38					26.94	12.76	0.00	0.00
	4W Copper Unbundled Sub-Loop Distribution-Zone 3		3	UEF	UCS4X	15.84	162.24	85.38					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		61.38	61.38								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		76.24	76.24								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		39.51	39.51								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.4351	64.98						26.94	12.76	0.00	0.00
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines		1	UENTW	UND12		86.37	56.69					26.94	12.76	0.00	0.00
	Network Interface Device (NID)-1-6 lines		1	UENTW	UND16		127.93	98.21					26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect-2 W		1	UENTW	UNDC2		11.68	11.68					26.94	12.76	0.00	0.00
	Network Interface Device Cross Connect-4W		1	UENTW	UNDC4		11.68	11.68					26.94	12.76	0.00	0.00
	UNE OTHER, PROVISIONING ONLY - NO RATE															

UNBUNDLED NETWORK ELEMENTS - North Carolina														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	NRC Disconnect		OSS Rates (\$)								
													Rec	Nonrecurring		First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00		0.00															
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00		0.00															
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNEEN	0.00		0.00															
UNE OTHER, PROVISIONING ONLY - NO RATE																							
	Unbundled Contract Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNEEN	0.00		0.00															
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00		0.00															
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00		0.00															
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00		0.00															
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00		0.00															
HIGH CAPACITY UNBUNDLED LOCAL LOOP																							
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	13.33																	
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	450.69	1,071.00	646.12			53.48	53.48											
	High Capacity Unbundled Local Loop-ST3-1-Per mi per mo			UDLSX	1L5ND	13.33																	
	High Capacity Unbundled Local Loop-ST3-1-Facility Term per mo			UDLSX	UDLS1	464.26	1,071.00	646.12			53.48	53.48											
LOOP MAKE-UP																							
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLV		55.44	55.44			19.99	19.99	19.99	19.99									
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.73	55.73			19.99	19.99	19.99	19.99									
	Loop Makeup-With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821															
LINE SHARING AND LINE SPLITTING																							
NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:																							
NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")																							
NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND																							
NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND																							
NOTE 1: Above will apply to USOCS: ULSDT and ULSC																							
**NOTE 2: The Line Sharing monthly recurring rates with USOCS ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003																							
LINE SHARING																							
SPLITTERS-CENTRAL OFFICE BASED																							
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00			26.94	12.76											
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	38.99	631.54	0.00			26.94	12.76											
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00			26.94	12.76											
	Line Sharing-DLEC Owned Splitter in CO-CFA activator-deactivation (per LSOD)			ULS	ULSDG		146.32	31.27			26.94	12.76											
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																							
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77			26.94	12.76											
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.49	54.71	28.77															
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.99	54.71	28.77															
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	10.48	54.71	28.77															
	Line Sharing-per Subsqt Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57			26.94	12.76											
	Line Sharing-per Subsqt Activity per Line Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29			26.94	12.76											
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31			26.94	12.76											
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31															
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31															
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31															
LINE SPLITTING																							

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
						First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59				26.94	12.76			
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59				26.94	12.76			
MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Channel -Dedicated Transport t-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0125										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	22.16	106.11	65.95				22.32	22.32			
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.40	137.48	52.58				38.07	38.07			
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0282										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.40	137.48	52.58				38.07	38.07			
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.5753										
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	71.29	217.17	163.75				38.07	38.07			
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	12.98										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	720.38	794.94	579.55				91.26	91.26			
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	6.14										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	790.37	642.23	408.89				53.48	53.48			
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	27.71										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,807.00	562.96								
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	64.04										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		1,347.00	279.87								
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		7.05	0.96				26.94				
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			23.82	2.73				41.35				
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		23.82	2.73				41.35				
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		5.63	2.82								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94				
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		5.63									
LINE INFORMATION DATA BASE ACCESS (LIDB)																
	LIDB Common Transport Per Query			OQT		0.00003										
	LIDB Validation Per Query			OQU		0.0134										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		62.26					26.94	26.94			
SIGNALING (CCS7)																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35			
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35			
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	132.83										
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.00004										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.00009										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98										
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99			

UNBUNDLED NETWORK ELEMENTS - North Carolina														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)				
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD	8.00 8.00					19.99	19.99					
E911 SERVICE																	
	Local Channel-Dedicated-2W VG-Zone 1		1			11.24 553.80 89.69					42.17	12.76					
	Local Channel-Dedicated-2W VG-Zone 2		2			19.91 553.80 89.69					42.17	12.76					
	Local Channel-Dedicated-2W VG-Zone 3		3			31.70 553.80 89.69					42.17	12.76					
	Interoffice Transport-Dedicated-2W VG Per mi					0.0282											
	Interoffice Transport-Dedicated-2W VG Per Facility Term					18.00 137.48 52.58					38.07	38.07					
	Local Channel-Dedicated-DS1-Zone 1		1			27.05 534.48 462.69					86.15	1.77					
	Local Channel-Dedicated-DS1-Zone 2		2			47.94 534.48 462.69					86.15	1.77					
	Local Channel-Dedicated-DS1-Zone 3		3			76.32 534.48 462.69					86.15	1.77					
	Interoffice Transport-Dedicated-DS1 Per mi					0.5753											
	Interoffice Transport-Dedicated-DS1 Per Facility Term					71.29 217.17 163.75					38.07	38.07					
CALLING NAME (CNAM) SERVICE																	
	CNAM For DB Owners-Service Establishment			QQV		75.62											
	CNAM For Non DB Owners-Service Establishment			QQV		75.62											
	CNAM For DB Owners-Service Provisioning With Point Code Establishment (Initial)			QQV		2,354.00 2,354.00											
	CNAM For DB Owners-Service Provisioning With Point Code Establishment (Subsqnt)			QQV		1,739.00 1,739.00											
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment (Initial)			QQV		1,072.00 1,072.00											
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment (Subsqnt)			QQV		768.44 768.44											
	CNAM for DB & Non DB Owners, Per Query			QQV		0.0009592											
SELECTIVE ROUTING																	
	Selective Routing Per Unique Line Class Code Per Request Per Switch					188.59					26.94	12.76					
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287 33.96 32.08 0.00 0.00					19.99	19.99					
PHYSICAL COLLOCATION																	
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309 33.53 31.65 0.00 0.00					19.99	19.99					
AIN SELECTIVE CARRIER ROUTING																	
	Regional Service Establishment			SRC	SRCEC	215,597.00											
	End Office Establishment			SRC	SRCEO	347.27											
	Query NRC, per query			SRC		0.0053758											
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																	
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE	294.77											
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP	86.94											
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P	86.94											
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU	200.83											
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC	172.05											
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0023											
	AIN SMS Access Service-Session, Per min					0.0791											
	AIN SMS Access Service-Company Performed Session, Per min					2.08											
AIN - BELLSOUTH AIN TOOLKIT SERVICE																	
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial			CAM	BAPSC	290.05											
	AIN Toolkit Service-Training Session, Per Customer				BAPVX	8,363.00											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT	72.76											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD	72.76											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM	72.76											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO	149.95											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC	149.95											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF	149.95											

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	SOMECS	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l							
	AIN Toolkit Service-Query Charge, Per Query					0.02										
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.45										
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	15.98	71.80									
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.08	47.20									
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service			CAM	BAPDS	15.90	71.80									
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.003	47.20									
ENHANCED EXTENDED LINK (EELs)																
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	VG COCI-Per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A					
						Rec	Nonrecurring				NRC Disconnect		OSS Rates (\$)				Incremental Charge - Manual vs. Electronic-Disc 1st	Incremental Charge - Manual vs. Electronic-Disc Add'l	Incremental Charge - Manual vs. Electronic-Disc 1st	Incremental Charge - Manual vs. Electronic-Disc Add'l
							First	Add'l			First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN				
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51						38.07	38.07					
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51						38.07	38.07					
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51						38.07	38.07					
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75						38.07	38.07					
	1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06												
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51						38.07	38.07					
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51						38.07	38.07					
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51						38.07	38.07					
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																			
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47						38.07	38.07					
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47						38.07	38.07					
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47						38.07	38.07					
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753														
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75						38.07	38.07					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																			
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47						38.07	38.07					
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47						38.07	38.07					
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47						38.07	38.07					
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	12.98														
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55						38.07	38.07					
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40												
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38												
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47						38.07	38.07					
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47						38.07	38.07					
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47						38.07	38.07					
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																			
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56												
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56												
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56												
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0282														
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	18.00	137.48	52.58						38.07	38.07					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																			
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45												
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45												
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45												
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0282														
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	22.16	106.11	65.95						38.07	38.07					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																			
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	13.33														
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	450.69	1,071.00	646.12												
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	12.98														
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	720.38	794.94	579.55						38.07	38.07					
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96				38.07	38.07					
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																			
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	13.33														
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	464.26	1,071.00	646.12												
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.14														

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	SOME C	SOMAN	SOMAN	SOMAN
First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN								
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37							38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC								38.07	38.07		
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.5753										
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination-per mo			UNC1X	MQ1	146.69	197.78	140.06								
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-		3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	6.14										
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per mo			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51								
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51								
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0282										
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
							First	Add'l	First							Add'l
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	1.27	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753										
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06								
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753										
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	16.07	13.09	9.38								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A		
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)	
	First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN				
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51				38.07	38.07		
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51				38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	146.69	197.78	140.06							
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40							
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38							
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51				38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51				38.07	38.07		
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51				38.07	38.07		
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	16.07	13.09	9.38							
				UNC1X	UNGCC		21.75	21.75	32.28	10.96		38.07	38.07		
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31				38.07	38.07		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31				38.07	38.07		
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31				38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.5753									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	146.69	197.78	140.06							
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28							
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40							
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	16.07	13.09	9.38							
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31				38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31				38.07	38.07		
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	51.14	325.91	251.31				38.07	38.07		
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	3.59	15.76	11.28							
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753									
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	16.07	13.09	9.38							
				UNC1X	UNGCC		21.75	21.75	32.28	10.96		38.07	38.07		
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX														
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47				38.07	38.07		
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47				38.07	38.07		
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47				38.07	38.07		
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.5753									
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07		
	3/1 Channel System in combination per mo			UNC3X	MQ3	233.10	403.97	234.40							
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	16.07	13.09	9.38							

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A						
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l					
															Rec	Nonrecurring		NRC Disconnect	
First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN									
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.5753													
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	71.29	217.17	163.75				38.07	38.07						
	Each Add'l DS1 COCI in the same 3/1 channel system combination per			UNC1X	UC1D1	16.07	13.09	9.38											
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47				38.07	38.07						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47				38.07	38.07						
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47				38.07	38.07						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96		38.07	38.07						
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	25.32	489.04	337.51											
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51											
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51											
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0282													
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	17.40	137.48	52.58				38.07	38.07						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96		38.07	38.07						
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																		
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51											
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51											
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51											
	First 4W 64 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0282													
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	17.40	137.48	52.58				38.07	38.07						
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96		38.07	38.07						
ADDITIONAL NETWORK ELEMENTS																			
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																			
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																			
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																			
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96		26.94	12.76						
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96		26.94	12.76						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96		26.94	12.76						
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96		26.94	12.76						
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96		26.94	12.76						
Optional Features & Functions:																			
	Clear Channel Capability Extended Frame Option-per DS1		i	U1TD1, ULDD1, UNC1X	CCOEF		0I	0I	0I	0I									
	Clear Channel Capability Super FrameOption-per DS1		i	U1TD1, ULDD1, UNC1X	CCOSF		0I	0I	0I	0I									
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		i	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S		26.94	12.76						
	C-bit Parity Option-Subsqnt Activity-per DS3		i	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S		26.94	12.76						
MULTIPLEXERS																			
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	146.69	197.78	140.06				26.94	12.76						
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38											
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38											
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	3.59	13.09	9.38											
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38											
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38											
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38											
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	233.10	403.97	234.40				26.94	12.76						

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
						Rec	Nonrecurring				NRC Disconnect		SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l			First	Add'l							
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	233.10	403.97	234.40											
	DS1 COCI used with Loop per mo			USL	UC1D1	16.07	13.09	9.38											
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	16.07	13.09	9.38											
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	16.07	13.09	9.38											
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	16.07	13.09	9.38											
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																			
Exchange Ports																			
2-WIRE VOICE GRADE LINE PORT RATES (RES)																			
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.19	21.60	21.60						26.94	12.76				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	2.19	21.60	21.60						26.94	12.76				
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPSR	UEPRZ	2.19	21.60	21.60											
	2W VG Unbundled Port with Caller ID capability, NC			UEPSR	UEPRY	2.19	21.60	21.60											
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00						26.94	12.76				
FEATURES																			
	All Available Vertical Features			UEPSR	UEPVF	3.40	0.00	0.00						26.94	12.76				
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																			
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	2.19	21.60	21.60						26.94	12.76				
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	2.19	21.60	21.60						26.94	12.76				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	2.19	21.60	21.60						26.94	12.76				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00											
FEATURES																			
	All Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00						26.94	12.76				
EXCHANGE PORT RATES (DID & PBX)																			
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	2.18	21.60	21.60						26.94	12.76				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	2.18	21.60	21.60						26.94	12.76				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	2.18	21.60	21.60						26.94	12.76				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	2.18	21.60	21.60						26.94	12.76				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled PBX Toll Terminal Ports			UEPSP	UEPXB	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	2.18	21.60	21.60						26.94	12.76				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60						26.94	12.76				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00						26.94	12.76				
FEATURES																			
	All Available Vertical Features			UEPSP	UEPSE	3.40	0.00	0.00						26.94	12.76				
EXCHANGE PORT RATES (COIN)																			
	Exchange Ports-Coin Port					2.59	21.60	21.60						26.94	12.76				
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																			
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																			
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																			
EXCHANGE PORT RATES																			
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																			

UNBUNDLED NETWORK ELEMENTS - North Carolina											Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per Elec LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l						
											SOMECH	SOMAN	SOMAN	SOMAN
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.														
	Exchange Ports-2W DID Port			UEPEX	UEPP2	12.36	81.84	81.84				26.94	12.76	
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability			UEPDD	UEPDD	123.65	116.59	69.92				26.94	12.76	
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	24.50	62.29	62.29				55.30	55.30	
	All Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00						
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00						
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.														
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.														
EXCHANGE PORT RATES (continued)														
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63				53.89	53.89	
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63				53.89	53.89	
	Physical Collocation-DS1 Cross-Connects	I		UEPEX	UEPDX	2.34	71.02	51.08				26.94	12.76	
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	0.97	71.02	51.08				26.94	12.76	
Detailed E911 with Locator Capability (required with UEPEX port)														
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,802.00					26.94	12.76	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	174.99					26.94	12.76	
New or Additional PRI Telephone Numbers														
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C		1.17	1.17				26.94	12.76	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D		28.17	28.17				26.94	12.76	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	1.17	1.17				26.94	12.76	
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	56.33	56.33				26.94	12.76	
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75								
INTERFACE (Provisioning Only)														
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00				26.94	12.76	
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00				26.94	12.76	
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00				26.94	12.76	
New or Additional Channel														
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92					26.94	12.76	
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	36.92					26.94	12.76	
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92					26.94	12.76	
	New or Add'l Usage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00						26.94	12.76	
	New or Add'l Usage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00						26.94	12.76	
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	36.92					26.94	12.76	
CALL TYPES														
	Inward			UEPEX	UEPDX	PR7C1	0.00	0.00	0.00			26.94	12.76	
	Outward			UEPEX	PR7CO	0.00	0.00	0.00				26.94	12.76	
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00				26.94	12.76	
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY														
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60				26.94	12.76	
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	2.19	21.60	21.60				26.94	12.76	
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	2.19	21.60	21.60				26.94	12.76	
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	2.19	21.60	21.60				26.94	12.76	
Non-Recurring														
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		2.77	0.40				26.94	12.76	
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40						
UNBUNDLED REMOTE CALL FORWARDING - Bus														
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	2.19	21.60	21.60				26.94	12.76	
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	2.19	21.60	21.60				26.94	12.76	
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	2.19	21.60	21.60				26.94	12.76	

UNBUNDLED NETWORK ELEMENTS - North Carolina														Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Rec	OSS Rates (\$)							
														First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	2.19							21.60	21.60				26.94	12.76		
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.19							21.60	21.60				26.94	12.76		
	Non-Recurring																				
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2								2.77	0.40				26.94	12.76		
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC								2.77	0.40							
	UNBUNDLED LOCAL SWITCHING, PORT USAGE																				
	End Office Switching (Port Usage)																				
	End Office Switching Function, Per MOU												0.0015								
	End Office Trunk Port-Shared, Per MOU												0.00023								
	Tandem Switching (Port Usage) (Local or Access Tandem)																				
	Tandem Switching Function Per MOU												0.0006								
	Tandem Trunk Port-Shared, Per MOU												0.0003								
	Tandem Switching Function Per MOU (Melded)												0.00024618								
	Tandem Trunk Port-Shared, Per MOU (Melded)												0.00012309								
	Melded Factor: 41.03% of the Tandem Rate																				
	Common Transport																				
	Common Transport-Per mi, Per MOU												0.00001								
	Common Transport-Facilities Term Per MOU												0.00034								
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																				
	Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																				
	Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																				
	End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																				
	The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.																				
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																				
	UNE Port/Loop Combination Rates																				
	2W VG Loop/Port Combo-Zone 1		1										13.03								
	2W VG Loop/Port Combo-Zone 2		2										21.33								
	2W VG Loop/Port Combo-Zone 3		3										32.61								
	UNE Loop Rates																				
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX								10.75								
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX								19.05								
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX								30.33								
	2-Wire Voice Grade Line Port Rates (Res)																				
	2W voice unbundled port-res			UEPRX	UEPRL	2.28	79.59	63.97										40.18	9.45		
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC	2.28	79.59	63.97										40.18	9.45		
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	2.28	79.59	63.97										40.18	9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	2.28	79.59	63.97										40.18	9.45		
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	2.28	79.59	63.97										40.18	9.45		
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRZ	2.28	79.59	63.97													
	2W VG Unbundled Port w/o Caller ID capability, NC			UEPRX	UEPRY	2.28	79.59	63.97													
	FEATURES																				
	All Features Offered			UEPRX	UEPVF	3.40	0.00	0.00										40.18	9.45		
	LOCAL NUMBER PORTABILITY																				
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35															
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																				
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		2.77	0.40										40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPRX	USACC		2.77	0.40										40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update												1.42					10.27			
	ADDITIONAL NRCs																				
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00										40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL													26.94	12.76	0.00	0.00
	OFF/ON PREMISES EXTENSION CHANNELS																				
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37										26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN	21.24	57.99	42.37										26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN	33.65	57.99	42.37										26.94	12.76	0.00	0.00
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED	14.97	142.97	106.56										26.94	12.76	0.00	0.00

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)						Attachment: 2		Exhibit: A			
						Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l	First	Add'l							
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00	
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.00	137.48	52.58					38.07	38.07			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0125	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/Port Combo-Zone 1		1			13.03											
	2W VG Loop/Port Combo-Zone 2		2			21.33											
	2W VG Loop/Port Combo-Zone 3		3			32.61											
UNE Loop Rates																	
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	10.75											
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	19.05											
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	30.33											
2-Wire Voice Grade Line Port (Bus)																	
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45			
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45			
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45			
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45			
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45			
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35											
FEATURES																	
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42						10.27				
ADDITIONAL NRCs																	
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00					40.18	9.45			
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					26.94	12.76	0.00	0.00	
OFF/ON PREMISES EXTENSION CHANNELS																	
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.00	
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.00	
INTEROFFICE TRANSPORT																	
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0125	0.00	0.00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/Port Combo-Zone 1		1			13.03											
	2W VG Loop/Port Combo-Zone 2		2			21.33											
	2W VG Loop/Port Combo-Zone 3		3			32.61											
UNE Loop Rates																	
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	10.75											
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	19.05											
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	30.33											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45			
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00									
FEATURES																	
	All Features Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																	
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45			

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	SOMECS	SOMAN	SOMAN	SOMAN
First	Add'l	First	Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPRG	USACC							40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update											10.27				
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00	0.00	0.00				40.18	9.45			
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83				26.94	12.76	0.00	0.00	
OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel VG, per Term		1	UEPRG	P2JHX	14.97	142.97	106.56				26.94	12.76	0.00	0.00	
	Local Channel VG, per Term		2	UEPRG	P2JHX	25.93	142.97	106.56				26.94	12.76	0.00	0.00	
	Local Channel VG, per Term		3	UEPRG	P2JHX	40.81	142.97	106.56				26.94	12.76	0.00	0.00	
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	14.62	252.06	109.08				26.94	12.76	0.00	0.00	
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	23.86	126.03	54.54				26.94	12.76	0.00	0.00	
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	36.40	126.03	54.54				26.94	12.76	0.00	0.00	
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	18.00	137.48	52.58				38.07	38.07			
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0125	0.00	0.00								
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/Port Combo-Zone 1		1			13.03										
	2W VG Loop/Port Combo-Zone 2		2			21.33										
	2W VG Loop/Port Combo-Zone 3		3			32.61										
UNE Loop Rates																
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	10.75										
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	19.05										
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	30.33										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	2.28	164.57	128.16				40.18	9.45			
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	2.28	164.57	128.16				40.18	9.45			
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16				40.18	9.45			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16				40.18	9.45			
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				40.18	9.45			
FEATURES																
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00				40.18	9.45			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		2.77	0.40				40.18	9.45			
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w Change			UEPPX	USACC		2.77	0.40				40.18	9.45			
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update											10.27				
ADDITIONAL NRCs																
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				40.18	9.45			
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83				26.94	12.76	0.00	0.00	
OFF/ON PREMISES EXTENSION CHANNELS																
	Local Channel VG, per Term		1	UEPPX	P2JHX	14.97	142.97	106.56				26.94	12.76	0.00	0.00	
	Local Channel VG, per Term		2	UEPPX	P2JHX	25.93	142.97	106.56				26.94	12.76	0.00	0.00	
	Local Channel VG, per Term		3	UEPPX	P2JHX	40.81	142.97	106.56				26.94	12.76	0.00	0.00	
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	14.62	252.06	109.08				26.94	12.76	0.00	0.00	

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A		
										Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)		
														SOMECH	SOMAN	SOMECH
						Rec	Nonrecurring									
							First	Add'l								
							First	Add'l								
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.00
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.00
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	18.00	137.48	52.58					38.07	38.07		
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0125	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo - Zone 1		1			13.03										
	2W VG Coin Port/Loop Combo - Zone 2		2			21.33										
	2W VG Coin Port/Loop Combo - Zone 3		3			32.61										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	10.75										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	19.05										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	30.33										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening & Blocking: 011, 900/976, 1+DDD			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening and 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97					40.18	9.45		
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00			40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		2.77	0.40					40.18	9.45		
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						1.42									
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)															
	UNE Port/Loop Combination Rates															
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			28.12										
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			43.00										
	UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	40.81										
	2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.19	225.00	225.00					40.18	9.45		
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0125										
	FEATURES															
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00					40.18	9.45		
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35										

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
						First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2	9.03	1.87					40.18	9.45			
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC	9.03	1.87					40.18	9.45			
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN	11.20	1.10					26.94	12.76	0.00	0.00	
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																
UNE Port/Loop Combination Rates																
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			28.12										
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			43.00										
UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	40.81										
2-Wire Voice Grade Line Port (Bus)																
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	2.19	225.00	225.00				40.18	9.45			
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	2.19	225.00	225.00				40.18	9.45			
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	2.19	225.00	225.00				40.18	9.45			
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	2.19	225.00	225.00				40.18	9.45			
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35										
INTEROFFICE TRANSPORT																
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.00	140.00	71.00								
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0125										
FEATURES																
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00				40.18	9.45			
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2	9.03	1.87					40.18	9.45			
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC	9.03	1.87					40.18	9.45			
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN	11.20	1.10					26.94	12.76	0.00	0.00	
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																
UNE Port/Loop Combination Rates																
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			17.16										
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			28.12										
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			43.00										
UNE Loop Rates																
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	14.97										
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	25.93										
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	40.81										
2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	2.18	225.00	225.00				40.18	9.45			
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	2.18	225.00	225.00				40.18	9.45			
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled PBX Toll Terminal Ports			UEPFP	UEPXB	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.18	225.00	225.00				40.18	9.45			
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.18	225.00	225.00				40.18	9.45			

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l									
LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				40.18	9.45					
INTEROFFICE TRANSPORT																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.00	140.00	71.00										
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0125												
FEATURES																		
	All Features Offered			UEPFP	UEPVF	3.40	0.00	0.00				40.18	9.45					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		9.03	1.87				40.18	9.45					
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		9.03	1.87				40.18	9.45					
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.20	1.10				26.94	12.76	0.00	0.00			
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																		
UNE Port/Loop Combination Rates																		
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			20.97												
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			27.80												
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			37.08												
UNE Loop Rates																		
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	8.85												
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	15.68												
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	24.96												
UNE Port Rate																		
	Exchange Ports-2W DID Port			UEPPX	UEPD1	12.12	224.81	188.40				40.18	9.45					
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		13.26	8.39				53.89	11.34					
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable			UEPPX	USA1C		13.26	8.39				53.89	11.34					
ADDITIONAL NRCs																		
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		53.49					40.18	9.45					
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.20	1.10				26.94	12.76	0.00	0.00			
Telephone Number/Trunk Group Establishment Charges																		
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00										
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00										
	DID Nos, Non-consecutive DID Nos , Per No			UEPPX	ND5	0.00	0.00	0.00										
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00										
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00										
LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00										
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																		
UNE Port/Loop Combination Rates																		
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		1	UEPPB	UEPPR	38.84												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		2	UEPPB	UEPPR	50.01												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone		3	UEPPB	UEPPR	65.18												
UNE Loop Rates																		
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.47											
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	25.64											
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.81											
UNE Port Rate																		
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	24.37	388.20	302.77			19.99	19.99					
NONRECURRING CHARGES - CURRENTLY COMBINED																		
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	174.35	174.35									
ADDITIONAL NRCs																		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.20	1.10									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83			26.94	12.76	0.00	0.00			
LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00									

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
B-CHANNEL USER PROFILE ACCESS:															
	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00							
	CVS (EWSD)			UEPPB UEPPR	U1UCB	0.00	0.00	0.00							
	CSD			UEPPB UEPPR	U1UCC	0.00	0.00	0.00							
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)															
USER TERMINAL PROFILE															
	User Terminal Profile (EWSD only)			UEPPB UEPPR	U1UMA	0.00	0.00	0.00							
VERTICAL FEATURES															
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.40	0.00	0.00							
INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR	M1GNC	18.0282	137.48	52.58				19.99	19.99		
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0282	0.00	0.00							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A					
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)		
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		313.15										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	47.54										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	134.14										
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	179.01	956.47	663.10				19.99	19.99			
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	481.51	481.51								
ADDITIONAL NRCs																
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Subsqnt Inward/2-Way Tel Nos-(NC Only)			UEPPP	PR7TG		1.17	1.17								
	4W DS1 Loop/4W ISDN Digital Trunk Port-Subsqnt Activity Outward tel nos. (NC only)			UEPPP	PR7TP		28.17	28.17								
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		56.33	56.33								
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75										
INTERFACE (Provisioning Only)																
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New or Additional "B" Channel																
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	36.92					19.99	19.99			
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	36.92					19.99	19.99			
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	36.92					19.99	19.99			
CALL TYPES																
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Interoffice Channel Mileage																
	Fixed Each Including First mi			UEPPP	1LN1A	71.8653	217.17	163.75	0.00			19.99	19.99			
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.5753										
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		171.06										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		207.79										
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		257.66										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	47.54										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	84.27										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE Port Rate																
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39				19.99	19.99			
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A								
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
																			Rec	Nonrecurring	
ADDITIONAL NRCs																					
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4	127.63	127.63														
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA	28.81	28.81														
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB	28.81	28.81														
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	28.81	28.81					19.99	19.99								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD	28.81	28.81					19.99	19.99								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE	28.81	28.81														
BIPOLAR & ZERO SUBSTITUTION																					
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	615.00s														
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	615.00s														
Alternate Mark Inversion																					
	AMI -Superframe Format			UEPDC	MCOSF	0.00	0.00														
	AMI-Extended SuperFrame Format			UEPDC	MCOPO	0.00	0.00														
Telephone Number/Trunk Group Establishment Charges																					
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						19.99	19.99								
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						19.99	19.99								
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						19.99	19.99								
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00													
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00															
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00															
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00													
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00													
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																					
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00		19.99	19.99								
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.5753	0.00	0.00													
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00													
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.5753	0.00	0.00													
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00	0.00												
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.5753	0.00	0.00													
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00												
	CO Terminating Point			UEPDC	CTG	0.00															
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																					
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																					
Each System can have up to 24 combinations of rates depending on type and number of ports used																					
The UNE-P DS1 combination rates below for 4W DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																					
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																					
UNE DS1 Loop																					
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00													
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00													
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00													
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																					
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	123.06	0.00	0.00				19.99	19.99								
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00				19.99	19.99								
	96 DSO Channel Capacity-1 per 4 DS1s			UEPMG	VUM96	492.24	0.00	0.00				19.99	19.99								
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	738.36	0.00	0.00				19.99	19.99								
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	984.48	0.00	0.00				19.99	19.99								
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	1,230.60	0.00	0.00				19.99	19.99								
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM288	1,476.72	0.00	0.00				19.99	19.99								
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM384	1,968.96	0.00	0.00				19.99	19.99								
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM480	2,461.20	0.00	0.00				19.99	19.99								
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM576	2,953.44	0.00	0.00				19.99	19.99								
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM672	3,445.68	0.00	0.00				19.99	19.99								

UNBUNDLED NETWORK ELEMENTS - North Carolina											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																						
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																						
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																						
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	330.61	16.64			19.99	19.99										
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																						
New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																						
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68			19.99	19.99								
Bipolar 8 Zero Substitution																						
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	615.00s														
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	615.00s														
Alternate Mark Inversion (AMI)																						
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00														
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00														
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																						
Exchange Ports																						
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00			40.18	9.45								
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45								
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	2.28	0.00	0.00	0.00	0.00			40.18	9.45								
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45								
Feature Activations - Unbundled Loop Concentration																						
	Feature (Service) Activation for each Line Port Terminated in D4 Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45								
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45								
Telephone Number/ Group Establishment Charges for DID Service																						
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00														
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)			UEPPX	NDZ	0.00	0.00	0.00														
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00														
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00														
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00														
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00														
Local Number Portability																						
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00														
FEATURES - Vertical and Optional																						
Local Switching Features Offered with Line Side Ports Only																						
	All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45								
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES																						
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																						
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																						
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																						
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.																						
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.																						
UNE-P CENTREX - 5ESS (Valid in All States)																						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																						
UNE Port/Loop Combination Rates (Non-Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95									13.03									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95									21.33									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95									32.61									
UNE Port/Loop Combination Rates (Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95									17.25									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95									28.21									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95									43.09									
UNE Loop Rate																						
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1								10.75									
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1								19.05									
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1								30.33									
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2								14.97									
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2								25.93									

UNBUNDLED NETWORK ELEMENTS - North Carolina														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A	
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)	
													SOMEK	SOMAN
Rec	Nonrecurring		NRC Disconnect											
						First	Add'l	First	Add'l	SOMEK	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	40.81								
	UNE Port Rate													
	All States													
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	2.28	164.57	128.16			40.18	9.45		
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	2.28					40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97			40.18	9.45		
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97			40.18	9.45		
	NC Only													
	2W VG Port (Centrex)			UEP95	UEPUA	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex 800 Term)			UEP95	UEPUB	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97			40.18	9.45		
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPUM	2.28	164.57	128.16			40.18	9.45		
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPUZ	2.28	164.57	128.16			40.18	9.45		
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPU9	2.28	79.59	63.97			40.18	9.45		
	2W VG Port Terminated on 800 Service Term			UEP95	UEPU2	2.28	79.59	63.97			40.18	9.45		
	Local Switching													
	Centrex Intercom Functionality, per port			UEP95	URECS	0.903								
	Local Number Portability													
	Local No Portability (1 per port)			UEP95	LNPPC	0.35								
	Features													
	All Standard Features Offered, per port			UEP95	UEPVF	3.40								
	All Select Features Offered, per port			UEP95	UEPVS	0.00	457.83							
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40								
	NARS													
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45	
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45	
	Unbundled Network Access Register-Outdial			UEP95	UAROY	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45	
	Miscellaneous Terminations													
	2-Wire Trunk Side													
	Trunk Side Terms, each			UEP95	CEND6	12.36								
	4-Wire Digital (1.544 Megabits)													
	DS1 Circuit Terms, each			UEP95	M1HD1	123.65					40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81				40.18	9.45		
	Interoffice Channel Mileage - 2-Wire													
	Interoffice Channel Facilities Term			UEP95	M1GBC	18.00								
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0282								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service													
	D4 Channel Bank Feature Activations													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65								
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.65								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.65								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.65								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.65								
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.65								
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.65								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		2.77	0.40			40.18	9.45		
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	695.11				40.18	9.45		
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	695.11				40.18	9.45		
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.73				40.18	9.45		
	Additional Non-Recurring Charges (NRC)													
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83						
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.20	1.10						
	UNE-P CENTREX - DMS100 (Valid in All States)													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo													

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
									Rec						Nonrecurring
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		13.03									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.33									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		32.61									
UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.25									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		28.21									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		43.09									
UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	10.75									
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	19.05									
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	30.33									
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	14.97									
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	25.93									
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	40.81									
UNE Port Rate															
ALL STATES															
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3 Basic Local Area			UEP9D	UEPY5	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	2.28	164.57	128.16			40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16			40.18	9.45			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16			40.18	9.45			
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.28	79.59	63.97			40.18	9.45			
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.28	79.59	63.97			40.18	9.45			
NC Only															
	2W VG Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex 800 Term)			UEP9D	UEPUB	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPUD	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPUE	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPU3	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPUH	2.28	79.59	63.97			40.18	9.45			
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPUW	2.28	79.59	63.97			40.18	9.45			

UNBUNDLED NETWORK ELEMENTS - North Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A			
						Rec	Nonrecurring				NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							First	Add'l			First	Add'l				
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97				40.18	9.45			
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPUM	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPUQ	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPUS	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPU4	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16				40.18	9.45			
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16				40.18	9.45			
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16				40.18	9.45			
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97				40.18	9.45			
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97				40.18	9.45			
	Local Switching															
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.903										
	Local Number Portability															
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
	Features															
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83					40.18	9.45			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
	NARS															
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45			
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45			
	Unbundled Network Access Register-Outdial			UEP9D	UAROY	0.00	0.00	0.00	0.00	0.00	0.00	40.18	9.45			
	Miscellaneous Terminations															
	2-Wire Trunk Side															
	Trunk Side Terms, each			UEP9D	CEND6	12.36										
	4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP9D	M1HD1	123.65						40.18	9.45			
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	28.81					40.18	9.45			
	Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP9D	M1GBC	18.00										
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0282										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.65										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.65										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.65										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.65										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.77	0.40				40.18	9.45			
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11					40.18	9.45			
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	695.11					40.18	9.45			
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73					40.18	9.45			
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.20	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.															
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOME C		3.50	0.00	3.50	0.00					
	OSS-Manual Service Order Charge, Per LSR-UNE Only				SOMAN		15.69	0.00	1.97	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00								
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		14.94	37.92	17.62	23.56	5.32				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		21.39	37.92	17.62	23.56	5.32				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		26.72	37.92	17.62	23.56	5.32				
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		14.94	37.92	17.62	23.56	5.32				
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		21.39	37.92	17.62	23.56	5.32				
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		26.72	37.92	17.62	23.56	5.32				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33		0.83					
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			34.23		34.23					
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			19.90		19.90					
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-			UEANL	UREWO			15.81		8.96					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEANL	UEANM			13.47		13.47					
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			8.17		8.17					

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
	2-WIRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Non-Designed Zone 1	I	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 2	I	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2W Unbundled Copper Loop-Non-Designed-Zone 3	I	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC		8.17	8.17								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU		13.47	13.47								
	Loop Testing-Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-			UEQ	UREWO		14.30	7.45								
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90	36.44								
	Loop Tagging-SL2 (SL2)			UEA	URETL		11.24	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP															
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO		87.90	36.44								
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO		91.82	44.25								
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	SOMAN	SOMAN		
															OSS Rates (\$)	
						Rec	Nonrecurring		NRC Disconnect		SOME	SOMAN	SOMAN	SOMAN	SOMAN	
							First	Add'l	First	Add'l						
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO		86.38	40.48								
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UHL	UREWO		86.32	40.48								
	4-WIRE DS1 DIGITAL LOOP															
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	136.00	253.03	157.89	44.80	11.73						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		101.30	43.13								
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.34	49.85								
	2-WIRE Unbundled COPPER LOOP															
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		94.87	42.57								
	4-WIRE COPPER LOOP															
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-D)			UCL	UREWO		94.87	42.57								
	LOOP MODIFICATION															
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		32.46	32.46								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
	SUB-LOOPS															
	Sub-Loop Distribution															
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		241.42	241.42								
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		22.69	22.69								
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		177.84	177.84								
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 1	I	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 2	I	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2W Analog VG Loop-Zone 3	I	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		8.17	8.17								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		34.23	34.23								

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		19.90	19.90								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		8.17	8.17								
	Loop Testing-Basic 1st Half Hour			UEF	URET1		34.23	34.23								
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		19.90	19.90								
	Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per pr			UENTW	UENPP	0.3303	30.20	30.20								
	Network Interface Device (NID)															
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		43.68	28.79								
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		64.42	49.53								
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		5.92	5.92								
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		5.92	5.92								
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00									
	UNE OTHER, PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop-Expanded Superframe Format option-no			USL	CCOEF	0.00	0.00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	LOOP MAKE-UP															
	Loop Makeup-Preordering w/o Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup-Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop Makeup--With or w/o Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
	LINE SHARING AND LINE SPLITTING															
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:															
	NOTE 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")															
	NOTE 1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															
	NOTE 1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	NOTE 1: Above will apply to USOCs: ULSDT and ULSC															
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003															

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l						
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
LINE SHARING																					
SPLITTERS-CENTRAL OFFICE BASED																					
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00											
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00											
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	18.02	189.21	0.00	178.38	0.00											
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00											
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																					
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93											
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93											
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93											
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93											
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21													
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21													
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74											
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74											
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74											
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74											
LINE SPLITTING																					
END USER ORDERING-CENTRAL OFFICE BASED																					
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61															
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85											
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85											
MAINTENANCE																					
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00													
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50													
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00													
UNBUNDLED DEDICATED TRANSPORT																					
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																					
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0167															
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91											
	Interoffice Channel -Dedicated Transport t-2W VG Rev Bat-Per mi per mo			U1TVX	1L5XX	0.0167															
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91											
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0167															
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91											
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0167															
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91											
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0167															
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91											
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3415															
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48											
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	8.02															
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59											
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	8.02															

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l						
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59											
DARK FIBER																					
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	36.41															
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11											
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	97.65															
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11											
8XX ACCESS TEN DIGIT SCREENING																					
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673															
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		2.59	0.44													
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.95	0.81	4.58	0.54											
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54											
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX No			OHD	N8FCX		2.59	1.30													
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74													
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.03	0.44													
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.59	2.59													
	8XX Access Ten Digit Screening, w/8XX No. Delivery			OHD		0.0006673															
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0006673															
LINE INFORMATION DATA BASE ACCESS (LIDB)																					
	LIDB Common Transport Per Query			OQT		0.0000246															
	LIDB Validation Per Query			OQU		0.0138158															
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.40		42.18												
SIGNALING (CCS7)																					
	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48											
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	163.49															
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692															
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48											
	CCS7 Signaling Connection, Per link (B link) (also known as D)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48											
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173															
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37															
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65											
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65											
E911 SERVICE																					
	Local Channel-Dedicated-2W VG					15.33	193.53	33.24	36.72	3.21											
	Interoffice Transport-Dedicated-2W VG Per mi					0.0167															
	Interoffice Transport-Dedicated-2W VG Per Facility Term					24.30	40.63	27.47	16.77	6.91											
	Local Channel-Dedicated-DS1-Zone 1					42.62	177.87	154.06	22.24	15.30											
	Local Channel-Dedicated-DS1-Zone 2					70.32	177.87	154.06	22.24	15.30											
	Local Channel-Dedicated-DS1-Zone 3					190.68	177.87	154.06	22.24	15.30											
	Interoffice Transport-Dedicated-DS1 Per mi					0.3415															
	Interoffice Transport-Dedicated-DS1 Per Facility Term					77.14	89.47	81.99	16.39	14.48											
CALLING NAME (CNAM) SERVICE																					
	CNAM For DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15											
	CNAM For Non DB Owners-Service Establishment			OQV			23.00	23.00	21.15	21.15											
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV			993.09	734.47	269.53	198.18											
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV			343.09	245.69	275.87	198.18											
	CNAM for DB Owners, Per Query			OQV		0.0010433															
	CNAM for Non DB Owners, Per Query			OQV		0.0010433															

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l						
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
SELECTIVE ROUTING																					
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14											
VIRTUAL COLLOCATION																					
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45											
PHYSICAL COLLOCATION																					
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45											
AIN SELECTIVE CARRIER ROUTING																					
	Regional Service Establishment			SRC	SRCEC		101,324.34	101,324.34	8,609.85	8,609.85											
	End Office Establishment			SRC	SRCEO		175.66	175.66	1.70	1.70											
	Query NRC , per query			SRC		0.0035036															
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																					
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78											
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDP		7.85	7.85	9.11	9.11											
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P		7.85	7.85	9.11	9.11											
	AIN SMS Access Service-User Identification Codes-Per User ID			A1N	CAMAU		35.08	35.08	27.12	27.12											
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74											
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0027															
	AIN SMS Access Service-Session, Per min					0.7121															
	AIN SMS Access Service-Company Performed Session, Per min					0.8364															
AIN - BELLSOUTH AIN TOOLKIT SERVICE																					
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.53	39.53	40.78	40.78											
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		4,211.54	4,211.54	0.00	0.00											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.85	7.85	9.11	9.11											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		7.85	7.85	9.11	9.11											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		7.85	7.85	9.11	9.11											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		34.54	34.54	14.39	14.39											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		34.54	34.54	14.39	14.39											
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.54	34.54	14.39	14.39											
	AIN Toolkit Service-Query Charge, Per Query					0.0558238															
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0069214															
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.07															
	AIN Toolkit Service-moly report-Per AIN Toolkit Service			CAM	BAPMS	11.87	7.85	7.85	5.52	5.52											
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	3.51	8.68	8.68													
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	8.48	7.85	7.85	5.52	5.52											
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.12	8.68	8.68													
ENHANCED EXTENDED LINK (EELs)																					
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																					
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																					
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61											
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61											
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61											
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.27															

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A	
						Rec	Nonrecurring		NRC Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
							First	Add'l	First	Add'l							SOME	SOMAN
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	VG COCI-Per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61								
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61								
	VG COCI-Per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61								
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61								
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27												
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61								
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61								
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61								
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27												
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61								
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																	
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27												
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61								
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l						
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)					
							First	Add'l	First							Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																					
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73											
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73											
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73											
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.27															
	Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	First DS1 Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73											
	First DS1 Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73											
	First DS1 Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73											
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	6.42															
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59											
	3/1Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90											
	DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00											
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73											
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73											
	Add'l DS1 Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73											
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61											
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61											
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61											
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0134															
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																					
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61											
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61											
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61											
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0134															
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	12.26															
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77											
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	6.42															
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																					
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	12.26															
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77											
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	6.42															
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00											
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																					
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61											
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61											
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61											
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.27															
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48											
	1/0 Channel System in combination-per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81											
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00											

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A				
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc
										First	Add'l	First	Add'l				
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61							
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61							
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61							
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00							
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																	
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73							
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73							
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73							
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	6.42											
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59							
	3/1 Channel System in combination per mo			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90							
	DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00							
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73							
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73							
	Add'l DS1 Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73							
	DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00							
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																	
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61							
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61							
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61							
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0134											
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00							
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																	
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61							
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61							
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61							
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0134											
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91							
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00							
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61							
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61							
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61							
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.27											
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48							
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81							
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00							
	3/1 Channel System in combination per mo			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90							
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00							
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61							
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61							

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A					
									Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	Incremental Charge - Manual vs. Electronic-1st	Incremental Charge - Manual vs. Electronic-Add'l	SOME	SOMAN	SOMAN	SOMAN		
																	Rec	Nonrecurring
						First	Add'l	First	Add'l									
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61								
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61								
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61								
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27												
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61								
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61								
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61								
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27												
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81								
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61								
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00								
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27												
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00								
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00								
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																	
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61								

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc	Incremental Charge - Manual Svc Order vs. Electronic-Add'l Disc						
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)					
							First	Add'l	First	Add'l							SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61												
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per Term Per mo			UNC1X	1L5XX	0.27																
	Per each Channel System 1/0 in combination Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81												
	3/1 Channel System in combination per mo			UNC3X	1D1DD	1.19	6.59	4.73	0.00	0.00												
	Per each DS1 COCI in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61												
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61												
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00												
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																						
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61												
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61												
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61												
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per Term per mo			UNC1X	1L5XX	0.27																
	Per each Channel System 1/0 in combination-per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81												
	3/1 Channel System in combination per mo			UNC3X	UC1CA	2.56	6.59	4.73	0.00	0.00												
	Per each DS1 COCI in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90												
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61												
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61												
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00												
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																						
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73												
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73												
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73												

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A									
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per			UNC1X	1L5XX	0.27																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	3/1 Channel System in combination per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90												
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.27																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48												
	Each Add'l DS1 COCI in the same 3/1 channel system combination per mo			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00												
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73												
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73												
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00												
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61												
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61												
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61												
	First 4We 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0134																
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00												
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61												
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61												
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61												
	First 4W 65 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDX	1L5XX	0.0134																
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91												
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00												
ADDITIONAL NETWORK ELEMENTS																						
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																						
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																						
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																						
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC		5.61	5.61	7.00	7.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDX	UNCCC		5.61	5.61	7.00	7.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00												
	NRC Currently Combined Network Elements Switch -As-Is Charge-STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00												
Optional Features & Functions:																						
	Clear Channel Capability Extended Frame Option-per DS1		I	U1TD1, ULDD1,UNC1X	CCOEF	0I	0I	0I	0I													
	Clear Channel Capability Super FrameOption-per DS1		I	U1TD1, ULDD1,UNC1X	CCOSF	0I	0I	0I	0I													
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1		I	ULDD1, U1TD1, UNC1X, USL	NRCCC	185.26S	23.86S	1.99S	0.78S													
	C-bit Parity Option-Subsqnt Activity-per DS3		I	U1TD3, ULDD3, UE3, UNC3X	NRCC3	219.58S	7.69S	.7370S	0S													
MULTIPLEXERS																						
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81												
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73														

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	
							First	Add'l	First							Add'l
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo for a Local Loop			UDN	UC1CA	2.56	6.59	4.73								
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local			UEA	1D1VG	0.56	6.59	4.73								
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per mo			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per mo			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	8.64	6.59	4.73								
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	8.64	6.59	4.73								
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																
Exchange Ports																
NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs																
2-WIRE VOICE GRADE LINE PORT RATES (RES)																
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled SC extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled SC Area Calling port with Caller ID-Res (LW8)			UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG SC res Dialing Plan w/o Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports-2W VG SC res Area Calling Plan w/o Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.65	2.38	2.28	1.42	1.33						
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATURES																
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																	
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W VG unbundled SC extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W VG unbundled SC Bus Area Calling Port with Caller ID-Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W Voice SC bus Dialing Plan w/o Caller ID			UEPSB	UEPWW	1.65	2.38	2.28	1.42	1.33							
	Exchange Ports-2W Voice SC bus Area Calling Port w/o Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33							
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33							
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00									
	All Available Vertical Features				UEPVF	3.04	0.00	0.00									
EXCHANGE PORT RATES (DID & PBX)																	
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90							
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90							
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90							
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90							
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88	13.97	0.90							
	2W Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90							
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPSP	UEPXT	1.65	31.34	14.88	13.97	0.90							
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00									
FEATURES																	
	All Available Vertical Features			UEPSP	UEPSE	3.04	0.00	0.00									
EXCHANGE PORT RATES (COIN)																	
	Exchange Ports-Coin Port					1.65	2.38	2.28	1.42	1.33							
Local Switching Features offered with Port																	
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																	
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																	
EXCHANGE PORT RATES																	
The DS1 Port rates below for 4W DDITS Trunk Port & 4W ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																	
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.86	119.57	18.78	60.03	3.77							
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47							
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX,UEPSX	U1PMA	13.38	72.93	53.11	47.90	10.76							
	All Features Offered			UEPTX,UEPSX	UEPVF	3.04	0.00	0.00									
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX,UEPSX	U1UMA	0.00	0.00	0.00									
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																	

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
EXCHANGE PORT RATES (continued)															
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10					
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10					
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	1.12	22.08	15.96	6.42	5.80					
	Virtual collocation-Special Access & UNE cross-connect per DS1			UEPEX	UEPDX	1.12	22.08	15.96	6.42	5.80					
Detailed E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,808.00		156.43						
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.53								
New or Additional PRI Telephone Numbers															
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0698	0.49	0.49							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0698	11.54	11.54							
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.49	0.49							
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.07	23.07							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75									
INTERFACE (Provisioning Only)															
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00							
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00							
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00							
New or Additional Channel															
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56								
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.56								
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56								
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00									
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00									
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	14.56								
CALL TYPES															
	Inward			UEPEX	UEPDX	0.00	0.00	0.00							
	Outward			UEPEX	PR7CO	0.00	0.00	0.00							
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00							
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33					
Non-Recurring															
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		0.10	0.10							
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10							
UNBUNDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33					
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33					
Non-Recurring															
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2		0.10	0.10							

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10							
UNBUNDLED LOCAL SWITCHING, PORT USAGE															
End Office Switching (Port Usage)															
	End Office Switching Function, Per MOU						0.0010519								
	End Office Trunk Port-Shared, Per MOU						0.0002136								
Tandem Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU						0.0001634								
	Tandem Trunk Port-Shared, Per MOU						0.0002863								
	Tandem Switching Function Per MOU (Melded)						0.00004951								
	Tandem Trunk Port-Shared, Per MOU (Melded)						0.000086749								
	Melded Factor: 30.30% of the Tandem Rate														
Common Transport															
	Common Transport-Per mi, Per MOU						0.0000045								
	Common Transport-Facilities Term Per MOU						0.0004095								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
The first and additional Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.															
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1				14.89								
	2W VG Loop/Port Combo-Zone 2		2				21.52								
	2W VG Loop/Port Combo-Zone 3		3				27.17								
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX		13.76								
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX		20.38								
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX		26.04								
2-Wire Voice Grade Line Port Rates (Res)															
	2W voice unbundled port-res			UEPRX	UEPRL		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRC		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO		1.13	40.30	19.90	24.98	6.65				
	2W VG unbundled SC extended local dialing parity port with Caller ID-res			UEPRX	UEPAU		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPRX	UEPAJ		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP		1.13	37.93	16.72						
	2W Voice Unbundled SC res Dialing Plan w/o Caller ID			UEPRX	UEPWL		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundled SC Area Calling Port w/o Caller ID Capability			UEPRX	UEPRS		1.13	40.30	19.90	24.98	6.65				
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT		1.13	40.30	19.90	24.98	6.65				
FEATURES															
	All Features Offered			UEPRX	UEPVF		3.04	0.00	0.00						
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRX	LNPCX		0.35								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2		0.10	0.10							
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPRX	USACC		0.10	0.10							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2		0.00	0.00	0.00						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL			8.33	0.83						
OFF/OFF PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop - Non-Design		1	UEPRX	UEAEN		14.94	37.92	17.62	23.56	5.32				
	2W Analog VG Extension Loop - Non-Design		2	UEPRX	UEAEN		21.39	37.92	17.62	23.56	5.32				
	2W Analog VG Extension Loop - Non-Design		3	UEPRX	UEAEN		26.72	37.92	17.62	23.56	5.32				
	2W Analog VG Extension Loop - Design		1	UEPRX	UEAED		16.68	105.98	68.43	53.05	10.61				
	2W Analog VG Extension Loop - Design		2	UEPRX	UEAED		23.13	105.98	68.43	53.05	10.61				
	2W Analog VG Extension Loop - Design		3	UEPRX	UEAED		28.46	105.98	68.43	53.05	10.61				
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2		24.30	40.63	27.47	16.77	6.91				

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A											
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l										
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)								
	First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0167	0.00	0.00														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																					
	UNE Port/Loop Combination Rates																					
	2W VG Loop/Port Combo-Zone 1		1			14.89																
	2W VG Loop/Port Combo-Zone 2		2			21.52																
	2W VG Loop/Port Combo-Zone 3		3			27.17																
	UNE Loop Rates																					
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	13.76																
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	20.38																
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	26.04																
	2-Wire Voice Grade Line Port (Bus)																					
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65												
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled SC Bus Area Calling Port with Caller ID			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65												
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPBX	UEPWW	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled SC bus Area Calling Port w/o Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65												
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65												
	LOCAL NUMBER PORTABILITY																					
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35																
	FEATURES																					
	All Features Offered			UEPBX	UEPVF	3.04	0.00	0.00														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																					
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		0.10	0.10														
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPBX	USACC		0.10	0.10														
	ADDITIONAL NRCs																					
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2		0.00	0.00														
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83														
	OFF/ON PREMISES EXTENSION CHANNELS																					
	2W Analog VG Extension Loop - Non-Design		1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32												
	2W Analog VG Extension Loop - Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32												
	2W Analog VG Extension Loop - Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32												
	2W Analog VG Extension Loop - Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61												
	2W Analog VG Extension Loop - Design		2	UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61												
	2W Analog VG Extension Loop - Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61												
	INTEROFFICE TRANSPORT																					
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0167	0.00	0.00														
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																					
	UNE Port/Loop Combination Rates																					
	2W VG Loop/Port Combo-Zone 1		1			14.89																
	2W VG Loop/Port Combo-Zone 2		2			21.52																
	2W VG Loop/Port Combo-Zone 3		3			27.17																
	UNE Loop Rates																					
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	13.76																
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	20.38																
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	26.04																

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A	
												Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
												OSS Rates (\$)			
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l					
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00							
FEATURES															
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2		7.93	1.91							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPRG	USACC		7.93	1.91							
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqt Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsqt Activity-Change/Rearrange Multiline Hunt Group						7.34	7.34							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							
OFF/OFF PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61					
	Local Channel VG, per Term		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61					
	Local Channel VG, per Term		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61					
	Non-Wire Direct Serve Channel VG		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42					
	Non-Wire Direct Serve Channel VG		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71					
	Non-Wire Direct Serve Channel VG		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71					
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0167	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.89									
	2W VG Loop/Port Combo-Zone 2		2			21.52									
	2W VG Loop/Port Combo-Zone 3		3			27.17									
UNE Loop Rates															
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	13.76									
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	20.38									
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	26.04									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22					
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES															
	All Features Offered			UEPPX	UEPVF	3.04	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge Manual vs. Electronic-1st	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Disc-1st	Incremental Charge Manual vs. Electronic-Disc-Add'l	
							First	Add'l	First							Add'l
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch with Change			UEPPX	USACC		7.93	1.91								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsqnt Activity-Change/Rearrange Multiine Hunt Group						7.34	7.34								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
	OFF/ON PREMISES EXTENSION CHANNELS															
	Local Channel VG, per Term		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		2	UEPPX	P2JHX	23.13	105.98	68.43	53.05	10.61						
	Local Channel VG, per Term		3	UEPPX	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel VG		1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel VG		2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71						
	Non-Wire Direct Serve Channel VG		3	UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71						
	INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0167	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2W VG Coin Port/Loop Combo - Zone 1		1			14.89										
	2W VG Coin Port/Loop Combo - Zone 2		2			21.52										
	2W VG Coin Port/Loop Combo - Zone 3		3			27.17										
	UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	13.76										
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	20.38										
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	26.04										
	2-Wire Voice Grade Line Ports (COIN)															
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking (SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-Way with Oper Screening and: 900 Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	2W Coin 2-W Oper Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward w/o Blocking and w/o Oper Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and 011 Blocking (SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65						
	2W Coin Out Oper Screen & Block: 900/976, 1+DDD, 011+, Local; Enhanced Calling OPT 3YW (SC)			UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65						
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	2W Coin Outward Smartline with 900/976			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
	ADDITIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
	LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35										
	NONRECURRING CHARGES - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPCO	USACC		0.10	0.10								
	ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2		0.00	0.00								

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A						
									Rec	Nonrecurring		NRC Disconnect		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
										First	Add'l	First	Add'l						
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL														
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			18.00													
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.45													
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			29.78													
	UNE Loop Rates																		
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.68													
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	23.13													
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.46													
	2-Wire Voice Grade Line Port Rates (Res)																		
	2W voice unbundled port-res			UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33									
	2W VG unbundled SC extended local dialing parity port with Caller ID-res			UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled SC Area Calling port with Caller ID-res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33									
	2W Voice Unbundled SC res Dialing Plan w/o Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33									
	INTEROFFICE TRANSPORT																		
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91									
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0134													
	FEATURES																		
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00											
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35													
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		8.50	1.87											
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		8.50	1.87											
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.24	1.10											
	2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)																		
	UNE Port/Loop Combination Rates																		
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			18.00													
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.45													
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			29.78													
	UNE Loop Rates																		
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.68													
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	23.13													
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.46													
	2-Wire Voice Grade Line Port (Bus)																		
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33									
	2W VG unbundled SC extended local dialing parity port with Caller ID-bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33									
	2W voice unbundled SC Bus Area Calling Port with Caller ID			UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33									
	2W Voice Unbundled SC bus Dialing Plan w/o Caller ID			UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33									
	LOCAL NUMBER PORTABILITY																		
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35													

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	19.44	40.63	27.47	16.77	6.91					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0134									
FEATURES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		8.50	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		8.50	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.24	1.10							
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)															
UNE Port/Loop Combination Rates															
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			18.00									
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			24.45									
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			29.78									
UNE Loop Rates															
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.68									
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	23.13									
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.46									
2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51					
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51					
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPPI	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51					
	2W Voice Unbundled 2-Way PBX SC Area Plus Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51					
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00							
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0134									
FEATURES															
	All Features Offered			UEPFP	UEPVF	3.04	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		8.50	1.87							
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		8.50	1.87							
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.24	1.10							
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES															
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT															
UNE Port/Loop Combination Rates															
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			23.75									
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			30.20									

UNBUNDLED NETWORK ELEMENTS - South Carolina														Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)					
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMEc
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			35.52												
	UNE Loop Rates																	
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	16.68												
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	23.13												
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	28.46												
	UNE Port Rate																	
	Exchange Ports-2W DID Port			UEPPX	UEPD1	7.06	225.55	87.21	113.08	14.38								
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		7.32	1.87										
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		7.32	1.87										
	ADDITIONAL NRCs																	
	2W DID Subsqnt Activity-Add Trunks, Per Trunk			UEPPX	USAS1		26.84											
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPX	URETN		11.24	1.10										
	Telephone Number/Trunk Group Establishment Charges																	
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00										
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPPX	NDZ	0.00	0.00	0.00										
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00										
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00										
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00										
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00										
	LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00										
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
	UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	30.86												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	38.60												
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	44.23												
	UNE Loop Rates																	
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90											
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64											
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27											
	UNE Port Rate																	
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37							
	NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination Conversion			UEPPB	UEPPR	USACB	0.00	38.59	27.08									
	ADDITIONAL NRCs																	
	Unbundled Misc Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.24	1.10									
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83									
	LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00									
	B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00									
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00									
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00									
	B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00									
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00									
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00									
	USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00									
	VERTICAL FEATURES																	

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR	UEPVF	3.04	0.00	0.00							
INTEROFFICE CHANNEL MILEAGE															
	Interoffice Channel miage each, including first mi and facilities			UEPPB UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR	M1GNM	0.0167	0.00	0.00							
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT															
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		1	UEPPP		176.82									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		2	UEPPP		241.38									
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone		3	UEPPP		347.84									
UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP	USL4P	90.87									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP	USL4P	155.43									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP	USL4P	261.89									
UNE Port Rate															
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP	UEPPP	85.95	457.30	259.67	124.15	31.83					
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	119.34	78.73							
ADDITIONAL NRCs															
	4W DS1 Loop/4-W ISDN Digtl Trk Port-Subsqnt Actvy-Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.49	0.49							
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos (All States except NC)			UEPPP	PR7TO		11.54	11.54							
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqnt Inward Tel Nos			UEPPP	PR7ZT		23.07	23.07							
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPPP	LNPCN	1.75									
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00							
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00							
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00							
New or Additional "B" Channel															
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	14.56								
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	14.56								
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	14.56								
CALL TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00							
	Outward			UEPPP	PR7CO	0.00	0.00	0.00							
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00							
Interoffice Channel Mileage															
	Fixed Each Including First mi			UEPPP	1LN1A	77.4815	89.47	81.99	16.39	14.48					
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3415									
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.															
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE Port/Loop Combination Rates															
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		149.77									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		214.33									
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		320.78									
UNE Loop Rates															
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	90.87									
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	155.43									
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	261.89									
UNE Port Rate															
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20					
NONRECURRING CHARGES - CURRENTLY COMBINED															
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17							

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
													Rec	Nonrecurring	
										SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA	129.78	67.17								
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB	129.78	67.17								
ADDITIONAL NRCs															
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA	14.51	14.51								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB	14.51	14.51								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC	14.51	14.51								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD	14.51	14.51								
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE	14.51	14.51								
BIPOLAR & ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF	0.00i	605.00s								
	B8ZS-Extended Superframe Format			UEPDC	CCOEF	0.00i	605.00s								
Alternate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF	0.00	0.00								
	AMI-Extended SuperFrame Format			UEPDC	MCPOPO	0.00	0.00								
Telephone Number/Trunk Group Establishment Charges															
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00									
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00									
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00									
	DID Nos, Establish Trunk Group and Provide First Group of 20 DID Nos			UEPDC	NDZ	0.00	0.00	0.00							
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00									
	DID Nos, Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00							
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port															
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48					
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3415	0.00	0.00							
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3415	0.00	0.00							
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00							
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOc	0.3415	0.00	0.00							
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00							
	CO Terminating Point			UEPDC	CTG	0.00									
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT															
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations															
Each System can have up to 24 combinations of rates depending on type and number of ports used															
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.															
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.															
UNE DS1 Loop															
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	90.87	0.00	0.00							
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	155.43	0.00	0.00							
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	261.89	0.00	0.00							
UNE DSO Channelization Capacities (D4 Channel Bank Configurations)															
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	82.78	0.00	0.00							
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	165.56	0.00	0.00							
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12	0.00	0.00							
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM144	496.68	0.00	0.00							
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM192	662.24	0.00	0.00							
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM240	827.80	0.00	0.00							
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM288	993.36	0.00	0.00							
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM384	1,324.48	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	480 DS0 Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	1,655.60	0.00	0.00							
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00							
	672 DS0 Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	2,317.84	0.00	0.00							
Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System															
A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.															
Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.															
	NRC-Conversion (Currently Combined) with or w/o BST Allowed Changes			UEPMG	USAC4	0.00	150.81	8.38							
System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's															
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69					
Bipolar 8 Zero Substitution															
	Clear Channel Capability Format, superframe-Subsqnt Activity			UEPMG	CCOSF	0.00	0.00i	605.00s							
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s							
Alternate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00							
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00							
Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port															
Exchange Ports															
	Line Side Combination Channelized PBX Trunk Port-bus			UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00					
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00					
	Line Side Inward Only Channelized PBX Trunk Port w/o DID (E:4/1/2004)			UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00					
	2W Trunk Side Unbundled Channelized DID Trunk Port			UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00					
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4			UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17					
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank			UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60					
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC & SC)			UEPPX	NDZ	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	3.04	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
4. The first and additional Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.															
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.															
UNE-P CENTREX - 5ESS (Valid in All States)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.89									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		21.52									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		27.17									
UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		17.81									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		24.26									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.59									

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A		
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l			
									OSS Rates (\$)				SOME C	SOMAN	SOMAN
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l					
UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	13.76									
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	20.38									
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	26.04									
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	16.68									
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	23.13									
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.46									
UNE Port Rate															
All States															
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94					
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94					
	2W VG Port terminated in on Megalink or equivalent-Basic Local			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65					
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65					
AL, KY, LA, MS, SC, & TN Only															
	2W VG Port (Centrex)			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65					
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94					
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94					
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65					
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65					
Local Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.7996									
Local Number Portability															
	Local No Portability (1 per port)			UEP95	LNPCC	0.35									
Features															
	All Standard Features Offered, per port			UEP95	UEPVF	3.04									
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42								
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04									
NARS															
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00					
	Unbundled Network Access Register-Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations															
2-Wire Trunk Side															
	Trunk Side Terms, each			UEP95	CEND6	8.86	119.57	18.78	60.03	3.77					
4-Wire Digital (1.544 Megabits)															
	DS1 Circuit Terms, each			UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47					
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51								
Interoffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Term			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0167									

UNBUNDLED NETWORK ELEMENTS - South Carolina										Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Disc	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l						
													Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)
													SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																		
D4 Channel Bank Feature Activations																		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56												
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff			UEP95	1PQWP	0.56												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56												
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP95	1PQWQ	0.56												
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56												
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																		
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		37.93	16.72										
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	668.70											
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	668.70											
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	72.89											
Additional Non-Recurring Charges (NRC)																		
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83										
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP95	URETN		11.24	1.10										
UNE-P CENTREX - DMS100 (Valid in All States)																		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
UNE Port/Loop Combination Rates (Non-Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.89												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		21.52												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		27.17												
UNE Port/Loop Combination Rates (Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		17.81												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		24.26												
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.59												
UNE Loop Rate																		
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	13.76												
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	20.38												
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	26.04												
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.68												
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	23.13												
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.46												
UNE Port Rate																		
ALL STATES																		
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local			UEP9D	UEPYJ	1.13	40.30	19.90	24.98	6.65								
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94								
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local			UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94								
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94								
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local			UEP9D	UEPYQ	1.13	108.36	70.71	54.47	11.94								
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94								

UNBUNDLED NETWORK ELEMENTS - South Carolina																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2				Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	SOME	SOMAN	SOMAN	SOMAN
OSS Rates (\$)																
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
AL, KY, LA, MS, SC, & TN Only																
	2W VG Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.13	40.30	19.90	24.98	6.65						
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65						
Local Switching																
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.7996										
Local Number Portability																
	Local No Portability (1 per port)			UEP9D	LNPCC	0.35										
Features																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.04										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04										
NARS																
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations																
2-Wire Trunk Side																
	Trunk Side Terms, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	14.51									
Interoffice Channel Mileage - 2-Wire																

UNBUNDLED NETWORK ELEMENTS - South Carolina											Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring		NRC Disconnect							
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Facilities Term			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0167										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service															
	D4 Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	668.70									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.89									
	Additional Non-Recurring Charges (NRC)															
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Misc Rate Element, Tag Design Loop at End Use			UEP9D	URETN		11.24	1.10								
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2 - Requires Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port															
	Note 4 - Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

UNBUNDLED NETWORK ELEMENTS - Tennessee													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.																
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge**																
	OSS-Electronic Service Order Charge, Per LSR-UNE Only				SOME C		3.50	0.00	3.50	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLO3, UDLSX, UE3, ULD12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, U1TUC, U1TUD, U1TUB, U1TUA	SDASP		200.00									
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEAL2		13.19	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEAL2		17.23	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEAL2		22.53	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 1		1	UEANL	UEASL		13.19	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 2		2	UEANL	UEASL		17.23	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Loop-SL1-Zone 3		3	UEANL	UEASL		22.53	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEANL	URETL			8.33	0.83				20.35	10.54	13.32	13.32
	Loop Testing-Basic 1st Half Hour			UEANL	URET1			78.92	78.92				20.35	10.54	13.32	13.32
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA			23.33	23.33				20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UVL-SL1)			UEANL	UREWO			15.80	8.95				20.35	10.54	13.32	13.32
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information-E.L.)			UEANL	UEANM			28.80	28.80							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC			36.52	36.52							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	OCOSL			34.29	34.29							

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
2-WIRE Unbundled COPPER LOOP																						
	2W Unbundled Copper Loop-Non-Designed-Zone 1		1	UEQ	UEQ2X	13.19		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Unbundled Copper Loop-Non-Designed-Zone 2		2	UEQ	UEQ2X	17.23		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Unbundled Copper Loop-Non-Designed-Zone 3		3	UEQ	UEQ2X	22.53		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEQ	URETL			8.33	0.83					20.35	10.54	13.32	13.32					
	Manual Order Coordination 2W Unbundled Copper Loop-Non-Designed (per loop)			UEQ	USBMC			36.52	36.52													
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information-E.I.)			UEQ	UEQMU			28.80	28.80					20.35	10.54	13.32	13.32					
	Loop Testing-Basic 1st Half Hour			UEQ	URET1			78.92	78.92					20.35	10.54	13.32	13.32					
	Loop Testing-Basic Add'l Half Hour			UEQ	URETA			23.33	23.33					20.35	10.54	13.32	13.32					
	CLEC to CLEC Conversion Charge w/o Outside Dispatch (UCL-ND)			UEQ	UREWO			14.29	7.44					20.35	10.54	13.32	13.32					
UNBUNDLED EXCHANGE ACCESS LOOP																						
2-WIRE ANALOG VOICE GRADE LOOP																						
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR	UEPSB	13.19		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL1-Line Splitting-Zone 1		1	UEPSR	UEPSB	13.19		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR	UEPSB	17.23		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL1-Line Splitting-Zone 2		2	UEPSR	UEPSB	17.23		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR	UEPSB	22.53		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL1-Line Splitting-Zone 3		3	UEPSR	UEPSB	22.53		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
UNBUNDLED EXCHANGE ACCESS LOOP																						
2-WIRE ANALOG VOICE GRADE LOOP																						
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 1		1	UEA	UEAL2	16.56		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 2		2	UEA	UEAL2	21.63		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL2 w/Loop or Ground Start Signaling-Zone 3		3	UEA	UEAL2	28.28		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			34.29														
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 1		1	UEA	UEAR2	16.56		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 2		2	UEA	UEAR2	21.63		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	2W Analog VG Loop-SL2 w/Rev Bat Signaling-Zone 3		3	UEA	UEAR2	28.28		75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			34.29														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO			75.06	36.41					20.35	10.54	13.32	13.32					
	Loop Tagging-SL2 (SL2)			UEA	URETL			11.23	1.10					20.35	10.54	13.32	13.32					
4-WIRE ANALOG VOICE GRADE LOOP																						
	4W Analog VG Loop-Zone 1		1	UEA	UEAL4	24.70		122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32					
	4W Analog VG Loop-Zone 2		2	UEA	UEAL4	32.25		122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32					
	4W Analog VG Loop-Zone 3		3	UEA	UEAL4	42.17		122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL			34.29														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UEA	UREWO			75.06	36.41					20.35	10.54	13.32	13.32					
2-WIRE ISDN DIGITAL GRADE LOOP																						
	2W ISDN Digital Grade Loop-Zone 1		1	UDN	U1L2X	22.22		142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32					
	2W ISDN Digital Grade Loop-Zone 2		2	UDN	U1L2X	29.02		142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32					
	2W ISDN Digital Grade Loop-Zone 3		3	UDN	U1L2X	37.95		142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32					
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL			34.29														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDN	UREWO			91.77	44.22					20.35	10.54	13.32	13.32					
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																						
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 1		1	UAL	UAL2X	13.82		270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 2		2	UAL	UAL2X	18.05		270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32					
	2W Unbundled ADSL Loop including manl svc inq & facility reservation-Zone 3		3	UAL	UAL2X	23.60		270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL			34.29														
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 1		1	UAL	UAL2W	13.82		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 2		2	UAL	UAL2W	18.05		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	2W Unbundled ADSL Loop w/o manl svc inq & facility reservation-Zone 3		3	UAL	UAL2W	23.60		31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32					
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL			34.29														
	CLEC to CLEC Conversion Charge w/o outside dispatch			UAL	UREWO			31.99	20.02					20.35	10.54	13.32	13.32					
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																						

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32						
	2W Unbundled HDSL Loop including manl svc inq & facility reservation-Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29															
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL2W	14.15	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	2W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29															
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																					
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 1		1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 2		2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32						
	4W Unbundled HDSL Loop including manl svc inq and facility reservation-Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29															
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 1	I	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 2	I	2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	4W Unbundled HDSL Loop w/o manl svc inq and facility reservation-Zone 3	I	3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29															
	CLEC to CLEC Conversion Charge w/o outside dispatch	I		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32						
	4-WIRE DS1 DIGITAL LOOP																					
	4W DS1 Digital Loop-Zone 1		1	USL	USLXX	57.73	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95						
	4W DS1 Digital Loop-Zone 2		2	USL	USLXX	75.40	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95						
	4W DS1 Digital Loop-Zone 3		3	USL	USLXX	98.59	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		34.59															
	CLEC to CLEC Conversion Charge w/o outside dispatch			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32						
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																					
	4W Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital 19.2 Kbps		2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital 19.2 Kbps		3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital Loop 56 Kbps-Zone 1		1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital Loop 56 Kbps-Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital Loop 56 Kbps-Zone 3		3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29															
	4W Unbundled Digital Loop 64 Kbps-Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital Loop 64 Kbps-Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	4W Unbundled Digital Loop 64 Kbps-Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29															
	CLEC to CLEC Conversion Charge w/o outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32						
	2-WIRE Unbundled COPPER LOOP																					
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 1	I	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 2	I	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	2W Unbundled Copper Loop-Designed including manl svc inq & facility reservation-Zone 3	I	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52														

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
						Rec	Nonrecurring		NRC Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
							First	Add'l	First							Add'l
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2W Unbundled Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIRE COPPER LOOP																
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop-Designed including manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 1	I	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 2	I	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4W Copper Loop-Designed w/o manl svc inq and facility reservation-Zone 3	I	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge w/o outside dispatch (UCL-Des)	I		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils-2W pr less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils-4W less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I			ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LOOPS																
Sub-Loop Distribution																
	Sub-Loop-Per Cross Box Location-CLEC Feeder Facility Set-Up	I		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop-Per Cross Box Location-Per 25 pr Panel Set-Up	I		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop-Per Building Equipment Room-CLEC Feeder Facility Set-Up	I		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop-Per Building Equipment Room-Per 25 pr Panel Set-Up	I		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2W Analog VG Loop-Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 1		1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4W Analog VG Loop -Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2W Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4W Intrabuilding Network Cable (INC)	I		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEANL	USBMC		34.29	34.29								
	Loop Testing-Basic 1st Half Hour			UEANL	URET1		78.92	78.92								
	Loop Testing-Basic Add'l Half Hour			UEANL	URETA		23.33	23.33								
	2W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29								
	4W Copper Unbundled Sub-Loop Distribution-Zone 1	I	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 2	I	2	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4W Copper Unbundled Sub-Loop Distribution-Zone 3	I	3	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A			
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l		
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)
						First	Add'l	First	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pr			UEF	USBMC		34.29	34.29						
	Loop Testing-Basic 1st Half Hour			UEF	URET1		78.92	78.92						
	Loop Testing-Basic Add'l Half Hour			UEF	URETA		23.33	23.33						
	Unbundled Network Terminating Wire (UNTW)													
	Unbundled Network Terminating Wire (UNTW) per pr	I		UENTW	UENPP	0.4555	2.48	2.48			20.35	10.54	13.32	13.32
	Network Interface Device (NID)													
	Network Interface Device (NID)-1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391	20.35	10.54	13.32	13.32
	Network Interface Device (NID)-1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522	20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-2 W			UENTW	UNDC2		11.11	11.11			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect-4W			UENTW	UNDC4		11.11	11.11			20.35	10.54	13.32	13.32
	UNE OTHER, PROVISIONING ONLY - NO RATE													
	NID-Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							
	UNTW Circuit Id Establishment, Provisioning Only-No Rate			UENTW	UENCE	0.00	0.00							
	Unbundled Contract Name, Provisioning Only-No Rate			UEANL,UEF,UEQ,UENTW	UNECN	0.00	0.00							
	UNE OTHER, PROVISIONING ONLY - NO RATE													
	Unbundled Contact Name, Provisioning Only-no rate			UAL,UCL,UDC,UDL,UDN,UEA,UHL,ULC	UNECN	0.00	0.00							
	Unbundled Sub-Loop Feeder-2W Cross Box Jumper-no rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00							
	Unbundled Sub-Loop Feeder-4W Cross Box Jumper-no rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							
	Unbundled DS1 Loop-Superframe Format Option-no rate			USL	CCOSF	0.00	0.00							
	Unbundled DS1 Loop-Expanded Superframe Format option-no rate			USL	CCOEF	0.00	0.00							
	HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	High Capacity Unbundled Local Loop-DS3-Per mi per mo			UE3	1L5ND	9.19								
	High Capacity Unbundled Local Loop-DS3-Facility Term per mo			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16	36.84	36.84		
	High Capacity Unbundled Local Loop-STS-1-Per mi per mo			UDLSX	1L5ND	9.19								
	High Capacity Unbundled Local Loop-STS-1-Facility Term per mo			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15	36.84	36.84		
	Note (1): Rates provided in TN for both electronic and manual Loop Make-up are interim and subject to retro-active true-up adjustments pending a permanent rate ruling on these rate elements from the Tennessee Regulatory Authority.													
	LOOP MAKE-UP													
	Loop Make-up-Preordering w/o Reservation, per working or spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76			19.99	19.99	19.99	19.99
	Loop Make-up-Preordering With Reservation, per spare facility queried (Manual).	R		UMK	UMKLP		0.76	0.76			19.99	19.99	19.99	19.99
	Loop Make-up-With or w/o Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76						
	LINE SHARING AND LINE SPLITTING													
	NOTE 1: The Line Sharing monthly recurring rates for all installations completed from October 02, 2003 through midnight October 01, 2004 shall be billed as follows:													
	NOTE 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled copper loop non-designed ("UCLND")													
	NOTE 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND													
	NOTE 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND													
	NOTE 1: Above will apply to USOCs: ULSDT and ULSC													
	**NOTE 2: The Line Sharing monthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and in service on or before October 1, 2003													
	LINE SHARING													
	SPLITTERS-CENTRAL OFFICE BASED													
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	100.00	150.00	0.00	0.00	0.00	20.35	10.54	13.32	13.32
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	25.00	150.00	0.00	0.00	0.00	20.35	10.54	13.32	13.32
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00	20.35	10.54	13.32	13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A		
												Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Order vs. Electronic-Add'l	
						Rec	Nonrecurring		NRC Disconnect			OSS Rates (\$)				
	First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN					
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING																
	Line Sharing -per Line Activation (BST Owned splitter)-OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00						
	Line Share Service, TRO per line activation, BST owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
	Line Sharing-per Subsqnt Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing-per Subsqnt Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing-per Line Activation (DLEC owned Splitter)-OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (25% of UCLND)-please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (50% of UCLND)-please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.87	47.44	19.31	0.00	0.00						
	Line Share Service, TRO per line activation, CLEC owned splitter-CO Located (75% of UCLND)-please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting-per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting-per line activation BST owned-physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
	Line Splitting-per line activation BST owned-virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.32
MAINTENANCE																
	No Trouble Found-per 1/2 hour increments-Basic						80.00	55.00								
	No Trouble Found-per 1/2 hour increments-Overtime						120.00	82.50								
	No Trouble Found-per 1/2 hour increments-Premium						160.00	110.00								
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per mi per mo			U1TVX	1L5XX	0.0054										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel -Dedicated Transport t-2W VG Rev Bat-Per mi per			U1TVX	1L5XX	0.0054										
	Interoffice Channel-Dedicated Transport-2W VG Rev Bat-Facility Term			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel -Dedicated Transport-4W VG-Per mi per mo			U1TVX	1L5XX	0.0054										
	Interoffice Channel -Dedicated Transport-4W VG-Facility Term			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Interoffice Channel-Dedicated Transport-56 kbps-per mi per mo			U1TDX	1L5XX	0.0174										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel-Dedicated Transport-64 kbps-per mi per mo			U1TDX	1L5XX	0.0174										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel-Dedicated Channel-DS1-Per mi per mo			U1TD1	1L5XX	0.3562										
	Interoffice Channel-Dedicated Transport-DS1-Facility Term			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		
	Interoffice Channel -Dedicated Transport-DS3-Per mi per mo			U1TD3	1L5XX	2.34										
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	Interoffice Channel-Dedicated Transport-STS-1-Per mi per mo			U1TS1	1L5XX	2.34										
	Interoffice Channel-Dedicated Transport-STS-1-Facility Term			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK FIBER																
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Interoffice Channel			UDF, UDFCX	1L5DF	28.74										
	NRC Dark Fiber-Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
	Dark Fiber, Four Fiber Strands, Per Route mi or Fraction Thereof per mo-Local Loop			UDF, UDFCX	1L5DL	58.83										
	NRC Dark Fiber-Local Loop			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
8XX ACCESS TEN DIGIT SCREENING																
	8XX Access Ten Digit Screening, Per Call			OHD		0.0005192										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX No Reserved			OHD	N8R1X		5.21	0.76					20.35	20.35	13.28	13.28

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28						
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28						
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28						
	8XX Access Ten Digit Screening, Call Handling and Destination			OHD	N8FDX		4.47						20.35	20.35	13.28	13.28						
LINE INFORMATION DATA BASE ACCESS (LIDB)																						
	LIDB Common Transport Per Query			OQT		0.000354																
	LIDB Validation Per Query			OQU		0.0117403																
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	49.03							20.35	20.35	13.28	13.28						
SIGNALING (CCS7)																						
	CCS7 Signaling Term, Per STP Port			UDB	PT8SX	138.41																
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000916																
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373																
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30																
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO	121.77	121.77						20.35	20.35	13.32	13.32						
CALLING NAME (CNAM) SERVICE																						
	CNAM For DB Owners-Service Establishment			OQV		43.27																
	CNAM For Non DB Owners-Service Establishment			OQV		43.27																
	CNAM For DB Owners-Service Provisioning With Point Code Establishment			OQV		1,868.00	1,382.00															
	CNAM For Non DB Owners-Service Provisioning With Point Code Establishment			OQV		645.50	432.23															
	CNAM for DB Owners, Per Query			OQV		0.0010541																
	CNAM for Non DB Owners, Per Query			OQV		0.0010541																
	CNAM (Non-Databs Owner), NRC, applies when using the Character Based User Interface (CHUI)			OQV	CDDCH								20.35	20.35	13.28	13.28						
SELECTIVE ROUTING																						
	Selective Routing Per Unique Line Class Code Per Request Per Switch					179.60	179.60						20.35	20.35								
VIRTUAL COLLOCATION																						
	Virtual Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99						
PHYSICAL COLLOCATION																						
	Physical Collocation-2W Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99						
AIN SELECTIVE CARRIER ROUTING																						
	Regional Service Establishment			SRC	SRCEC	190,638.00							20.35									
	End Office Establishment			SRC	SRCEO	317.55	317.55	3.19	3.19				20.35	20.35	13.28	13.28						
	Query NRC, per query			SRC		0.0206047																
AIN - BELLSOUTH AIN SMS ACCESS SERVICE																						
	AIN SMS Access Service-Service Establishment, Per State, Initial Setup			A1N	CAMSE	135.56	135.56						20.35	20.35	13.28	13.28						
	AIN SMS Access Service-Port Connection-Dial/Shared Access			A1N	CAMDp	41.75	41.75						20.35	20.35	13.28	13.28						
	AIN SMS Access Service-Port Connection-ISDN Access			A1N	CAM1P	41.75	41.75						20.35	20.35	13.28	13.28						
	AIN SMS Access Service-User Identification Codes-Per User ID Code			A1N	CAMAU	96.63	96.63						20.35	20.35	13.28	13.28						
	AIN SMS Access Service-Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC	113.67	113.67						20.35	20.35	13.28	13.28						
	AIN SMS Access Service-Storage, Per Unit (100 Kilobytes)					0.0024																
	AIN SMS Access Service-Session, Per min					0.0820123																
	AIN SMS Access Service-Company Performed Session, Per min					2.27																

UNBUNDLED NETWORK ELEMENTS - Tennessee																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A				
						Rec	Nonrecurring		NRC Disconnect			SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
							First	Add'l	First									Add'l
AIN - BELLSOUTH AIN TOOLKIT SERVICE																		
	AIN Toolkit Service-Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, CDP				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Query Charge, Per Query					0.0211882												
	AIN Toolkit Service-Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774												
	AIN Toolkit Service-SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.50												
	AIN Toolkit Service-moly report-Per AIN Toolkit Service Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Special Study-Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Call Event Report-Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28		
	AIN Toolkit Service-Call Event Special Study-Per AIN Toolkit Service Subscription			CAM	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28		
ENHANCED EXTENDED LINK (EELs)																		
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																		
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																		
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09				
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09				
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09				
	Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562												
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09				
	1/0 Channelization System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74								
	VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42										
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09				
	Each Add'l 2W VG Loop (SL 2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86			20.35	21.09				
	VG COCI-Per mo			UNCVX	1D1VG	0.91	5.70	4.42										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09				
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4W Analog VG Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09				
	First 4W Analog VG Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09				
	First 4W Analog VG Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09				
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562												
	Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09				
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74								
	VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42										
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09				
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09				
	Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.91	5.70	4.42										
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09				
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		

UNBUNDLED NETWORK ELEMENTS - Tennessee																					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A						
						Rec	Nonrecurring		NRC Disconnect				SOMEc	SOMAN	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
							First	Add'l	First	Add'l											
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86											
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86											
	First 4W 56Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86											
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562															
	Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90											
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74											
	OCU-DP COCI (data) per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42													
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86											
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86											
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86											
	Add'l OCU-DP COCI (data)-in combination per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42													
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12											
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86											
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86											
	First 4W 64Kbps Digital Grade Loop in Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86											
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562															
	interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90											
	1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74											
	OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42													
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86											
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86											
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86											
	Add'l OCU-DP COCI (data)-in combination-per mo (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42													
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12											
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																				
	4W DS1 Digital Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88											
	4W DS1 Digital Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88											
	4W DS1 Digital Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88											
	Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562															
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12											
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																				
	First DS1Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88											
	First DS1Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88											
	First DS1Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88											
	Interoffice Transport-Dedicated-DS3 combination-Per mi Per mo			UNC3X	1L5XX	2.34															
	Interoffice Transport-Dedicated-DS3-Facility Term per mo			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43											
	3/1Channel System in combination per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77											
	DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42													
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88											
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88											
	Add'l DS1Loop in DS3 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88											
	Additional DS1 COCI in combination per mo			UNC1X	UC1D1	17.58	5.70	4.42													
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC		52.73	24.62	9.12	9.12											
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																				
	2WVG Loop in combination-Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86											
	2WVG Loop in combination-Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86											
	2WVG Loop in combination-Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86											
	Interoffice Transport-2W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0174															
	Interoffice Transport-2W VG-Dedicated-Facility Term per mo			UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00											
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12											
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																				

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	4WVG Loop in combination -Zone 1		1	UNCVX	UEAL4	24.70																
	4WVG Loop in combination -Zone 2		2	UNCVX	UEAL4	32.26																
	4WVG Loop in combination -Zone 3		3	UNCVX	UEAL4	42.18																
	Interoffice Transport-4W VG-Dedicated-Per mi Per mo			UNCVX	1L5XX	0.0174																
	Interoffice Transport-4W VG-Dedicated-Facility Term per mo			UNCVX	U1TV4	27.30																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC																	
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																					
	DS3 Local Loop in combination-per mi per mo			UNC3X	1L5ND	9.19																
	DS3 Local Loop in combination-Facility Term per mo			UNC3X	UE3PX	373.47																
	Interoffice Transport-Dedicated-DS3-Per mi per mo			UNC3X	1L5XX	2.34																
	Interoffice Transport-Dedicated-DS3 combination-Facility Term per mo			UNC3X	U1TF3	854.97																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC3X	UNCCC																	
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																					
	STS-1 Local Loop in combination-per mi per mo			UNCSX	1L5ND	9.19																
	STS-1 Local Loop in combination-Facility Term per mo			UNCSX	UDLS1	394.56																
	Interoffice Transport-Dedicated-STS-1 combination-per mi per mo			UNCSX	1L5XX	2.34																
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	849.30																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC																	
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT																					
	First 2W ISDN Loop in Combination-Zone 1		1	UNCNX	U1L2X	22.22																
	First 2W ISDN Loop in Combination-Zone 2		2	UNCNX	U1L2X	29.02																
	First 2W ISDN Loop in Combination-Zone 3		3	UNCNX	U1L2X	37.95																
	Interoffice Transport-Dedicated-DS1 combination-per mi per mo			UNC1X	1L5XX	0.3562																
	Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86																
	1/0 Channel System in combination-per mo			UNC1X	MQ1	80.77																
	2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.24																
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.22																
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	29.02																
	Add'l 2W ISDN Loop in same DS1Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.95																
	Add'l 2W ISDN COCI (BRITE)-in combination-per mo			UNCNX	UC1CA	3.24																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC																	
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																					
	First DS1 Loop Combination-Zone 1		1	UNC1X	USLXX	57.73																
	First DS1 Loop Combination-Zone 2		2	UNC1X	USLXX	75.40																
	First DS1 Loop Combination-Zone 3		3	UNC1X	USLXX	98.59																
	Interoffice Transport-Dedicated-STS-1 combination-Per mi Per mo			UNCSX	1L5XX	2.34																
	Interoffice Transport-Dedicated-STS-1 combination-Facility Term per mo			UNCSX	U1TFS	849.30																
	3/1 Channel System in combination per mo			UNCSX	MQ3	222.98																
	DS1 COCI in combination per mo			UNC1X	UC1D1	17.58																
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 1		1	UNC1X	USLXX	57.73																
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 2		2	UNC1X	USLXX	75.40																
	Add'l DS1Loop in the same STS-1 Interoffice Transport Combination-Zone 3		3	UNC1X	USLXX	98.59																
	DS1 COCI in combination per mo			UNC1X	UC1D1	17.58																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCSX	UNCCC																	
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																					
	4W 56 kbps Local Loop in combination-Zone 1		1	UNCDX	UDL56	31.10																
	4W 56 kbps Local Loop in combination-Zone 2		2	UNCDX	UDL56	40.61																
	4W 56 kbps Local Loop in combination-Zone 3		3	UNCDX	UDL56	53.11																
	Interoffice Transport-Dedicated-4W 56 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0174																
	Interoffice Transport-Dedicated-4W 56 kbps combination-Facility Term per mo			UNCDX	U1TD5	21.19																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC																	
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																					

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	4W 64 kbps Local Loop in Combination-Zone 1		1	UNCDX	UDL64	31.10																
	4W 64 kbps Local Loop in Combination-Zone 2		2	UNCDX	UDL64	40.61																
	4W 64 kbps Local Loop in Combination-Zone 3		3	UNCDX	UDL64	53.11																
	Interoffice Transport-Dedicated-4W 64 kbps combination-Per mi per mo			UNCDX	1L5XX	0.0174																
	Interoffice Transport-Dedicated-4W 64 kbps combination-Facility Term per mo			UNCDX	U1TD6	21.19																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC																	
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 2W VG Loop (SL2) in Combination-Zone 1		1	UNCVX	UEAL2	16.56																
	First 2W VG Loop (SL2) in Combination-Zone 2		2	UNCVX	UEAL2	21.63																
	First 2W VG Loop (SL2) in Combination-Zone 3		3	UNCVX	UEAL2	28.28																
	First Interoffice Transport-Dedicated-DS1 combination-Per mi			UNC1X	1L5XX	0.3562																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86																
	Per each DS1 Channelization System Per mo			UNC1X	MQ1	80.77																
	Per each VG COCI-Per mo per mo			UNCVX	1D1VG	0.91																
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98																
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58																
	Each Add'l 2W VG Loop(SL 2) in the same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL2	16.56																
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL2	21.63																
	Each Add'l 2W VG Loop(SL2) in the same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL2	28.28																
	Each Add'l VG COCI in combination-per mo			UNCVX	1D1VG	0.91																
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86																
	Each Add'l DS1 COCI combination per mo			UNC1X	UC1D1	17.58																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC																	
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W Analog VG Local Loop in Combination -Zone 1		1	UNCVX	UEAL4	24.70																
	First 4W Analog VG Local Loop in Combination -Zone 2		2	UNCVX	UEAL4	32.26																
	First 4W Analog VG Local Loop in Combination -Zone 3		3	UNCVX	UEAL4	42.18																
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562																
	First Interoffice Transport-Dedicated-DS1-Facility Term Per mo			UNC1X	U1TF1	77.86																
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77																
	Per each VG COCI in combination-per mo			UNCVX	1D1VG	0.91																
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98																
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58																
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCVX	UEAL4	24.70																
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCVX	UEAL4	32.26																
	Add'l 4W Analog VG Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCVX	UEAL4	42.18																
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86																
	Add'l VG COCI-in combination-per mo			UNCVX	1D1VG	0.91																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC																	
	EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 1		1	UNCDX	UDL56	31.10																
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 2		2	UNCDX	UDL56	40.61																
	First 4W 56Kbps Digital Grade Local Loop in Combination-Zone 3		3	UNCDX	UDL56	53.11																
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562																

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)										
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l						
	First Interoffice Transport-Dedicated-DS1-combination Facility Term Per mo			UNC1X	U1TF1	77.86		171.24	113.12	70.07	30.90			20.35	21.09								
	Per each 1/0 Channel System in combination Per mo			UNC1X	MQ1	80.77		105.76	14.48	3.04	2.74												
	Per each OCU-DP COCI (data) COCI per mo (2.4-64kbs)			UNC3X	1D1DD	0.91		5.70	4.42														
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98		156.02	49.41	17.12	6.77			36.84	36.84								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58		5.70	4.42														
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC3X	UDL56	31.10		108.76	35.47	72.94	10.86			20.35	21.09								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNC3X	UDL56	40.61		108.76	35.47	72.94	10.86			20.35	21.09								
	Add'l 4W 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNC3X	UDL56	53.11		108.76	35.47	72.94	10.86			20.35	21.09								
	OCU-DP COCI (data) COCI in combination per mo (2.4-64kbs)			UNC3X	1D1DD	0.91		5.70	4.42														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																	
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86		171.24	113.12	70.07	30.90			20.35	21.09								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	17.58		5.70	4.42														
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			52.73	24.62	9.12	9.12			20.35	21.09								
EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																							
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 1		1	UNC3X	UDL64	31.10		108.76	35.47	72.94	10.86			20.35	21.09								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 2		2	UNC3X	UDL64	40.61		108.76	35.47	72.94	10.86			20.35	21.09								
	First 4W 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination-Zone 3		3	UNC3X	UDL64	53.11		108.76	35.47	72.94	10.86			20.35	21.09								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562																	
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86		171.24	113.12	70.07	30.90			20.35	21.09								
	Per each Channel System 1/0 in combination Per mo			UNC1X	MQ1	80.77		105.76	14.48	3.04	2.74												
	Per each OCU-DP COCI (data) in combination-per mo (2.4-64kbs)			UNC3X	1D1DD	0.91		5.70	4.42														
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98		156.02	49.41	17.12	6.77			36.84	36.84								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58		5.70	4.42														
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNC3X	UDL64	31.10		108.76	35.47	72.94	10.86			20.35	21.09								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNC3X	UDL64	40.61		108.76	35.47	72.94	10.86			20.35	21.09								
	Add'l 4W 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNC3X	UDL64	53.11		108.76	35.47	72.94	10.86			20.35	21.09								
	Add'l OCU-DP COCI (data)-DS1 to DS0 Channel System combination-per mo (2.4-64kbs)			UNC3X	1D1DD	0.91		5.70	4.42														
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																	
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86		171.24	113.12	70.07	30.90			20.35	21.09								
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	17.58		5.70	4.42														
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC			52.73	24.62	9.12	9.12			20.35	21.09								
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																							
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 1		1	UNC3X	U1L2X	22.22		108.76	35.47	72.94	10.86			20.35	21.09								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 2		2	UNC3X	U1L2X	29.02		108.76	35.47	72.94	10.86			20.35	21.09								
	First 2W ISDN Loop in a DS1 Interoffice Combination Transport-Zone 3		3	UNC3X	U1L2X	37.95		108.76	35.47	72.94	10.86			20.35	21.09								
	First Interoffice Transport-Dedicated-DS1 combination-Per mi per mo			UNC1X	1L5XX	0.3562																	
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term per mo			UNC1X	U1TF1	77.86		171.24	113.12	70.07	30.90			20.35	21.09								
	Per each Channel System 1/0 in combination-per mo			UNC1X	MQ1	80.77		105.76	14.48	3.04	2.74												
	Per each 2W ISDN COCI (BRITE) in combination-per mo			UNC3X	UC1CA	3.24		5.70	4.42														
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98		156.02	49.41	17.12	6.77			36.84	36.84								
	Per each DS1 COCI in combination per mo			UNC1X	UC1D1	17.58		5.70	4.42														

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 1		1	UNCNX	U1L2X	22.22																
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 2		2	UNCNX	U1L2X	29.02																
	Add'l 2W ISDN Loop in same DS1 Interoffice Transport Combination-Zone 3		3	UNCNX	U1L2X	37.95																
	Add'l 2W ISDN COCI (BRITE) in same 1/0 channel system combination-per mo			UNCNX	UC1CA	3.24																
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86																
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	17.58																
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	52.73																
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																					
	First 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73																
	First 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40																
	First 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59																
	First Interoffice Transport-Dedicated-DS1 combination-Per mi Per mo			UNC1X	1L5XX	0.3562																
	First Interoffice Transport-Dedicated-DS1 combination-Facility Term Per mo			UNC1X	U1TF1	77.86																
	3/1 Channel System in combination per mo			UNC3X	MQ3	222.98																
	Per each DS1 COCI combination per mo			UNC1X	UC1D1	17.58																
	Each Add'l DS1 Interoffice Channel per mi in same 3/1 Channel System per mo			UNC1X	1L5XX	0.3562																
	Each Add'l DS1 Interoffice Channel Facility Term in same 3/1 Channel System per mo			UNC1X	U1TF1	77.86																
	Each Add'l DS1 COCI in the same 3/1 channel system combination per NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UC1D1	17.58																
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 1		1	UNC1X	USLXX	57.73																
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 2		2	UNC1X	USLXX	75.40																
	Add'l 4W DS1 Digital Local Loop in Combination-Zone 3		3	UNC1X	USLXX	98.59																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNC1X	UNCCC	52.73																
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																					
	First 4W 56 kbps Local Loop in combination-Zone 1		1	UNCDCX	UDL56	31.10																
	First 4W 56 kbps Local Loop in combination-Zone 2		2	UNCDCX	UDL56	40.61																
	First 4W 56 kbps Local Loop in combination-Zone 3		3	UNCDCX	UDL56	53.11																
	First 4W 56 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDCX	1L5XX	0.0174																
	First 4W 56 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDCX	U1TD5	21.19																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDCX	UNCCC	52.73																
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																					
	First 4W 64 kbps Local Loop in combination-Zone 1		1	UNCDCX	UDL64	31.10																
	First 4W 64 kbps Local Loop in combination-Zone 2		2	UNCDCX	UDL64	40.61																
	First 4W 64 kbps Local Loop in combination-Zone 3		3	UNCDCX	UDL64	53.11																
	First 4W 64 kbps Interoffice Transport-Dedicated-Per mi per mo			UNCDCX	1L5XX	0.0174																
	First 4W 64 kbps Interoffice Transport-Dedicated-Facility Term per mo			UNCDCX	U1TD6	21.19																
	NRC Currently Combined Network Elements Switch -As-Is Charge			UNCDCX	UNCCC	52.73																
	ADDITIONAL NETWORK ELEMENTS																					
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																					
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																					
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																					
	NRC Currently Combined Network Elements Switch -As-Is Charge-2W/4W VG			UNCVX	UNCCC																	
	NRC Currently Combined Network Elements Switch -As-Is Charge-56/64 kbps			UNCDCX	UNCCC																	
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS1			UNC1X	UNCCC																	
	NRC Currently Combined Network Elements Switch -As-Is Charge-DS3			UNC3X	UNCCC																	
	NRC Currently Combined Network Elements Switch -As-Is Charge-			UNCSX	UNCCC																	
	Optional Features & Functions:																					

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)											
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
														First	Add'l	First	Add'l							
	Clear Channel Capability Extended Frame Option-per DS1			U1TD1, ULDD1,UNC1X	CCOEF	0I	0I	0I	0I															
	Clear Channel Capability Super FrameOption-per DS1			U1TD1, ULDD1,UNC1X	CCOSF	0I	0I	0I	0I															
	Clear Channel Capability (SF/ESF) Option-Subsqnt Activity-per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC	185.16S	23.85S	2.03S	0.79S			45.68	1.76											
	C-bit Parity Option-Subsqnt Activity-per DS3			U1TD3, ULDD3, UE3, UNC3X	NRCC3	219.46S	7.68S	.7637S	OS			45.68	1.76											
MULTIPLEXERS																								
	DS1 to DS0 Channel System per mo			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80										
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.82	6.07	4.66					9.80											
	OCU-DP COCI (data)-DS1 to DS0 Channel System-per mo (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66																
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo for a Local Loop			UDN	UC1CA	3.10	6.07	4.66																
	2W ISDN COCI (BRITE)-DS1 to DS0 Channel Systsem-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66																
	VG COCI-DS1 to DS0 Channel System-per mo used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66																
	VG COCI-DS1 to DS0 Channel System-per mo used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.91	6.07	4.66																
	DS3 to DS1 Channel System per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80										
	STS-1 to DS1 Channel System per mo			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80										
	DS1 COCI used with Loop per mo			USL	UC1D1	17.58	6.07	4.66																
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per mo			U1TUA	UC1D1	17.58	6.07	4.66																
	DS1 COCI used with Interoffice Channel per mo			U1TD1	UC1D1	17.58	6.07	4.66																
	DS3 Interface Unit (DS1 COCI) used with Local Channel per mo			ULDD1	UC1D1	17.58	6.07	4.66																
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																								
Exchange Ports																								
NOTE: Although the Port Rate includes all available features in TN, the desired features will need to be ordered using retail USOCs																								
2-WIRE VOICE GRADE LINE PORT RATES (RES)																								
	Exchange Ports-2W Analog Line Port-Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W Analog Line Port with Caller ID-Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W Analog Line Port outgoing only-Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port with Caller ID-Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Plus with Caller ID-Res			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (TACSR)			UEPSR	UEPAM	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled TN Area Calling port with Caller ID-Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Ports-2W VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Port-2W VG TN res Dialing Plan w/o Caller ID			UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Exchange Port-2W VG TN res Area Plus w/o Caller ID			UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40								
	Subsqnt Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40								
FEATURES																								
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40								
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																								

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l				
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)			
							First	Add'l	First	Add'l							SOMEc	SOMAN	SOMAN	SOMAN
	Exchange Ports-2W Analog Line Port w/o Caller ID-Bus			UEPSB	UEPBL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled Line Port with unbundled port with Caller+E484 ID-Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W Analog Line Port outgoing only-Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN extended local dialing parity Port with Caller ID-Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled incoming only port with Caller ID-Bus.			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port Economy Option-Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN Bus 2-Way Area Calling Port Standard Option-Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port-Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W VG unbundled TN, bus Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Exchange Ports-2W Voice TN bus Dialing Plan w/o Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Subsqnt Activity			UEPSB	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40				
	FEATURES																			
	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40				
	EXCHANGE PORT RATES (DID & PBX)																			
	2W VG Unbundled 2-Way PBX Trunk-Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W VG Line Side Unbundled 2-Way PBX Trunk-Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W VG Line Side Unbundled Outward PBX Trunk-Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W VG Line Side Unbundled Incoming PBX Trunk-Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Analog Long Distance Terminal PBX Trunk-Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Analog TN 2-Way Calling Plan PBX Trunk-Bus			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W TN Outward Calling Plan PBX Trunk-Bus			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 2-Way PBX TN Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				
	Subsqnt Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40				
	FEATURES																			
	All Available Vertical Features			UEPSP	UEPSE	0.00	0.00	0.00					20.35	10.54	13.32	1.40				
	EXCHANGE PORT RATES (COIN)																			
	Exchange Ports-Coin Port					2.11	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40				

NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																	
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)																	
EXCHANGE PORT RATES																	
The DS1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISDN Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																	
Requests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
	Exchange Ports-2W DID Port			UEPEX	UEPP2	8.97	47.75	47.01	9.21	8.47			20.35	10.54	13.32	1.40	
	Exchange Ports-DDITS Port-4W DS1 Port with DID capability (E:4/1/2004)			UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04			20.35	10.54	13.32	1.40	
	Exchange Ports-2W ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.40	
	All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00									
	Exchange Ports-2W ISDN Port --Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00									
NOTE: Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports.																	
NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/NBR Process. Rates for the packet capabilities will be determined via the BFR/NBR Process.																	
EXCHANGE PORT RATES (continued)																	
	Exchange Ports-4W ISDN DS1 Port with Detailed E911 Locator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40	
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54			
	Physical Collocation-DS1 Cross-Connects			UEPEX	UEPDX	1.51	53.27	40.16									
	Virtual collocation-Special Access & UNE, cross-connect per DS1			UEPEX	UEPDX	1.32	32.22	17.76	10.46	8.75							
Detailed E911 with Locator Capability (required with UEPEX port)																	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54			
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Subsqnt Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54			
New or Additional PRI Telephone Numbers																	
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability 2-way Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54			
	Unbundled Exchange Ports, 4W ISDN DS1 Port-E911 Locator Capability-Outdial Tel Nos, per No in E911 profile [New or Add'l]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54			
	Unbundled Exchange Ports, 4W ISDN DS1 Port-Inward Tel Nos-Inward Data Only Option [New or Add'l]			UEPDX	UEP1E	0.00	0.94						20.35	10.54			
	Exchange Ports-4W ISDN DS1 Port-Subsqnt [New] Inward Tel Nos [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	44.71	44.70					20.35	10.54			
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPEX	UEPDX	1.75							20.35	10.54			
INTERFACE (Provisioning Only)																	
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					20.35	10.54			
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00					20.35	10.54			
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					20.35	10.54			
New or Additional Channel																	
	New or Add'l-Voice/Data "B" Channel			UEPEX	PR7BV	0.00	28.39						20.35	10.54			
	New or Add'l-Digital Data "B" Channel			UEPEX	PR7BF	0.00	29.11						20.35	10.54			
	New or Add'l Inward Data "B" Channel			UEPDX	PR7BD	0.00	29.39						20.35	10.54			
	New or Add'l Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	29.39						20.35	10.54			
	New or Add'l Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	29.39						20.35	10.54			
	New or Add'l PRI "D" Channel			UEPEX	PR7EX	0.00	29.39						20.35	10.54			
CALL TYPES																	
	Inward			UEPEX	UEPDX	0.00	0.00	0.00									
	Outward			UEPEX	PR7CO	0.00	0.00	0.00									
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00									
UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY																	
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE																	
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40	
	Unbundled Remote Call Forwarding Service, Local Calling-Res			UEPVR	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40	
	Unbundled Remote Call Forwarding Service, InterLATA-Res			UEPVR	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40	
	Unbundled Remote Call Forwarding Service, IntraLATA-Res			UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40	
Non-Recurring																	
	Unbundled Remote Call Forwarding Service -Conversion-Switch-as-is			UEPVR	USAC2		1.03	0.29					20.35	10.54	13.32	1.40	

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVR	USACC	1.03	0.29															
UNBUNDLED REMOTE CALL FORWARDING - Bus																						
	Unbundled Remote Call Forwarding Service, Area Calling-Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40						
	Unbundled Remote Call Forwarding Service, Local Calling-Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40						
	Unbundled Remote Call Forwarding Service, InterLATA-Bus			UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40						
	Unbundled Remote Call Forwarding Service, IntraLATA-Bus			UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UEVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40						
Non-Recurring																						
	Unbundled Remote Call Forwarding Service-Conversion-Switch-as-is			UEPVB	USAC2	1.03	0.29						20.35	10.54	13.32	1.40						
	Unbundled Remote Call Forwarding Service -Conversion with allowed change (PIC and LPIC)			UEPVB	USACC	1.03	0.29															
UNBUNDLED LOCAL SWITCHING, PORT USAGE																						
End Office Switching (Port Usage)																						
	End Office Switching Function, Per MOU					0.0008041																
Tandem Switching (Port Usage) (Local or Access Tandem)																						
	Tandem Switching Function Per MOU					0.0009778																
	Tandem Switching Function Per MOU (Melded)					0.000380364																
	Melded Factor: 38.90% of the Tandem Rate																					
Common Transport																						
	Common Transport-Per mi, Per MOU					0.0000064																
	Common Transport-Facilities Term Per MOU					0.0003871																
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																						
Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.																						
Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.																						
End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.																						
The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos the NRC charges shall be those identified in the NRC - Currently Combined sections.																						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																						
UNE Port/Loop Combination Rates																						
	2W VG Loop/Port Combo-Zone 1		1			14.18																
	2W VG Loop/Port Combo-Zone 2		2			18.01																
	2W VG Loop/Port Combo-Zone 3		3			23.02																
UNE Loop Rates																						
	2W VG Loop (SL1)-Zone 1		1	UEPRX	UEPLX	12.48																
	2W VG Loop (SL1)-Zone 2		2	UEPRX	UEPLX	16.31																
	2W VG Loop (SL1)-Zone 3		3	UEPRX	UEPLX	21.32																
2-Wire Voice Grade Line Port Rates (Res)																						
	2W voice unbundled port-res			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled port with Caller ID-res			UEPRX	UEPRL	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled port outgoing only-res			UEPRX	UEPRO	1.70	22.14	15.25	8.45	3.91			15.69									
	2W VG unbundled TN extended local dialing parity port with Caller ID-			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91			15.69									
	2W Voice Unbundled TN res Dialing Plan w/o Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled TN Area Plus Port w/o Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91			15.69									
	2W voice unbundled Low Usage Line Port w/o Caller ID Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91			15.69									
FEATURES																						
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00					15.69									
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPRX	LNPCX	0.35																
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																						
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPRX	USAC2	1.03	0.29						15.69									
	2W VG Loop/Line Port Combination -Conversion-Switch w change			UEPRX	USACC	1.03	0.29						15.69									

UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Attachment: 2		Exhibit: A				
									Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
									Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)	
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76				15.69				
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPRX	USAS2	0.00	0.00	0.00			15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83				20.35	10.54	13.32	13.32
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPRX	UEAEN	13.19	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		2	UEPRX	UEAEN	17.23	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32
INTEROFFICE TRANSPORT															
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51					
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRX	U1TVM	0.0174	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Port/Loop Combination Rates															
	2W VG Loop/Port Combo-Zone 1		1			14.18									
	2W VG Loop/Port Combo-Zone 2		2			18.01									
	2W VG Loop/Port Combo-Zone 3		3			23.02									
UNE Loop Rates															
	2W VG Loop (SL1)-Zone 1		1	UEPBX	UEPLX	12.48									
	2W VG Loop (SL1)-Zone 2		2	UEPBX	UEPLX	16.31									
	2W VG Loop (SL1)-Zone 3		3	UEPBX	UEPLX	21.32									
2-Wire Voice Grade Line Port (Bus)															
	2W voice unbundled port w/o Caller ID-bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled port with Caller + E484 ID-bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled port outgoing only-bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69			
	2W VG unbundled TN extended local dialing parity port with Caller ID-			UEPBX	UEPAV	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled incoming only port with Caller ID-Bus			UEPBX	UEPB1	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69			
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69			
	TN Inward Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69			
	TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69			
	2W voice unbundled Incoming Only Port w/o Caller ID Capability			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69			
LOCAL NUMBER PORTABILITY															
	Local No Portability (1 per port)			UEPBX	LNPCX	0.35									
FEATURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			15.69				
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2W VG Loop/Line Port Combination-Conversion-Switch-as-is			UEPBX	USAC2		1.03	0.29			15.69				
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPBX	USACC		1.03	0.29			15.69				
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76				15.69				
ADDITIONAL NRCs															
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPBX	USAS2	0.00	0.00	0.00			15.69				
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83				20.35	10.54	13.32	13.32
OFF/ON PREMISES EXTENSION CHANNELS															
	2W Analog VG Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		1	UEPBX	UEAED	16.56	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		2	UEPBX	UEAED	21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32
	2W Analog VG Extension Loop – Design		3	UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
INTEROFFICE TRANSPORT																						
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPBX	U1TV2	18.58		55.39	17.37	27.96	3.51											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPBX	U1TVM	0.0174		0.00	0.00													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																						
UNE Port/Loop Combination Rates																						
	2W VG Loop/Port Combo-Zone 1		1			14.18																
	2W VG Loop/Port Combo-Zone 2		2			18.01																
	2W VG Loop/Port Combo-Zone 3		3			23.02																
	2W VG Loop (SL 1)-Zone 1		1	UEPRG	UEPLX	12.48																
	2W VG Loop (SL 1)-Zone 2		2	UEPRG	UEPLX	16.31																
	2W VG Loop (SL 1)-Zone 3		3	UEPRG	UEPLX	21.32																
2-Wire Voice Grade Line Port Rates (RES - PBX)																						
	2W VG Unbundled Combination 2-Way PBX Trunk Port-Res			UEPRG	UEPRD	1.70		22.14	15.25	8.45	3.91				15.69							
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPRG	LNPCP	3.15		0.00	0.00						15.69							
FEATURES																						
	All Features Offered			UEPRG	UEPVF	0.00		0.00	0.00						15.69							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																						
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPRG	USAC2			1.03	0.29						15.69							
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPRG	USACC			1.03	0.29						15.69							
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update							0.76							15.69							
ADDITIONAL NRCs																						
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPRG	USAS2	0.00		0.00	0.00						15.69							
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group							14.64	14.64						15.69							
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPRG	URETL			8.33	0.83						20.35	10.54	13.32					
OFF/ON PREMISES EXTENSION CHANNELS																						
	Local Channel VG, per Term		1	UEPRG	P2JHX	16.56		75.06	48.20	28.70	17.64				20.35	10.54	13.32					
	Local Channel VG, per Term		2	UEPRG	P2JHX	21.63		75.06	48.20	28.70	17.64				20.35	10.54	13.32					
	Local Channel VG, per Term		3	UEPRG	P2JHX	28.28		75.06	48.20	28.70	17.64				20.35	10.54	13.32					
	Non-Wire Direct Serve Channel VG		SW	UEPRG	SDD2X	10.02		148.84	112.34	73.14	36.65				20.35	10.54	13.32					
INTEROFFICE TRANSPORT																						
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPRG	U1TV2	18.58		55.39	17.37	27.96	3.51											
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPRG	U1TVM	0.0174		0.00	0.00													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)																						
UNE Port/Loop Combination Rates																						
	2W VG Loop/Port Combo-Zone 1		1			14.18																
	2W VG Loop/Port Combo-Zone 2		2			18.01																
	2W VG Loop/Port Combo-Zone 3		3			23.02																
UNE Loop Rates																						
	2W VG Loop (SL 1)-Zone 1		1	UEPPX	UEPLX	12.48																
	2W VG Loop (SL 1)-Zone 2		2	UEPPX	UEPLX	16.31																
	2W VG Loop (SL 1)-Zone 3		3	UEPPX	UEPLX	21.32																
2-Wire Voice Grade Line Port Rates (BUS - PBX)																						
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPPX	UEPPC	1.70		22.14	15.25	8.45	3.91				15.69							
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPPX	UEPPO	1.70		22.14	15.25	8.45	3.91				15.69							
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPPX	UEPPI	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPPX	UEPT2	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPPX	UEPTO	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.70		22.14	15.25	8.45	3.91				15.69							
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.70		22.14	15.25	8.45	3.91				15.69							

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l							
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)						
							First	Add'l	First							Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPPX	UEPN	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69										
	TN PBX 2-Way Combo Each Add'l Trunk Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69										
	TN PBX 2-Way Combo First Trunk Collierville and Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69										
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				15.69										
FEATURES																						
	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69										
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																						
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69										
	2W VG Loop/Line Port Combination (PBX)-Conversion-Switch w			UEPPX	USACC		1.03	0.29				15.69										
	2W VG Loop/Line Port Combination -Conversion-Subsqnt Database Update						0.76					15.69										
ADDITIONAL NRCs																						
	2W VG Loop/Line Port Combination (PBX)-Subsqnt Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69										
	PBX Subsqnt Activity-Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69										
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83				20.35	10.54	13.32	13.32							
OFF/ON PREMISES EXTENSION CHANNELS																						
	Local Channel VG, per Term		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32							
	Local Channel VG, per Term		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32							
	Local Channel VG, per Term		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32							
	Non-Wire Direct Serve Channel VG		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65		20.35	10.54	13.32	13.32							
INTEROFFICE TRANSPORT																						
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPPX	U1TVM	0.0174	0.00	0.00														
UNE Port/Loop Combination Rates																						
	2W VG Coin Port/Loop Combo - Zone 1		1			14.18																
	2W VG Coin Port/Loop Combo - Zone 2		2			18.01																
	2W VG Coin Port/Loop Combo - Zone 3		3			23.02																
UNE Loop Rates																						
	2W VG Loop (SL1)-Zone 1		1	UEPCO	UEPLX	12.48																
	2W VG Loop (SL1)-Zone 2		2	UEPCO	UEPLX	16.31																
	2W VG Loop (SL1)-Zone 3		3	UEPCO	UEPLX	21.32																
2-Wire Voice Grade Line Ports (COIN)																						
	2W Coin 2-Way w/o Oper Screening and w/o Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Coin 2-Way with Oper Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Coin 2-Way with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Coin 2-Way with Oper Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Coin Outward with Oper Screening and 011 Blocking (TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69										
	2W Coin Outward with Oper Screening and Blocking: 900/976, 1+DDD, 011+, and Local (TN)			UEPCO	UEPOT	1.70	22.14	15.25	8.45	3.91		15.69										
	2W 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.88						15.69										
	2W Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.88						15.69										
ADDITIONAL UNE COIN PORT/LOOP (RC)																						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.45	0.00	0.00	0.00	0.00		15.69										
	Local No Portability (1 per port)			UEPCO	LNPCX	0.35																
	2W VG Loop/Line Port Combination -Conversion-Switch-as-is			UEPCO	USAC2		1.03	0.29				15.69										
	2W VG Loop/Line Port Combination -Conversion-Switch with change			UEPCO	USACC		1.03	0.29				15.69										
	2W VG Loop/Line Port Combination-Subsqnt Activity			UEPCO	USAS2	0.00	0.00	0.00				15.69										
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83				20.35	10.54	13.32	13.32							

UNBUNDLED NETWORK ELEMENTS - Tennessee										Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		
													Rec	Nonrecurring
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			18.45								
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			23.52								
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			30.17								
UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFR	UECF2	16.56								
	2W VG Loop (SL2)-Zone 2		2	UEPFR	UECF2	21.63								
	2W VG Loop (SL2)-Zone 3		3	UEPFR	UECF2	28.28								
2-Wire Voice Grade Line Port Rates (Res)														
	2W voice unbundled port-res			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled port with Caller ID-res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled port outgoing only-res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69		
	2W VG unbundled TN extended local dialing parity port with Caller ID-			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Plus with Caller ID-res (AC7)			UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Calling port with Caller ID-res (F2R)			UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Calling port with Caller ID-res (TACER)			UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Calling port with Caller ID-res (TACSR)			UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Calling port with Caller ID-res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Area Calling port with Caller ID-res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69		
	2W Voice Unbundled TN res Dialing Plan w/o Caller ID			UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56		15.69		
INTEROFFICE TRANSPORT														
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51				
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFR	1L5XX	0.0174								
FEATURES														
	All Features Offered			UEPFR	UEPVF	0.00	0.00	0.00				15.69		
LOCAL NUMBER PORTABILITY														
	Local No Portability (1 per port)			UEPFR	LNPCX	0.35								
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69		
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFR	URETN		11.23	1.10			20.35	10.54	13.32	13.32
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (BUS)														
UNE Port/Loop Combination Rates														
	2W VG Loop/IO Transport/Port Combo-Zone 1		1			18.45								
	2W VG Loop/IO Transport/Port Combo-Zone 2		2			23.52								
	2W VG Loop/IO Transport/Port Combo-Zone 3		3			30.17								
UNE Loop Rates														
	2W VG Loop (SL2)-Zone 1		1	UEPFB	UECF2	16.56								
	2W VG Loop (SL2)-Zone 2		2	UEPFB	UECF2	21.63								
	2W VG Loop (SL2)-Zone 3		3	UEPFB	UECF2	28.28								
2-Wire Voice Grade Line Port (Bus)														
	2W voice unbundled port w/o Caller ID-bus			UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled port with Caller + E484 ID-bus			UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled port outgoing only-bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56		15.69		
	2W VG unbundled TN extended local dialing parity port with Caller ID-			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled incoming only port with Caller ID-Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Bus 2-Way Area Calling Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Bus 2-Way Area Calling Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69		
	2W voice unbundled TN Bus 2-Way Collierville and Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69		
	2W Voice Unbundled TN bus Dialing Plan w/o Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69		
	TN Inward Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69		
	TN 2-Way Collierville and Memphis Local Calling Plan (BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69		

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPFB	LNPCX	0.35																
INTEROFFICE TRANSPORT																						
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFB	1L5XX	0.0174																
FEATURES																						
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00					15.69									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFB	USAC2		16.94	3.72					15.69									
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFB	USACC		16.94	3.72					15.69									
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.32						
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (PBX)																						
UNE Port/Loop Combination Rates																						
	2W VG Loop/IO Tranport/Port Combo-Zone 1		1			18.45																
	2W VG Loop/IO Tranport/Port Combo-Zone 2		2			23.52																
	2W VG Loop/IO Tranport/Port Combo-Zone 3		3			30.17																
UNE Loop Rates																						
	2W VG Loop (SL2)-Zone 1		1	UEPFP	UECF2	16.56																
	2W VG Loop (SL2)-Zone 2		2	UEPFP	UECF2	21.63																
	2W VG Loop (SL2)-Zone 3		3	UEPFP	UECF2	28.28																
2-Wire Voice Grade Line Port Rates (BUS - PBX)																						
	Line Side Unbundled Combination 2-Way PBX Trunk Port-Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54			15.69									
	Line Side Unbundled Outward PBX Trunk Port-Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54			15.69									
	Line Side Unbundled Incoming PBX Trunk Port-Bus			UEPFP	UEPP1	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 2-Way Combination PBX TN Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 1-Way Outgoing PBX TN Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 1W Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled PBX Collierville and Memphis Calling Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54			15.69									
	2W Voice Unbundled 2-Way PBX TN RegionServ Calling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54			15.69									
LOCAL NUMBER PORTABILITY																						
	Local No Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					15.69									
INTEROFFICE TRANSPORT																						
	Interoffice Transport-Dedicated-2W VG-Facility Term			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51												
	Interoffice Transport-Dedicated-2W VG-Per mi or Fraction mi			UEPFP	1L5XX	0.0174																
FEATURES																						
	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00					15.69									
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED																						
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch-as-is			UEPFP	USAC2		16.94	3.72					15.69									
	2W Loop/Dedicated IO Transport/2W Line Port Combination-Conversion-Switch with change			UEPFP	USACC		16.94	3.72					15.69									
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32						
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																						

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT																	
UNE Port/Loop Combination Rates																	
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 1		1			18.38											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 2		2			19.87											
	2W VG Loop/2W DID Trunk Port Combo-UNE Zone 3		3			24.78											
UNE Loop Rates																	
	2W Analog VG Loop-(SL2)-UNE Zone 1		1	UEPPX	UECD1	9.60											
	2W Analog VG Loop-(SL2)-UNE Zone 2		2	UEPPX	UECD1	11.09											
	2W Analog VG Loop-(SL2)-UNE Zone 3		3	UEPPX	UECD1	16.00											
UNE Port Rate																	
	Exchange Ports-2W DID Port			UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03			
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W VG Loop/2W DID Trunk Port Combination -Switch-as-is			UEPPX	USAC1		8.76	5.75					30.89	7.03			
	2W VG Loop/2W DID Trunk Port Conversion with BST Allowable Changes			UEPPX	USA1C		8.76	5.75					30.89	7.03			
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPX	URETN		11.23	1.10									
Telephone Number/Trunk Group Establishment Charges																	
	DID Trunk Term (One Per Port)			UEPPX	NDT	0.00	0.00	0.00									
	Add'l DID Nos for each Group of 20 DID Nos			UEPPX	ND4	0.00	0.00	0.00									
	DID Nos, Non-consecutive DID Nos, Per No			UEPPX	ND5	0.00	0.00	0.00									
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00									
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00									
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00									
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT																	
UNE Port/Loop Combination Rates																	
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 1		1	UEPPB	UEPPR	32.27											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 2		2	UEPPB	UEPPR	34.78											
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -UNE Zone 3		3	UEPPB	UEPPR	44.32											
UNE Loop Rates																	
	2W ISDN Digital Grade Loop-UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2W ISDN Digital Grade Loop-UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2W ISDN Digital Grade Loop-UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
UNE Port Rate																	
	Exchange Port-2W ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	2W ISDN Digital Grade Loop/2W ISDN Line Side Port Combination-Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDITIONAL NRCs																	
	2W ISDN Loop/2W ISDN Port Combination-Sub Actvy-Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Misc Rate Element, Tag Designed Loop at End User			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Misc Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCAL NUMBER PORTABILITY																	
	Local No Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CHANNEL USER PROFILE ACCESS:																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC,MS, & TN)																	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER TERMINAL PROFILE																	
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTICAL FEATURES																	

UNBUNDLED NETWORK ELEMENTS - Tennessee													Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	All Vertical Features-One per Channel B User Profile			UEPPB UEPPR UEPVF		0.00	0.00	0.00								
INTEROFFICE CHANNEL MILEAGE																
	Interoffice Channel miage each, including first mi and facilities Term			UEPPB UEPPR M1GNC		17.91	53.99	17.37				19.99	19.99			
	Interoffice Channel miage each, Add'l mi			UEPPB UEPPR M1GNM		0.173	0.00	0.00								
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK PORT																
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																
Requests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital Trunk Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																
UNE Port/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port -UNE Zone 3		3	UEPPP		173.44										
UNE Loop Rates																
	4W DS1 Digital Loop-UNE Zone 1		1	UEPPP USL4P		57.73										
	4W DS1 Digital Loop-UNE Zone 2		2	UEPPP USL4P		75.40										
	4W DS1 Digital Loop-UNE Zone 3		3	UEPPP USL4P		98.59										
UNE Port Rate																
	Exchange Ports-4W ISDN DS1 Port (E:4/1/2004)			UEPPP UEPPP		74.85	415.53	366.90	89.28	77.43		19.99	19.99			
NONRECURRING CHARGES - CURRENTLY COMBINED																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port Combination-Conversion -Switch-as-is (E:4/1/2004)			UEPPP USACP		0.00	328.53	328.53				19.99	19.99			
ADDITIONAL NRCs																
	4W DS1 Loop/4-W ISDN Digt Trk Port-Subsqt Actvy-Inward/two way Tel Nos. (except NC)			UEPPP PR7TF			0.94					19.99	19.99			
	4W DS1 Loop/4W ISDN DS1 Digital Trunk Port-Outward Tel Nos			UEPPP PR7TO			22.36	22.36				19.99	19.99			
	4W DS1 Loop/4W ISDN DS1 Digital Trk Port -Subsqt Inward Tel Nos			UEPPP PR7ZT			44.71	44.70				19.99	19.99			
LOCAL NUMBER PORTABILITY																
	Local No Portability (1 per port)			UEPPP LNPCN		1.75										

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN		
INTERFACE (Provisioning Only)																	
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00									
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00									
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00									
New or Additional "B" Channel																	
	New or Add'l-Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39					19.99	19.99				
	New or Add'l-Digital Data B Channel			UEPPP	PR7BF	0.00	29.11					19.99	19.99				
	New or Add'l Inward Data B Channel			UEPPP	PR7BD	0.00	29.39					19.99	19.99				
CALL TYPES																	
	Inward			UEPPP	PR7C1	0.00	0.00	0.00									
	Outward			UEPPP	PR7CO	0.00	0.00	0.00									
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00									
Interoffice Channel Mileage																	
	Fixed Each Including First mi			UEPPP	1LN1A	76.1825	145.98	109.85	19.55			19.99	19.99				
	Each Airline-Fractional Add'l mi			UEPPP	1LN1B	0.3525											
4-WIRE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																	
The UNE-P DS1 combination rates below for in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate commercial agreement.																	
Requests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																	
UNE Port/Loop Combination Rates																	
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 1		1	UEPDC		93.28						19.99	19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 2		2	UEPDC		110.95						19.99	19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port -UNE Zone 3		3	UEPDC		134.14						19.99	19.99				
UNE Loop Rates																	
	4W DS1 Digital Loop-UNE Zone 1		1	UEPDC	USLDC	57.53											
	4W DS1 Digital Loop-UNE Zone 2		2	UEPDC	USLDC	75.40											
	4W DS1 Digital Loop-UNE Zone 3		3	UEPDC	USLDC	98.59											
UNE Port Rate																	
	4W DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49		19.99	19.99				
NONRECURRING CHARGES - CURRENTLY COMBINED																	
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Switch-as-is (E:4/1/2004)			UEPDC	USAC4		312.91	312.91				19.99	19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		312.91	312.91				19.99	19.99				
	4W DS1 Digital Loop/4W DDITS Trunk Port Combination-Conversion with Change-Trunk (E:4/1/2004)			UEPDC	USAWB		312.91	312.91				19.99	19.99				
ADDITIONAL NRCs																	
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88									
	4W DS1 Loop/4W DDITS Trunk Port-NRC-Subsqnt Channel Activation/Chan-2-Way Trunk			UEPDC	UDTTA		108.67	108.67				19.99	19.99				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan-1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67				19.99	19.99				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67				19.99	19.99				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation Per Chan-Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67				19.99	19.99				
	4W DS1 Loop/4W DDITS Trunk Port-Subsqnt Chan Activation/Chan-2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67				19.99	19.99				
BIPOLAR 8 ZERO SUBSTITUTION																	
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s				19.99	19.99				
	B8ZS-Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s				19.99	19.99				
Alternate Mark Inversion																	
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00									
	AMI-Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00									
Telephone Number/Trunk Group Establishment Charges																	
	Tel No for 2-Way Trunk Group			UEPDC	UDTGX	0.00						19.99	19.99				
	Tel No for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00						19.99	19.99				
	Tel No for 1-Way Inward Trunk Group w/o DID			UEPDC	UDTGZ	0.00						19.99	19.99				
	DID Nos for each Group of 20 DID Nos			UEPDC	ND4	0.00						19.99	19.99				

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l					
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)				
							First	Add'l	First							Add'l	SOMEc	SOMAN	SOMAN	SOMAN
	DID Nos. Non-consecutive DID Nos , Per No			UEPDC	ND5	0.00							19.99	19.99						
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00												
	Reserve DID Nos			UEPDC	NDV	0.00	0.00	0.00												
	Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port																			
	Interoffice Channel miage-Fixed rate 0-8 mis (Facilities Term)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99										
	Interoffice Channel miage-Add'l rate per mi-0-8 mis			UEPDC	1LNOA	0.3525	0.00	0.00												
	Interoffice Channel miage-Fixed rate 9-25 mis (Facilities Term)			UEPDC	1LNO2	0.00	0.00	0.00												
	Interoffice Channel miage-Add'l rate per mi-9-25 mis			UEPDC	1LNOB	0.3525	0.00	0.00												
	Interoffice Channel miage-Fixed rate 25+ mis (Facilities Term)			UEPDC	1LNO3	0.00	0.00	0.00												
	Interoffice Channel miage-Add'l rate per mi-25+ mis			UEPDC	1LNOC	0.3525	0.00	0.00												
	Local No Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00												
	CO Terminating Point			UEPDC	CTG	0.00														
	4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT																			
	System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations																			
	Each System can have up to 24 combinations of rates depending on type and number of ports used																			
	The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.																			
	Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.																			
	UNE DS1 Loop																			
	4W DS1 Loop-UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00												
	4W DS1 Loop-UNE Zone 2		2	UEPMG	USLDC	75.40	0.00	0.00												
	4W DS1 Loop-UNE Zone 3		3	UEPMG	USLDC	98.59	0.00	0.00												
	UNE DSO Channelization Capacities (D4 Channel Bank Configurations)																			
	24 DSO Channel Capacity-1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99						
	48 DSO Channel Capacity-1 per 2 DS1s			UEPMG	VUM48	263.74	0.00	0.00					19.99	19.99						
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48	0.00	0.00					19.99	19.99						
	144 DSO Channel Capacity-1 per 6 DS1s			UEPMG	VUM14	791.42	0.00	0.00					19.99	19.99						
	192 DSO Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99						
	240 DSO Channel Capacity-1 per 10 DS1s			UEPMG	VUM20	1,318.70	0.00	0.00					19.99	19.99						
	288 DSO Channel Capacity-1 per 12 DS1s			UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99						
	384 DSO Channel Capacity-1 per 16 DS1s			UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99						
	480 DSO Channel Capacity-1 per 20 DS1s			UEPMG	VUM40	2,637.40	0.00	0.00					19.99	19.99						
	576 DSO Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99						
	672 DSO Channel Capacity-1 per 28 DS1s			UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99						
	Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System																			
	A Minimum System configuration is One (1) DS1, One (1) D4 Channel Bank, and Up To 24 DSO Ports with Feature Activations.																			
	Multiples of this configuration functioning as one are considered Add'l after the minimum system configuration is counted.																			
	NRC-Conversion (Currently Combined) with or w/o BST Allowed			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99						
	System Additions at End User Locations Where 4-Wire DS1 Loop with Channelization with Port Combination Currently Exists and																			
	New (Not Currently Combined) in all states, except in Density Zone 1 of Top 8 MSA's																			
	1 DS1/D4 Channel Bank-Add'lly Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99							
	Bipolar 8 Zero Substitution																			
	Clear Channel Capability Format, superframe-Subsqnt Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s												
	Clear Channel Capability Format-Extended Superframe-Subsqnt Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s												
	Alternate Mark Inversion (AMI)																			
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00												
	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00												
	Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port																			
	Exchange Ports																			
	Line Side Combination Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03						
	Line Side Outward Channelized PBX Trunk Port-bus (E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03						
	Line Side Inward Only Channelized PBX Trunk Port w/o DID			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03						
	2W Trunk Side Unbundled Channelized DID Trunk Port (E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized - Outdial - (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03						
	Unbundled Exchange Ports, 2W Channelized - Combination (Conversion from Network Access Service) (E:4/1/2004)			UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00			30.89	7.03						

UNBUNDLED NETWORK ELEMENTS - Tennessee											Attachment: 2		Exhibit: A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 2W Channelized – Outdial – TN Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03	
	Unbundled Exchange Ports, 2W Channelized – Two Way-TN Only – Calling Plan-Regionserv (E:4/1/2004)			UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00			30.89	7.03	
Feature Activations - Unbundled Loop Concentration															
	Feature (Service) Activation for each Line Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03	
	Feature (Service) Activation for each Trunk Port Terminated in D4 Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57			30.89	7.03	
Telephone Number/ Group Establishment Charges for DID Service															
	DID Trunk Term (1 per Port)			UEPPX	NDT	0.00	0.00	0.00							
	DID Nos-groups of 20-Valid all States			UEPPX	ND4	0.00	0.00	0.00							
	Non-Consecutive DID Nos-per No			UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID Nos			UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Nos			UEPPX	NDV	0.00	0.00	0.00							
Local Number Portability															
	Local No Portability-1 per port			UEPPX	LNPCP	3.15	0.00	0.00							
FEATURES - Vertical and Optional															
Local Switching Features Offered with Line Side Ports Only															
	All Features Available			UEPPX	UEPVF	0.00	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
1. Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports.															
2. Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this exhibit.															
3. End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations.															
4. The first and add'l Port NRC charges apply to Not Currently Combined Combos. For Currently Combined Combos, the NRC charges shall be those identified in the NRC - Currently Combined sections. Add'l NRCs may apply also and are categorized accordingly.															
5. Market Rates for Unbundled Centrex Port/Loop Combination will be negotiated on an Individual Case Basis, until further notice.															
UNE-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Port/Loop Combination Rates (Non-Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP91		14.18									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP91		18.01									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP91		23.02									
UNE Port/Loop Combination Rates (Design)															
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP91		18.26									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP91		23.33									
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP91		29.98									
UNE Loop Rate															
	2W VG Loop (SL 1)-Zone 1		1	UEP91	UECS1	12.48									
	2W VG Loop (SL 1)-Zone 2		2	UEP91	UECS1	16.31									
	2W VG Loop (SL 1)-Zone 3		3	UEP91	UECS1	21.32									
	2W VG Loop (SL 2)-Zone 1		1	UEP91	UECS2	16.56									
	2W VG Loop (SL 2)-Zone 2		2	UEP91	UECS2	21.63									
	2W VG Loop (SL 2)-Zone 3		3	UEP91	UECS2	28.28									
UNE Ports															
All States (Except NC and SC)															
	2W VG Port (Centrex) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP91	UEPYB	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex from diff SWC) Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port, Diff SWC-800 Service Term-Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
AL, KY, LA, MS, & TN Only															
	2W VG Port (Centrex)			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex 800 Term)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port (Centrex from diff SWC)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91			30.89	7.03	
	2W VG Port, Diff SWC-2,3-800 Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91			30.89	7.03	

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)						
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN
														First	Add'l	First	Add'l		
	2W VG Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70													
	2W VG Port Terminated on 800 Service Term			UEP91	UEPQ2	1.70													
	Local Switching																		
	Centrex Intercom Functionality, per port			UEP91	URECS	0.6381													
	Local Number Portability																		
	Local No Portability (1 per port)			UEP91	LNPC	0.35													
	Features																		
	All Standard Features Offered, per port			UEP91	UEPVF	0.00													
	All Select Features Offered, per port			UEP91	UEPVS	0.00	433.78												
	All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00													
	NARS																		
	Unbundled Network Access Register-Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register-Initial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Unbundled Network Access Register-Outdial			UEP91	UARO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	Miscellaneous Terminations																		
	2-Wire Trunk Side																		
	Trunk Side Terms, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91									
	Interoffice Channel Mileage - 2-Wire																		
	Interoffice Channel Facilities Term-VG			UEP91	M1GBC	18.58	22.14	15.25	8.45	3.91									
	Interoffice Channel miage, per mi or fraction of mi			UEP91	M1GBM	0.0174													
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																		
	D4 Channel Bank Feature Activations																		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66													
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP91	1PQWP	0.66													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66													
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP91	1PQWV	0.66													
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66													
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																		
	Conversion-Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		1.03	0.29											
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60												
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	658.60												
	Secondary Block, per Block			UEP91	M2CC1	0.00	73.55												
	NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57												
	Additional Non-Recurring Charges (NRC)																		
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83											
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.23	1.10											
	UNE-P CENTREX - 5ESS (Valid in All States)																		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																		
	UNE Port/Loop Combination Rates (Non-Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP95		14.18													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP95		18.01													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP95		23.02													
	UNE Port/Loop Combination Rates (Design)																		
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP95		18.26													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP95		23.33													
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP95		29.98													
	UNE Loop Rate																		
	2W VG Loop (SL 1)-Zone 1		1	UEP95	UECS1	12.48													
	2W VG Loop (SL 1)-Zone 2		2	UEP95	UECS1	16.31													
	2W VG Loop (SL 1)-Zone 3		3	UEP95	UECS1	21.32													
	2W VG Loop (SL 2)-Zone 1		1	UEP95	UECS2	16.56													
	2W VG Loop (SL 2)-Zone 2		2	UEP95	UECS2	21.63													
	2W VG Loop (SL 2)-Zone 3		3	UEP95	UECS2	28.28													
	UNE Port Rate																		
	All States																		
	2W VG Port (Centrex) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91									

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMECH	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
	2W VG Port (Centrex 800 Term)			UEP95	UEPYB	1.70																
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70																
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP95	UEPYM	1.70																
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP95	UEPYZ	1.70																
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP95	UEPY9	1.70																
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP95	UEPY2	1.70																
	AL, KY, LA, MS, SC, & TN Only																					
	2W VG Port (Centrex)			UEP95	UEPQA	1.70																
	2W VG Port (Centrex 800 Term)			UEP95	UEPQB	1.70																
	2W VG Port (Centrex with Caller ID)1			UEP95	UEPQH	1.70																
	2W VG Port (Centrex from diff SWC)2,3			UEP95	UEPQM	1.70																
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP95	UEPQZ	1.70																
	2W VG Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70																
	2W VG Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70																
	Local Switching																					
	Centrex Intercom Funtionalty, per port			UEP95	URECS	0.6381																
	Local Number Portability																					
	Local No Portability (1 per port)			UEP95	LNPC	0.35																
	Features																					
	All Standard Features Offered, per port			UEP95	UEPVF	0.00																
	All Select Features Offered, per port			UEP95	UEPVS	0.00	433.78															
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00																
	NARS																					
	Unbundled Network Access Register-Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register-Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register-Outdial			UEP95	UARO	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
	Miscellaneous Terminations																					
	2-Wire Trunk Side																					
	Trunk Side Terms, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47												
	4-Wire Digital (1.544 Megabits)																					
	DS1 Circuit Terms, each			UEP95	M1HD1	35.55	75.93	38.15														
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67															
	Interoffice Channel Mileage - 2-Wire																					
	Interoffice Channel Facilities Term			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91												
	Interoffice Channel miage, per mi or fraction of mi			UEP95	M1GBM	0.0174																
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																					
	D4 Channel Bank Feature Activations																					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66																
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP95	1PQWP	0.66																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66																
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP95	1PQWQ	0.66																
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66																
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																					
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP95	USAC2		1.03	0.29														
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60															
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60															
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	68.57															
	Additional Non-Recurring Charges (NRC)																					
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.23	1.10														
	UNE-P CENTREX - DMS100 (Valid in All States)																					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																					
	UNE Port/Loop Combination Rates (Non-Design)																					
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9D		14.18																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9D		18.01																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9D		23.02																

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
UNE Port/Loop Combination Rates (Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9D		18.26																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9D		23.33																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9D		29.98																
UNE Loop Rate																						
	2W VG Loop (SL 1)-Zone 1		1	UEP9D	UECS1	12.48																
	2W VG Loop (SL 1)-Zone 2		2	UEP9D	UECS1	16.31																
	2W VG Loop (SL 1)-Zone 3		3	UEP9D	UECS1	21.32																
	2W VG Loop (SL 2)-Zone 1		1	UEP9D	UECS2	16.56																
	2W VG Loop (SL 2)-Zone 2		2	UEP9D	UECS2	21.63																
	2W VG Loop (SL 2)-Zone 3		3	UEP9D	UECS2	28.28																
UNE Port Rate																						
ALL STATES																						
	2W VG Port (Centrex) Basic Local Area			UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-PSET)3Basic Local Area			UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5209)3 Basic Local Area			UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5112)3 Basic Local Area			UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5312)3Basic Local Area			UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5008)3 Basic Local Area			UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5208)3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5216)3 Basic Local Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5316)3 Basic Local Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex from diff SWC) 2,3-Basic Local Area			UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
AL, KY, LA, MS, SC, & TN Only																						
	2W VG Port (Centrex)			UEP9D	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex 800 Term)			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-PSET)4			UEP9D	UEPQC	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5009)4			UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5209)4			UEP9D	UEPQE	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5112)4			UEP9D	UEPQF	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5312)4			UEP9D	UEPQG	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex /EBS-M5008)4			UEP9D	UEPQT	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5208)4			UEP9D	UEPQU	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5216)4			UEP9D	UEPQV	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/EBS-M5316)4			UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex with Caller ID)			UEP9D	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex from diff SWC) 2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91		30.89	7.03									
	2W VG Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03									

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l					
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)				
							First	Add'l	First	Add'l							SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2W VG Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port, Diff SWC-800 Service Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	2W VG Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91			30.89	7.03							
	Local Switching																				
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.6381															
	Local Number Portability																				
	Local No Portability (1 per port)			UEP9D	LNPC	0.35															
	Features																				
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00							30.89	7.03							
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78						30.89	7.03							
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00							30.89	7.03							
	NARS																				
	Unbundled Network Access Register-Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00			0.00	7.03							
	Unbundled Network Access Register-Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00			0.00	7.03							
	Unbundled Network Access Register-Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00			0.00	7.03							
	Miscellaneous Terminations																				
	2-Wire Trunk Side																				
	Trunk Side Terms, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91			30.89	7.03							
	4-Wire Digital (1.544 Megabits)																				
	DS1 Circuit Terms, each			UEP9D	M1HD1	35.55	75.93	38.15					30.89	7.03							
	DS0 Channels Activated per Channel			UEP9D	M1HDO	0.00	108.67						30.89	7.03							
	Interoffice Channel Mileage - 2-Wire																				
	Interoffice Channel Facilities Term			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91			30.89	7.03							
	Interoffice Channel miage, per mi or fraction of mi			UEP9D	M1GBM	0.0174															
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																				
	D4 Channel Bank Feature Activations																				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66															
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9D	1PQWP	0.66															
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66															
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9D	1PQWQ	0.66															
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																				
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		1.03	0.29					30.89	7.03							
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60						30.89	7.03							
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60						30.89	7.03							
	NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57						30.89	7.03							
	Additional Non-Recurring Charges (NRC)																				
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83													
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.23	1.10													
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)																				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																				
	UNE Port/Loop Combination Rates (Non-Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP9E		14.18															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP9E		18.01															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP9E		23.02															
	UNE Port/Loop Combination Rates (Design)																				
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP9E		18.26															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP9E		23.33															
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP9E		29.98															

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMECH	SOMAN
						First	Add'l	First	Add'l								
UNE Loop Rate																	
	2W VG Loop (SL 1)-Zone 1		1	UEP9E	UECS1	12.48											
	2W VG Loop (SL 1)-Zone 2		2	UEP9E	UECS1	16.31											
	2W VG Loop (SL 1)-Zone 3		3	UEP9E	UECS1	21.32											
	2W VG Loop (SL 2)-Zone 1		1	UEP9E	UECS2	16.56											
	2W VG Loop (SL 2)-Zone 2		2	UEP9E	UECS2	21.63											
	2W VG Loop (SL 2)-Zone 3		3	UEP9E	UECS2	28.28											
UNE Port Rate																	
AL, FL, KY, LA, MS, & TN only																	
	2W VG Port (Centrex) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port, Diff SWC 2,3-800 Service Term-Basic Local Area			UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
AL, KY, LA, MS, & TN Only																	
	2W VG Port (Centrex)			UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex 800 Term)			UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port (Centrex from diff SWC)2,3			UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port, Diff SWC 2,3 -800 Service Term			UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
	2W VG Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03				
Local Switching																	
	Centrex Intercom Funtionalty, per port			UEP9E	URECS	0.6381											
Local Number Portability																	
	Local No Portability (1 per port)			UEP9E	LNPC	0.35											
Features																	
	All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03				
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00						30.89	7.03				
NARS																	
	Unbundled Network Access Register-Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03				
	Unbundled Network Access Register-Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03				
	Unbundled Network Access Register-Outdial			UEP9E	UAROY	0.00	0.00	0.00	0.00	0.00		0.00	7.03				
Miscellaneous Terminations																	
2-Wire Trunk Side																	
	Trunk Side Terms, each			UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03				
4-Wire Digital (1.544 Megabits)																	
	DS1 Circuit Terms, each			UEP9E	M1HD1	35.55	75.93	38.15				30.89	7.03				
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	108.67					30.89	7.03				

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)									
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN	SOMAN
														First	Add'l	First	Add'l					
Interoffice Channel Mileage - 2-Wire																						
	Interoffice Channel Facilities Term			UEP9E	M1GBC	18.58																
	Interoffice Channel miage, per mi or fraction of mi			UEP9E	M1GBM	0.0174																
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																						
D4 Channel Bank Feature Activations																						
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66																
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP9E	1PQWP	0.66																
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66																
	Feature Activation on D-4 Channel Bank Tjje Line/Trunk Loop Slot			UEP9E	1PQWQ	0.66																
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66																
Non-Recurring Charges (NRC) Associated with UNE-P Centrex																						
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9E	USAC2	1.03		0.29					30.89	7.03								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	658.60						30.89	7.03								
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	658.60						30.89	7.03								
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	68.57						30.89	7.03								
Additional Non-Recurring Charges (NRC)																						
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83														
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1.10														
UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN																						
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo																						
UNE Port/Loop Combination Rates (Non-Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Non-Design		1	UEP93		14.18																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		2	UEP93		18.01																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Non-Design		3	UEP93		23.02																
UNE Port/Loop Combination Rates (Design)																						
	2W VG Loop/2W VG Port (Centrex) Port Combo-Design		1	UEP93		18.26																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		2	UEP93		23.33																
	2W VG Loop/2W VG Port (Centrex)Port Combo-Design		3	UEP93		29.98																
UNE Loop Rate																						
	2W VG Loop (SL 1)-Zone 1		1	UEP93	UECS1	12.48																
	2W VG Loop (SL 1)-Zone 2		2	UEP93	UECS1	16.31																
	2W VG Loop (SL 1)-Zone 3		3	UEP93	UECS1	21.32																
	2W VG Loop (SL 2)-Zone 1		1	UEP93	UECS2	16.56																
	2W VG Loop (SL 2)-Zone 2		2	UEP93	UECS2	21.63																
	2W VG Loop (SL 2)-Zone 3		3	UEP93	UECS2	28.28																
UNE Port Rate																						
AL, KY, LA, MS, & TN only																						
	2W VG Port (Centrex) Basic Local Area			UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex 800 Term)Basic Local Area			UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex with Caller ID)1Basic Local Area			UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex from diff SWC)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port, Diff SWC-2,3-800 Service Term-Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port terminated in on Megalink or equivalent-Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port Terminated on 800 Service Term-Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex)			UEP93	UEPQA	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex 800 Term)			UEP93	UEPQB	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port (Centrex from diff SWC)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port, Diff SWC-2,3 -800 Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
	2W VG Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91			30.89	7.03								
Local Switching																						
	Centrex Intercom Funtionalty, per port			UEP93	URECS	0.6381																

UNBUNDLED NETWORK ELEMENTS - Tennessee														Attachment: 2		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc-Add'l	OSS Rates (\$)				
													Rec	Nonrecurring	NRC Disconnect	SOMECH	SOMAN
						First	Add'l	First	Add'l								
	Local Number Portability																
	Local No Portability (1 per port)			UEP93	LNPCC	0.35											
	Features																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00											
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00											
	NARS																
	Unbundled Network Access Register-Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	0.00	7.03					
	Unbundled Network Access Register-Initial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	0.00	7.03					
	Unbundled Network Access Register-Outdial			UEP93	UAROY	0.00	0.00	0.00	0.00	0.00	0.00	7.03					
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terms, each			UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03				
	4-Wire Digital (1.544 Megabits)																
	DS1 Circuit Terms, each			UEP93	M1HD1	35.55	75.93	38.15				30.89	7.03				
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	108.67					30.89	7.03				
	Interoffice Channel Mileage - 2-Wire																
	Interoffice Channel Facilities Term			UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03				
	Interoffice Channel miage, per mi or fraction of mi			UEP93	M1GBM	0.0174											
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66											
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP93	1PQW6	0.66											
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP93	1PQW7	0.66											
	Feature Activation on D-4 Channel Bank Centrex Loop Slot-diff WC			UEP93	1PQWP	0.66											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.66											
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.66											
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.66											
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		1.03	0.29				30.89	7.03				
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	658.60					30.89	7.03				
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03				
	NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03				
	Additional Non-Recurring Charges (NRC)																
	Unbundled Misc Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83									
	Unbundled Misc Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.23	1.10									
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD																
	Note 2 - Requires Interoffice Channel Mileage																
	Note 3 - Installation is combination of Installation charge for SL2 Loop and Port																
	Note 4 - Requires Specific Customer Premises Equipment																
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																

EXHIBIT 4

LOCAL INTERCONNECTION - Alabama							Attachment: 3	Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOME C
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)												
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.												
TANDEM SWITCHING												
	Tandem Switching Function Per MOU			OHD		0.0004980bk						
	Multiple Tandem Switching, per MOU (applies to intial tandem only)			OHD		0.000498						
	Tandem Intermediary Charge, per MOU*			OHD		0.0025						
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.												
TRUNK CHARGE												
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.56	8.12					
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.56	8.12					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00						
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00						
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00						
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00						
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements												
COMMON TRANSPORT (Shared)												
	Common Transport-Per Mile, Per MOU			OHD		0.0000023bk						
	Common Transport-Facilities Term Per MOU			OHD		0.0003224bk						
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)												
INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.008838						
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	21.13	40.54	27.41	16.74	6.90		
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.008838						
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.008838						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1, OH1MS	1L5NL	0.18						
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44		
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3, OH3MS	1L5NM	4.09						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46		
LOCAL CHANNEL - DEDICATED TRANSPORT												
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20		
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	14.93	193.53	33.60	37.11	3.67		
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	35.76	177.47	153.72	22.19	15.26		
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	416.54	451.52	263.94	119.49	83.58		
LOCAL INTERCONNECTION MID-SPAN MEET												
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.												
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00					
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00					
MULTIPLEXERS												
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79		
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63		
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	12.70	6.58	4.72				
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.												

EXHIBIT 4

LOCAL INTERCONNECTION - Florida										Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring							NRC Disconnect	
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.															
TANDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006019bk									
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0006019									
	Tandem Intermediary Charge, per MOU*			OHD		0.0025									
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.															
TRUNK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.73	8.19								
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.73	8.19								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00									
	Dedicated End Office Trunk Port Service-per DS1**			OH1	OH1MS	TDE1P	0.00								
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1	OH1MS	TDW1P	0.00								
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements															
COMMON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000035bk									
	Common Transport-Facilities Term Per MOU			OHD		0.0004372bk									
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0091									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0091									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0091									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1	OH1MS	1L5NL	0.1856								
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1	OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05				
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3	OH3MS	1L5NM	3.87								
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3	OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56				
LOCAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	19.66	265.84	46.97	37.63	4.00					
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	20.45	266.54	47.67	44.22	5.33					
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95					
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	531.91	556.37	343.01	139.13	96.84					
LOCAL INTERCONNECTION MID-SPAN MEET															
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00								
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00								
MULTIPLEXERS															
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49					
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07					
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	13.76	10.07	7.08							
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

EXHIBIT 4

LOCAL INTERCONNECTION - Georgia									Attachment: 3		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect		OSS Rates (\$)					
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)																
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.																
TANDEM SWITCHING																
	Tandem Switching Function Per MOU			OHD		0.0004086bk										
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0004086										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.																
TRUNK CHARGE																
	Installation Trunk Side Service-per DS0			OHD	TPP6X		21.53	8.11								
	Installation Trunk Side Service-per DS0			OHD	TPP9X		21.53	8.11								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1	OH1MS	TDE1P	0.00									
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1	OH1MS	TDW1P	0.00									
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements																
COMMON TRANSPORT (Shared)																
	Common Transport-Per Mile, Per MOU			OHD		0.0000027bk										
	Common Transport-Facilities Term Per MOU			OHD		0.0001914bk										
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0057										
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	12.87	48.455	19.48	16.575	4.995						
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0057										
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0057										
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1	OH1MS	1L5NL	0.1154									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1	OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73					
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3	OH3MS	1L5NM	2.53									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3	OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81					
LOCAL CHANNEL - DEDICATED TRANSPORT																
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	7.74	121.065	53.295	46.395	13.365						
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	8.72	125.62	54.43	46.395	13.365						
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	18.47	149.46	111.195	40.355	26.115						
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	147.01	445.01	145.18	112.905	75.88						
LOCAL INTERCONNECTION MID-SPAN MEET																
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.																
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00									
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00									
MULTIPLEXERS																
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19						
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065						
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605						
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.																

EXHIBIT 4

LOCAL INTERCONNECTION - Kentucky										Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring							NRC Disconnect	
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.															
TANDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0006772bk									
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0006772									
	Tandem Intermediary Charge, per MOU*			OHD		0.0025									
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.															
TRUNK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.58	8.13								
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00									
	Dedicated End Office Trunk Port Service-per DS1**			OH1	OH1MS TDE1P	0.00									
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1	OH1MS TDW1P	0.00									
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements															
COMMON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000030bk									
	Common Transport-Facilities Term Per MOU			OHD		0.0007466bk									
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.01									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	29.11	47.34	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0115									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0115									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	20.97	47.35	31.78	22.77	8.75					
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1	OH1MS 1L5NL	0.23									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1	OH1MS 1L5NL	96.04	105.52	98.46	23.09	20.49					
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3	OH3MS 1L5NM	4.97									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3	OH3MS 1L5NM	1,175.15	335.40	219.24	89.57	87.75					
LOCAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	18.57	265.78	46.96	46.79	4.98					
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	19.86	266.48	47.65	47.54	5.73					
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	40.46	209.60	176.51	30.21	21.07					
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	576.05	551.38	338.08	173.00	120.42					
LOCAL INTERCONNECTION MID-SPAN MEET															
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00								
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00								
MULTIPLEXERS															
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04					
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59					
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	11.80	10.07	7.08							
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

EXHIBIT 4

LOCAL INTERCONNECTION - Louisiana									Attachment: 3		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOME C
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)												
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.												
TANDEM SWITCHING												
	Tandem Switching Function Per MOU			OHD		0.0005507bk						
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0005507						
	Tandem Intermediary Charge, per MOU*			OHD		0.0025						
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.												
TRUNK CHARGE												
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.64	8.15					
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.64	8.15					
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00						
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00						
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00						
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00						
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements												
COMMON TRANSPORT (Shared)												
	Common Transport-Per Mile, Per MOU			OHD		0.0000032bk						
	Common Transport-Facilities Term Per MOU			OHD		0.0003748bk						
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)												
INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.013						
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	22.60	39.36	26.62				
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.013						
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	15.61	39.37	26.62				
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.013						
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	15.61	39.37	26.62				
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1, OH1MS	1L5NL	0.2652						
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	70.47	86.69	79.44				
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3, OH3MS	1L5NM	6.04						
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	850.45	270.69	158.05				
LOCAL CHANNEL - DEDICATED TRANSPORT												
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	18.32	187.51	32.21				
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	19.41	187.94	32.63				
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	39.18	172.34	149.27				
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	469.44	438.46	256.30				
LOCAL INTERCONNECTION MID-SPAN MEET												
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.												
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00					
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00					
MULTIPLEXERS												
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	105.09	88.41	60.76				
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	201.48	172.99	91.25				
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	11.78	6.39	4.58				
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.												

EXHIBIT 4

LOCAL INTERCONNECTION - Mississippi							Attachment: 3		Exhibit: A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring							NRC Disconnect
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)														
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.														
TANDEM SWITCHING														
	Tandem Switching Function Per MOU			OHD		0.0005379bk								
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0005379								
	Tandem Intermediary Charge, per MOU*			OHD		0.0025								
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.														
TRUNK CHARGE														
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.58	8.13							
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.58	8.13							
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00								
	Dedicated End Office Trunk Port Service-per DS1**			OH1	OH1MS TDE1P	0.00								
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00								
	Dedicated Tandem Trunk Port Service-per DS1**			OH1	OH1MS TDW1P	0.00								
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements														
COMMON TRANSPORT (Shared)														
	Common Transport-Per Mile, Per MOU			OHD		0.0000026bk								
	Common Transport-Facilities Term Per MOU			OHD		0.0004541bk								
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0098								
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0098								
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11				
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0098								
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11				
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1	OH1MS 1L5NL	0.201								
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1	OH1MS 1L5NL	57.33	89.79	82.28	16.86	14.90				
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3	OH3MS 1L5NM	4.76								
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3	OH3MS 1L5NM	641.90	280.37	163.70	62.08	60.29				
LOCAL CHANNEL - DEDICATED TRANSPORT														
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	14.91	194.22	33.36	37.79	3.30				
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	15.99	194.66	33.80	38.27	3.78				
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	36.83	178.50	154.61	22.89	15.74				
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	413.87	454.13	264.47	123.23	86.19				
LOCAL INTERCONNECTION MID-SPAN MEET														
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.														
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00							
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00							
MULTIPLEXERS														
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10				
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82				
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	12.96	6.62	4.74						
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.														

EXHIBIT 4

LOCAL INTERCONNECTION - North Carolina							Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3	Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring	NRC Disconnec	OSS Rates (\$)				
						First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)													
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.													
TANDEM SWITCHING													
	Tandem Switching Function Per MOU			OHD		0.0012000bk							
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0012							
	Tandem Intermediary Charge, per MOU*			OHD		0.0025							
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.													
TRUNK CHARGE													
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.55	8.12						
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.55	8.12						
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00							
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00							
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00							
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00							
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements													
COMMON TRANSPORT (Shared)													
	Common Transport-Per Mile, Per MOU			OHD		0.0000100bk							
	Common Transport-Facilities Term Per MOU			OHD		0.0003400bk							
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)													
INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0282							
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	18.00	137.48	52.58					
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0282							
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	17.40	137.48	52.58					
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0282							
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	17.40	137.48	52.58					
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1, OH1MS	1L5NL	0.5753							
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	71.29	217.17	163.75					
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3, OH3MS	1L5NM	12.98							
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	720.38	794.94	579.55					
LOCAL CHANNEL - DEDICATED TRANSPORT													
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	11.24	553.80	89.69					
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	12.03	562.23	92.67					
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	27.05	534.48	462.69					
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	298.92	438.46	256.30					
LOCAL INTERCONNECTION MID-SPAN MEET													
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.													
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00						
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00						
MULTIPLEXERS													
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06					
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	233.10	403.97	234.40					
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	16.07	13.09	9.38					
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.													

EXHIBIT 4

LOCAL INTERCONNECTION - South Carolina							Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3		Exhibit: A				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
						Rec	Nonrecurring	NRC Disconnect		OSS Rates (\$)					
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.															
TANDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0007360bk									
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.000736									
	Tandem Intermediary Charge, per MOU*			OHD		0.0025									
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.															
TRUNK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.65	8.16								
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.65	8.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00									
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00									
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00									
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements															
COMMON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000045bk									
	Common Transport-Facilities Term Per MOU			OHD		0.0004095bk									
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0167									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0167									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91					
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0167									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91					
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1, OH1MS	1L5NL	0.3415									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48					
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3, OH3MS	1L5NM	8.02									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59					
LOCAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	15.33	193.53	33.24	36.72	3.21					
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	16.54	193.97	33.68	37.19	3.68					
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	42.62	177.87	154.06	22.24	15.30					
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	446.00	452.52	264.53	119.75	83.77					
LOCAL INTERCONNECTION MID-SPAN MEET															
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00								
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00								
MULTIPLEXERS															
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81					
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90					
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	8.64	6.59	4.73							
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

EXHIBIT 4

LOCAL INTERCONNECTION - Tennessee										Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 3		Exhibit: A	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)		Incremental Charge - Manual Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Incremental Charge - Manual Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring							NRC Disconnect	
						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERCONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3.															
TANDEM SWITCHING															
	Tandem Switching Function Per MOU			OHD		0.0009778bk									
	Multiple Tandem Switching, per MOU (applies to initial tandem only)			OHD		0.0009778									
	Tandem Intermediary Charge, per MOU*			OHD		0.0025									
* This charge is applicable only to transit traffic and is applied in addition to applicable switching and/or interconnection charges.															
TRUNK CHARGE															
	Installation Trunk Side Service-per DS0			OHD	TPP6X	21.59	8.09								
	Installation Trunk Side Service-per DS0			OHD	TPP9X	21.59	8.09								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00									
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00									
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00									
** This rate element is recovered on a per MOU basis and is included in the End Office Switching and Tandem Switching, per MOU rate elements															
COMMON TRANSPORT (Shared)															
	Common Transport-Per Mile, Per MOU			OHD		0.0000064bk									
	Common Transport-Facilities Term Per MOU			OHD		0.0003871bk									
LOCAL INTERCONNECTION (DEDICATED TRANSPORT)															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel-Dedicated Transport-2W VG-Per Mile per mo			OHM	1L5NF	0.0174									
	Interoffice Channel-Dedicated Transport-2W VG-Facility Term per mo			OHM	1L5NF	18.58	55.39	17.37	27.96	3.51					
	Interoffice Channel-Dedicated Transport-56 kbps-per mile per mo			OHM	1L5NK	0.0174									
	Interoffice Channel-Dedicated Transport-56 kbps-Facility Term per mo			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51					
	Interoffice Channel-Dedicated Transport-64 kbps-per mile per mo			OHM	1L5NK	0.0174									
	Interoffice Channel-Dedicated Transport-64 kbps-Facility Term per mo			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51					
	Interoffice Channel-Dedicated Channel-DS1-Per Mile per mo			OH1, OH1MS	1L5NL	0.3562									
	Interoffice Channel-Dedicated Transport-DS1-Facility Term per mo			OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99					
	Interoffice Channel -Dedicated Transport-DS3-Per Mile per mo			OH3, OH3MS	1L5NM	2.34									
	Interoffice Channel-Dedicated Transport-DS3-Facility Term per mo			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91					
LOCAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel-Dedicated-2W VG per mo			OHM	TEFV2	19.43	199.33	24.16	54.81	4.80					
	Local Channel-Dedicated-4W VG per mo			OHM	TEFV4	20.56	201.53	24.83	55.52	5.51					
	Local Channel-Dedicated-DS1 per mo			OH1	TEFHG	40.99	277.35	233.26	33.18	22.30					
	Local Channel-Dedicated-DS3 Facility Term per mo			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15					
LOCAL INTERCONNECTION MID-SPAN MEET															
NOTE: If Access service ride Mid-Span Meet, one-half the tariffed service Local Channel rate is applicable.															
	Local Channel-Dedicated-DS1 per mo			OH1MS	TEFHG	0.00	0.00								
	Local Channel-Dedicated-DS3 per mo			OH3MS	TEFHJ	0.00	0.00								
MULTIPLEXERS															
	Channelization-DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62					
	DS3 to DS1 Channel System per mo			OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	4.23					
	DS3 Interface Unit (DS1 COCI) per mo			OH1, OH1MS	SATCO	17.58	6.07	4.66							
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff.															

EXHIBIT 5

COLLOCATION - Alabama											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73					
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		1,879.48		0.51						
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		1,566.60								
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		742.15								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		600.71								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	1.96									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft			CLO	PE1SL	2.62									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	88.86									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		859.71		22.49						
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	3.22									
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.11									
	Physical Collocation-Power, -48V DC Power-per Fused Amp			CLO	PE1PL	7.83									
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		398.76								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	4.91									
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	9.84									
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	14.74									
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	34.06									
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,UDC,UDN,UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44					
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.05	12.39	11.87	6.39	5.73					
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD1,U added,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	1.11	22.03	15.93	6.40	5.79					
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,U added,UNC3X,UNC SX,U added,ULDS1,U added,NLD3	PE1P3	14.16	20.89	15.20	7.38	5.92					
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F2	2.81	20.89	15.20	7.38	5.92					
	Physical Collocation-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F4	4.99	25.55	19.86	9.71	8.25					
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	156.33									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	15.34									

EXHIBIT 5

COLLOCATION - Alabama														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
	Physical Collocation-Security Access System-Security System per CO			CLO	PE1AX	45.70											
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79										
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79										
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.78										
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.10										
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10										
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR		1,075.17										
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.56										
	Physical Collocation-Cable Records, per request			CLO	PE1CR		759.29	488.11	133.00								
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92		189.12								
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO		4.81		5.90								
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.25		2.76								
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66								
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.49		77.13								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		16.93	10.73									
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86									
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98									
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV		33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR		23.00										
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00										
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7		592.00										
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0011											
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0016											
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.22										
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,196.424	42.721									
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.103										
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,000.913	42.721									
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.241										
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21								
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM		833.47		1.21								
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21								

EXHIBIT 5

COLLOCATION - Alabama											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		535.37								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		535.37								
ADJACENT COLLOCATION															
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.41									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.02	12.30	11.80	6.03	5.44					
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.04	12.39	11.87	6.39	5.73					
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.03	22.03	15.93	6.40	5.79					
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	13.95	20.89	15.20	7.38	5.92					
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.36	20.89	15.20	7.38	5.92					
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25					
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,576.69		0.51						
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84									
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74									
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		307.70		168.22						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	201.42									
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.10								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		115.87								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56								
	Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO			CLORS	PE1RR		233.38								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		16.93	10.73							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.05	13.86							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98							
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp	I		CLORS	PE1RS	6.27									
	Remote Site-Adjacent Collocation-Real Estate, per sq ft	I		CLORS	PE1RT	0.134									
	Remote Site-Adjacent Collocation-Application Fee	I		CLORS	PE1RU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		1,205.26		0.51						
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		742.15								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		859.71		22.49						
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.22									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	7.83									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	14.97									

EXHIBIT 5

COLLOCATION - Alabama										Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.05	12.39	11.87	6.39	5.73					
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	2.84	20.89	15.20	7.38	5.92					
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	5.69	25.55	19.86	9.71	8.25					
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79					
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92					
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0026									
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0038									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.37								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.37								
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		759.29	488.11	133.00						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		326.92	326.92	189.12						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.81		5.90						
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.25		2.76						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.88		9.66						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.93	10.73							
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.05	13.86							
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.17	16.98							
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.93	10.73							
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.47	13.86							
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.02	16.98							
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.56								
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44					
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44					

EXHIBIT 5

COLLOCATION - Alabama											Attachment: 4		Exhibit: B											
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)											
													Rec	Nonrecurring		NRC Disconnect		SOMECE	SOMAN	SOMAN	SOMAN			
	Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																							

EXHIBIT 5

COLLOCATION - Florida														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
PHYSICAL COLLOCATION																	
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0276	8.22	7.22									
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.36									
PHYSICAL COLLOCATION																	
	Physical Collocation-Initial Application Fee			CLO	PE1BA		2,597.00										
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		2,236.00										
	Physical Collocation-Administrative Only-Application Fee	I		CLO	PE1BL		742.00										
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		288.93										
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.38											
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	92.55											
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		1,750.00		45.16								
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	7.86											
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	18.96											
	Physical Collocation-Power, -48V DC Power-per Fused Amp			CLO	PE1PL	7.80											
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		399.43										
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.38											
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.77											
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.15											
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	37.30											
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,U NCNX,UEA,UCL,UAL,U HL,UDC,UDN,UNCVX	PE1P2	0.0276	8.22	7.22	5.74	4.58							
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0552	8.42	7.36	5.90	4.66							
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD 1,U added,USLEL,UNLD 1,UEPEX,UEPDX,USL, ULC,U1TD1,UNC1X	PE1P1	1.32	27.77	15.52	5.93	4.77							
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,U added,UX TS1,UNC3X,UNC3X,U added,LDD3,U1TS1,ULDS1,U added,NLD3	PE1P3	16.81	25.48	14.05	7.77	5.01							
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,UL D48,U1TO3,U1T12,U1T 48,UDLO3,UDL12,UDF	PE1F2	3.34	41.94	30.52	13.91	11.16							
	Physical Collocation-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48, U1TO3,U1T12,U1T48,U DLO3,UDL12,UDF	PE1F4	5.92	51.30	39.87	18.29	15.54							
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	189.45											
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	18.58											
	Physical Collocation-Security Access System-Security System per CO			CLO	PE1AY	0.0105											

EXHIBIT 5

COLLOCATION - Florida											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0577	55.80								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.65								
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.75								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.30								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.30								
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR		2,159.00								
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.54								
	Physical Collocation-Cable Records, per request			CLO	PE1CR		1,525.00	980.22	267.08						
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.50		379.78						
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO		9.66		11.84						
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.52		5.54						
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.82		19.40						
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.67		154.89						
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.92	14.19							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55							
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit	I		CLO	PE1BV		33.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit	I		CLO	PE1BO		33.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit	I		CLO	PE1B1		52.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit	I		CLO	PE1B3		52.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit	I		CLO	PE1BR		23.00								
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	I		CLO	PE1BP		23.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit	I		CLO	PE1BS		33.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit	I		CLO	PE1BE		37.00								
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof	I		CLO	PE1B7		592.00								
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001									
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0014									
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.11								
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,169.133	42.712							
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.009								
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault			CLO	PE1EC		973.661	42.712							
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.24								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		535.54								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		535.54								

ADJACENT COLLOCATION

EXHIBIT 5

COLLOCATION - Florida											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
						First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0213	24.69	23.69	11.77	10.62					
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0426	24.88	23.83	12.04	10.80					
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.22	44.24	31.98	12.07	10.91					
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	16.56	41.94	30.52	13.91	11.15					
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.81	41.94	30.52	13.91	11.16					
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	5.36	51.30	39.87	18.29	15.54					
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		2,785.00								
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77									
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15									
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30									
	Adjacent Collocation-Cable Support Structure per Entrance Cable	I		CLOAC	PE1PM	18.96									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLOAC	PE1RA		617.91		328.81						
	Cabinet Space in the Remote Site per Bay/ Rack			CLOAC	PE1RB	219.49									
	Physical Collocation in the Remote Site-Security Access-Key			CLOAC	PE1RD		26.30								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLOAC	PE1SR		232.69								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLOAC	PE1RE		75.41								
	Remote Site DLEC Data (BRSD), per Compact Disk, per CO			CLOAC	PE1RR		233.51								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLOAC	PE1BT		16.52	10.83							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLOAC	PE1OT		21.92	14.19							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLOAC	PE1PT		27.31	17.55							
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLOAC	PE1RS	6.27									
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLOAC	PE1RT	0.134									
	Remote Site-Adjacent Collocation-Application Fee			CLOAC	PE1RU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		4,122.00	1,249.00							
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		742.00								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00								
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	4.25									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	6.95									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	13.35									
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.0502	11.57								
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.0502	11.57								

EXHIBIT 5

COLLOCATION - Florida											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48, U1T12,U1T03,ULDO3, ULD12,ULD48,UDF	CNC2F	6.71	2,431.00								
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48, U1T12,U1T03,ULDO3, ULD12,ULD48,UDF	CNC4F	6.71	2,431.00								
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,U1C,U1R,U1XTD1, UNC1X,ULDD1,U1TD1, USLEL,UNLD1,UEPEX, UEPDX	CNC1X	7.50	155.00	14.00							
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,U1XTS 1,U1XTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULD S1,UDLSX,UNLD3	CND3X	56.25	151.90	11.83							
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0028									
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.54								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.54								
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,525.00		267.08						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.50		379.78						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		9.66		11.84						
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		15.82		19.40						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.67		154.89						
	Virtual collocation-Security Escort-Basic, per quarter hour			AMTFS	SPTBQ		10.89								
	Virtual collocation-Security Escort-Overtime, per quarter hour			AMTFS	SPTOQ		13.64								
	Virtual collocation-Security Escort-Premium, per quarter hour			AMTFS	SPTPQ		16.40								
	Virtual Collocation-2W Cross Connects (loop), per ckts			AMTFS	VE1R2	0.05	11.57								
	Virtual Collocation-4W Cross Connects (loop), per ckts			AMTFS	VE1R4	0.05	11.57								
	Virtual Collocation-DS-1/DCS Cross Connects, PER CKTS			AMTFS	VE11S	8.09	69.64								
	Virtual Collocation-DS-1.DSX Cross Connects, PER CKTS			AMTFS	VE11X	0.41	69.64								
	Virtual Collocation-DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	59.67	528.00								
	Virtual Collocation-DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00								
	Virtual collocation-Maintenance in CO-Basic, per quarter hour			AMTFS	SPTRE		10.89								
	Virtual collocation-Maintenance in CO-Overtime, per quarter hour			AMTFS	SPTOE		13.64								
	Virtual collocation-Maintenance in CO-Premium per quarter hour			AMTFS	SPTPE		16.40								
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.54								
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0502	11.57	11.57							
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0502	11.57	11.57							
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

EXHIBIT 5

COLLOCATION - Georgia											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res	I		UEPSR	PE1R2	0.30	12.60	12.60							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus	I		UEPSP	PE1R2	0.30	12.60	12.60							
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res	I		UEPSE	PE1R2	0.30	12.60	12.60							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus	I		UEPSB	PE1R2	0.30	12.60	12.60							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN	I		UEPSX	PE1R2	0.30	12.60	12.60							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN	I		UEPTX	PE1R2	0.30	12.60	12.60							
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	12.60	12.60							
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		1,285.98		0.59						
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		1,085.48		0.59						
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		740.83								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		141.10								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.01									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft			CLO	PE1SL	2.23									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	75.61									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		736.93		21.51						
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	4.52									
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	7.21									
	Physical Collocation-Power, -48V DC Power-per Fused Amp			CLO	PE1PL	4.78									
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		398.80								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.14									
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.30									
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	15.44									
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	35.65									
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,UDC,UDN,UNCVX	PE1P2	0.0197									
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0393									
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD1,U added D1,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	0.3726									
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,U added D3,UXTS1,UNC3X,UNC SX,U added D3,U1TS1,ULDS1,U added D3	PE1P3	4.06									
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F2	1.72									
	Physical Collocation-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F4	3.30									
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	160.45									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	15.74									

EXHIBIT 5

COLLOCATION - Georgia											Attachment: 4		Exhibit: B						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)						
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOME C	SOMAN
	Physical Collocation-Security Access System-Security System per CO, per Sq.			CLO	PE1AY	0.0106													
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	22.00													
	Physical Collocation-Security Access System-New Access Card Deactivation, per Card			CLO	PE1A4	8.72	8.72												
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA	5.38													
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR	17.01													
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK	13.20													
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL	13.20													
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR	248.75													
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9	77.42													
	Physical Collocation-Cable Records, per request			CLO	PE1CR	743.65	478.06	125.75											
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD	317.60		177.77											
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO	4.48		5.30											
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1	2.22		2.63											
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3	7.76		9.19											
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB	83.45		73.57											
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT	16.52	10.83												
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT	21.92	14.19												
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT	27.31	17.55												
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV	33.00													
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO	33.00													
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1	52.00													
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3	52.00													
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR	23.00													
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP	23.00													
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS	33.00													
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE	37.00													
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7	592.00													
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001													
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015													
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT	583.18													
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA	1,198.43	42.645												
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB	18.071													
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault			CLO	PE1EC	1,003.267	42.645												
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED	7.228													
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS	594.05		1.21											
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM	832.95		1.21											

EXHIBIT 5

COLLOCATION - Georgia											Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First							NRC Disconnect Add'l
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,057.00		1.21							
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		553.43									
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		553.43									
	Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 prs or fraction thereof (CO Manhole to Frame)	I		CLO	PE1EE	0.2629										
	Physical Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)	I		CLO	PE1EF		755.15		21.51							
	Physical Collocation, Entrance Cable Installation, Copper, per each 100 prs or fraction thereof (CO Manhole to Frame)	I		CLO	PE1EG		9.12									
ADJACENT COLLOCATION																
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.01										
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0172										
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0344										
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	0.3608										
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	4.73										
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	1.66										
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	3.24										
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,382.19		0.50							
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.14										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.30										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.44										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	35.65										
	Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker Amp	I		CLOAC	PE1JD	35.65										
PHYSICAL COLLOCATION IN THE REMOTE SITE																
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		300.61		132.62							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.20									
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		109.94									
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		36.04									
	Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO			CLORS	PE1RR		116.64									
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		21.92	14.19								
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																

EXHIBIT 5

COLLOCATION - Georgia											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		609.52		0.59						
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		609.52								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		736.93		21.51						
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	4.52									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	4.78									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	7.57									
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.0188									
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.0375									
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	1.73									
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	3.45									
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	0.3726									
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3	CND3X	4.06									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0023									
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		553.43								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		553.43								
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		743.65	478.06	125.75						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		317.60		177.77						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.48		5.30						
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.22		2.63						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.76		9.19						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		83.45		73.57						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.52	10.83							
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		21.92	14.19							
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.31	17.55							
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		26.54	10.83							
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.44	14.19							
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		44.34	17.55							
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.42								
	Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 prs or fraction thereof (CO Manhole to Frame)	I		AMTFS	VE1EE	0.23									
	Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)	I		AMTFS	VE1EF		755.15		21.51						

EXHIBIT 5

COLLOCATION - Georgia											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation, Entrance Cable Installation, Copper, per each 100 prs or fraction thereof (CO Manhole to Frame)	I		AMTFS	VE1EG		9.12								
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.30	12.60	12.60							
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60							
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

EXHIBIT 5

COLLOCATION - Kentucky											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57					
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		3,773.54								
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		3,145.35								
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		742.12								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		1,206.07								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.32									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft			CLO	PE1SL	3.26									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.57									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		1,729.11		45.16						
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ		7.99								
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM		19.86								
	Physical Collocation-Power, -48V DC Power-per Fused Amp			CLO	PE1PL		8.06								
	Physical Collocation-Power Reconfiguration Only, Application Fee		I	CLO	PE1PR		399.50								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB		5.44								
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD		10.88								
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE		16.32								
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG		37.68								
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,UDC,UDN,UNCVX	PE1P2	0.0333	24.68	23.68	12.14	10.95					
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0665	24.88	23.82	12.77	11.46					
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD1,ULDD1,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	1.48	44.23	31.98	12.81	11.57					
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,U LDD3,U1TS1,ULDS1,UNLD3	PE1P3	18.89	41.93	30.51	14.75	11.83					
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULD03,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F2	3.75	41.93	30.51	14.76	11.84					
	Physical Collocation-4-Fiber Cross-Connect			ULD03,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F4	6.65	51.29	39.87	19.41	16.49					
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	184.97									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	18.14									

EXHIBIT 5

COLLOCATION - Kentucky													Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Physical Collocation-Security Access System, Security System, per CO			CLO	PE1AX	76.10										
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.058	55.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.64									
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.74									
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		26.29									
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.29									
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR		2,158.67									
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.55									
	Physical Collocation-Cable Records, per request			CLO	PE1CR		1,524.45	980.01	267.02							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.37		379.70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO		9.65		11.84							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.52		5.54							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		15.81		19.39							
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.63		154.85							
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		33.98	21.53								
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.26	27.81								
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		54.54	34.09								
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV		33.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0012										
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0018										
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,224.485	42.719								
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.102									
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,028.981	42.719								
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.241									
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM		834.26		1.21							
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,059.00		1.21							

EXHIBIT 5

COLLOCATION - Kentucky											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		535.55								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		535.55								
ADJACENT COLLOCATION															
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0173									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.35									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0258	24.68	23.68	12.14	10.95					
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0515	24.88	23.82	12.77	11.46					
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.37	44.23	31.98	12.81	11.57					
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	18.61	41.93	30.51	14.75	11.83					
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	3.15	41.93	30.51	14.76	11.84					
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	6.02	51.29	39.87	19.41	16.49					
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,165.50								
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.44									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.88									
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.32									
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.68									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		617.78		338.89						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.67									
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		26.29								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		232.64								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		75.40								
	Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO			CLORS	PE1RR		233.42								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		33.98	21.53							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		44.26	27.81							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09							
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27									
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134									
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		2,419.86		1.01						
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		742.12								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		1,729.11		45.16						
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	7.99									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	8.06									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.38									

EXHIBIT 5

COLLOCATION - Kentucky											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,U,NCVX,UNCDX,UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46					
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	3.80	41.94	30.51	14.76	11.84					
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	7.59	51.29	39.87	19.41	16.49					
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57					
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83					
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.003									
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.55								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.55								
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,524.45	980.01	267.02						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		656.37		379.70						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		9.65		11.84						
	Virtual Collocation Cable Records -DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		15.81		19.39						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		169.63		154.85						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		33.98	21.53							
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		44.26	27.81							
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		54.54	34.09							
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		56.07	21.53							
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		73.23	27.81							
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		90.39	34.09							
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.55								
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95					
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57					
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

EXHIBIT 5

COLLOCATION - Louisiana										Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0318	11.94	11.46							
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0636	12.04	11.53							
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		1,837.24								
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		1,533.41								
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		741.97								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		583.33								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.31									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft			CLO	PE1SL	2.70									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	91.60									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		841.54								
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	5.30									
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	18.31									
	Physical Collocation-Power, -48V DC Power-per Fused Amp	I		CLO	PE1PL	8.32									
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		398.76								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.45									
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.92									
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.37									
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	37.80									
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,UDC,UDN,UNCVX	PE1P2	0.0318	11.94	11.46							
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNCDX,UCL,UDL	PE1P4	0.0636	12.04	11.53							
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD1,U added,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	1.04	21.39	15.47							
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,U added,XTD3,UXTS1,UNC3X,UNC3S,U added,LDD3,U1TS1,ULDS1,UNLD3	PE1P3	13.21	20.28	14.76							
	Physical Collocation-2-Fiber Cross-Connect			CLO, added,ULDO3, added,ULD12, added,ULD48, added,U1TO3, added,U1T12, added,U1T48, added,UDLO3, added,UDL12, added,UDF	PE1F2	2.62	20.28	14.76							
	Physical Collocation-4-Fiber Cross-Connect			added,ULDO3, added,ULD12, added,ULD48, added,U1TO3, added,U1T12, added,U1T48, added,UDLO3, added,UDL12, added,UDF	PE1F4	4.65	24.81	19.29							
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	184.50									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	18.10									

EXHIBIT 5

COLLOCATION - Louisiana										Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Security Access System-Security System per CO, per Sq.			CLO	PE1AY	0.0224									
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74								
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.64								
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.01								
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01								
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR		1,044.07								
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.43								
	Recurring Collocation Cable Records-per request			CLO	PE1CU	10.97									
	Recurring Collocation Cable Records-VG/DS0 Cable, per cable record			CLO	PE1CE	5.29									
	Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pr			CLO	PE1CT	0.08									
	Recurring Collocation Cable Records-DS1, per T1TIE			CLO	PE1C2	0.04									
	Recurring Collocation Cable Records-DS3, per T3TIE			CLO	PE1C4	0.13									
	Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37									
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		16.44	10.42							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49							
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV		33.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00								
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR		23.00								
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00								
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00								
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7		592.00								
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001									
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015									
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.30								
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,358.81	42.653							
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.074								
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault			CLO	PE1EC		1,163.609	42.653							
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.23								
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22						
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22						
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22						
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		534.79								

EXHIBIT 5

COLLOCATION - Louisiana											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		534.79								
ADJACENT COLLOCATION															
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0245	11.94	11.46							
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0491	12.04	11.53							
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	0.9605	21.39	15.47							
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	13.01	20.28	14.76							
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76							
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29							
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,543.20								
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.45									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92									
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37									
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		298.80								
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39									
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.01								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		112.52								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		36.47								
	Remote Site DLEC Data (BRSD), per Compact Disk, per CO			CLORS	PE1RR		233.21								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		16.44	10.42							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		21.41	13.45							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49							
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27									
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134									
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		1,770.40								
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		741.97								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		841.54								
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.20									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	8.32									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02									
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.0296	11.94	11.46							

EXHIBIT 5

COLLOCATION - Louisiana											Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l						
									SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.0591	12.04	11.53						
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	2.65	20.29	14.76						
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	5.31	24.81	19.29						
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.04	21.39	15.47						
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CND3X	13.21	20.28	14.76						
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0024								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0036								
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			AMTFS	VE1CC		534.79							
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79							
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA	10.97								
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB	5.29								
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC	0.08								
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD	0.04								
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE	0.13								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.44	10.42						
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		21.41	13.45						
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		26.38	16.49						
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.12	10.42						
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.42	13.45						
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		43.72	16.49						
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.43							
VIRTUAL COLLOCATION														
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0296	11.94	11.46						
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53						
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.														

EXHIBIT 5

COLLOCATION - Mississippi											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91					
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		1,890.38								
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		1,575.69								
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		740.76								
	Physical Collocation-Space Preparation-Firm Order Processing	I		CLO	PE1SJ		604.19								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	I		CLO	PE1SK	2.30									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft	I		CLO	PE1SL	2.52									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage	I		CLO	PE1SM	85.67									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		926.27		22.62						
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	5.74									
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	17.42									
	Physical Collocation-Power, -48V DC Power-per Fused Amp	I		CLO	PE1PL	7.33									
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		398.76								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FB	5.29									
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FD	10.58									
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FE	15.87									
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FG	36.65									
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,UDC,UDN,UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45					
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91					
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD1,ULDD1,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	1.14	22.16	16.02	6.60	5.97					
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,U LDD3,U1TS1,ULDS1,UNLD3	PE1P3	14.49	21.01	15.29	7.61	6.10					
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F2	2.87	21.01	15.29	7.61	6.10					
	Physical Collocation-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F4	5.10	25.70	19.97	10.01	8.50					
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	183.20									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	17.97									

EXHIBIT 5

COLLOCATION - Mississippi													Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	
	Physical Collocation-Security Access System, Security System, per CO	I		CLO	PE1AX	75.23										
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State	I		CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	I		CLO	PE1AA		7.84									
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17									
	Physical Collocation-Space Availability Report, per CO Requested	I		CLO	PE1SR		1,081.40									
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.41									
	Physical Collocation-Cable Records, per request			CLO	PE1CR		763.69	490.94	133.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		328.81		190.22							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO		4.84		5.93							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.27		2.78							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.92		9.72							
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.98		77.58							
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.17	13.94								
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		27.32	17.08								
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV		33.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,265.629	42.641								
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.069									
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,070.484	42.641								
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.228									
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS		597.34		1.22							
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM		837.57		1.22							
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22							

EXHIBIT 5

COLLOCATION - Mississippi											Attachment: 4		Exhibit: B						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)						
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l	SOMEC	SOMAN
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU	534.65													
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV	534.65													
ADJACENT COLLOCATION																			
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678													
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68													
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0223	12.37	11.87	6.04	5.45									
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0446	12.47	11.94	6.59	5.91									
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.05	22.16	16.02	6.60	5.97									
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	14.27	21.01	15.29	7.61	6.10									
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10									
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8.50									
	Adjacent Collocation-Application Fee			CLOAC	PE1JB	1,585.83													
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.29													
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.58													
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	15.87													
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	36.65													
PHYSICAL COLLOCATION IN THE REMOTE SITE																			
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA	309.48			168.63										
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	210.05													
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD	13.17													
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR	116.54													
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE	37.77													
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	233.14													
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT	17.02		10.79											
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT	22.17		13.94											
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT	27.32		17.08											
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																			
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27													
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134													
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	755.62	755.62												
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																			
VIRTUAL COLLOCATION																			
	Virtual Collocation-Application Fee			AMTFS	EAF	1,212.25		0.51											
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF	740.76													
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX	926.27		22.62											
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	5.74													
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	7.33													
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	15.24													

EXHIBIT 5

COLLOCATION - Mississippi														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect								OSS Rates (\$)
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDCX,UNCNXL,UDN,UNCVX,UNCDCX	UEAC2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDCX	UEAC4	0.0536	12.47	11.94	6.59	5.91							
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	2.91	21.01	15.29	7.61	6.10							
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	5.82	25.70	19.97	10.01	8.50							
	Virtual Collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97							
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10							
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0025											
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037											
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65										
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.65										
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		763.69	490.94	133.77								
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		328.81		190.22								
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.84		5.93								
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78								
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72								
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.98		77.58								
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		17.02	10.79									
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.17	13.94									
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.32	17.08									
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		28.09	10.79									
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.69	13.94									
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.28	17.08									
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.41										
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45							
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91							
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																	

EXHIBIT 5

COLLOCATION - North Carolina												Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)			
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First
PHYSICAL COLLOCATION																
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.32	41.78	39.23					26.94	12.76		
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25					26.94	12.76		
PHYSICAL COLLOCATION																
	Physical Collocation-Initial Application Fee	I		CLO	PE1BA		2,322.00									
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		2,311.00									
	Physical Collocation Administrative Only-Application Fee			CLO	PE1BL		741.44									
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	I		CLO	PE1SK	2.42										
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft	I		CLO	PE1SL	2.88										
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage	I		CLO	PE1SM	97.98										
	Space Preparation Fees-Power Per Nominal -48V Dc Amp	I		CLO	PE1FH	5.76										
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable	I		CLO	PE1BD		1,701.00									
	Physical Collocation-Floor Space, per sq feet	I		CLO	PE1PJ	2.30										
	Physical Collocation-Cable Support Structure, per Entrance Cable	I		CLO	PE1PM	20.57										
	Physical Collocation-Power, -48V DC Power-per Fused Amp	I		CLO	PE1PL	7.65										
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		399.13									
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FB	5.50										
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FD	11.01										
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FE	16.51										
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FG	38.12										
	Physical Collocation-2W cross-connect, loop, provisioning	I		UEANL,UEQ,UNL DX,U NCNX,UEA,UCL,UAL,U HL,UDC,UDN,UNCVX	PE1P2	0.0309	33.53	31.65								
	Physical Collocation-4W cross-connect, loop, provisioning	I		UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0618	33.67	31.70								
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	I		WDS1L,WDS1S,UXTD1 ,ULDD1,USLEL,UNLD1, UEPEX,UEPDX,USL,UL C,U1TD1,UNC1X	PE1P1	1.38	52.87	39.86								
	Physical Collocation-DS3 Cross-Connect, provisioning	I		UE3,U1TD3,UXTD3,UXT S1,UNC3X,UNC3S,ULD D3,U1TS1,ULDS1,UNLD 3	PE1P3	17.62	51.97	38.59								
	Physical Collocation-2-Fiber Cross-Connect	I		CLO,ULD03,ULD12,UL D48,U1TO3,U1T12,U1T 48,UDLO3,UDL12,UDF	PE1F2	3.50	51.97	38.59								
	Physical Collocation-4-Fiber Cross-Connect	I		ULDO3,ULD12,ULD48,U 1TO3,U1T12,U1T48,UD L03,UDL12,UDF	PE1F4	6.20	64.53	51.15								
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft	I		CLO	PE1BW		559.81									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft	I		CLO	PE1CW		25.37									
	Physical Collocation-Security Access System-Security System per CO, per Sq. Ft.			CLO	PE1AY	0.0135										
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State	I		CLO	PE1A1	0.062	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card	I		CLO	PE1AA		15.51									

EXHIBIT 5

COLLOCATION - North Carolina														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSR Rates (\$)				
													Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First	NRC Disconnect Add'l
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR	15.00											
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK	15.00											
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL	15.00											
	Physical Collocation-Space Availability Report, per CO Requested	I		CLO	PE1SR	2,140.00	2,140.00										
	Physical Collocation-CFA Information Resend Request, per premises, per request			CLO	PE1C9	77.48											
	Physical Collocation-Cable Records, per request			CLO	PE1CR	1,707.00											
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD	923.08											
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO	18.02											
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1	8.43											
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3	29.51											
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB	278.82											
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT	33.68	21.34										
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT	43.87	27.57										
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT	54.06	33.80										
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV	33.00											
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO	33.00											
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1	52.00											
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3	52.00											
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR	23.00											
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP	23.00											
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS	33.00											
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE	37.00											
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7	592.00											
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0028											
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0041											
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT	583.66											
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA	1,167.175	42.68										
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB	18.086											
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC	971.852	42.68										
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED	7.234											
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS	575.93		1.16									
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM	806.66		1.16									
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1	1,023.00		1.16									
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU	532.72											
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV	532.72											

EXHIBIT 5

COLLOCATION - North Carolina										Attachment: 4		Exhibit: B				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)
							First	Add'l	First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADJACENT COLLOCATION																
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555										
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0239	33.53	31.65								
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0477	33.67	31.70								
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.28	52.87	39.86								
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	17.35	51.97	38.59								
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		3,139.00									
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.50										
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.51										
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	38.12										
PHYSICAL COLLOCATION IN THE REMOTE SITE																
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		865.34									
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		26.06									
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		230.60									
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74									
	Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		33.68	21.34								
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		43.87	27.57								
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																
VIRTUAL COLLOCATION																
	Virtual Collocation-Application Fee			AMTFS	EAF		1,208.00		1.16			26.94	12.76			
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		741.44									
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00					26.94	12.76			
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	3.48										
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	12.60										
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.0208						26.94	12.76			
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.0417						26.94	12.76			
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	1.86						26.94	12.76			
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	3.73						26.94	12.76			

EXHIBIT 5

COLLOCATION - North Carolina														Attachment: 4		Exhibit: B					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	OSS Rates (\$)								
													Rec	Nonrecurring		NRC Disconnect		SOME C	SOMAN	SOMAN	SOMAN
													First	Add'l	First	Add'l					
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,ULC,ULR,UXTD1,U NC1X,ULDD1,U1TD1,U SLEL,UNLD1,UEPEX,U EPDX	CNC1X	0.3978														26.94	12.76
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1 ,UXTD3,UNC3X,UNC3X ,ULDD3,U1TS1,ULDS1, UDLSX,UNLD3	CND3X	4.18														26.94	12.76
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0028															
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0041															
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			AMTFS	VE1CC								532.72							26.94	12.76
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE								532.72							26.94	12.76
	Virtual Collocation Cable Records- per request			AMTFS	VE1BA		1474.00 I	947.42 S	247.64 I	247.64 S											
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		629.42 I	629.42 S	350.10 I	350.10 S											
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		8.87 I	8.87 S	10.43 I	10.43 S											
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		4.40 I	4.40 S	5.17 I	5.17 S											
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		15.38 I	15.38 S	18.09 I	18.09 S											
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		165.38 I	165.38 S	144.87 I	144.87 S											
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		41.00	25.00												26.94	12.76
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		48.00	30.00												26.94	12.76
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		55.00	35.00												26.94	12.76
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		52.59	21.45												26.94	12.76
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		70.24	28.11												26.94	12.76
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		87.88	34.77												26.94	12.76
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.48														
VIRTUAL COLLOCATION																					
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.09	41.78	39.23												26.94	12.76
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.18	41.91	39.25												26.94	12.76
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																					

EXHIBIT 5

COLLOCATION - South Carolina										Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL COLLOCATION															
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80					
PHYSICAL COLLOCATION															
	Physical Collocation-Initial Application Fee			CLO	PE1BA		1,883.67								
	Physical Collocation-Subsequent Application Fee			CLO	PE1CA		1,570.10								
	Physical Collocation-Administrative Only-Application Fee			CLO	PE1BL		743.66								
	Physical Collocation-Space Preparation-Firm Order Processing			CLO	PE1SJ		602.05								
	Physical Collocation-Space Preparation-C.O. Modification per sq ft			CLO	PE1SK	2.75									
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft			CLO	PE1SL	3.24									
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.16									
	Physical Collocation-Cable Installation, Pricing, non-recurring charge, per Entrance Cable			CLO	PE1BD		794.22		22.54						
	Physical Collocation-Floor Space, per sq feet			CLO	PE1PJ	3.95									
	Physical Collocation-Cable Support Structure, per Entrance Cable			CLO	PE1PM	21.33									
	Physical Collocation-Power, -48V DC Power-per Fused Amp			CLO	PE1PL	9.19									
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		400.33								
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.67									
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	11.36									
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	17.03									
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	39.33									
	Physical Collocation-2W cross-connect, loop, provisioning			UEANL,UEQ,UNLDX,U NCNX,UEA,UCL,UAL,U HL,UDC,UDN,UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45					
	Physical Collocation-4W cross-connect, loop, provisioning			UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74					
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S,UXTD 1,ULDD1,USLEL,UNLD 1,UEPEX,UEPDX,USL, ULC,U1TD1,UNC1X	PE1P1	1.12	22.08	15.96	6.42	5.80					
	Physical Collocation-DS3 Cross-Connect, provisioning			UE3,U1TD3,UXTD3,UX TS1,UNC3X,UNC3X,U LDD3,U1TS1,ULDS1,U NLD3	PE1P3	14.21	20.94	15.23	7.39	5.93					
	Physical Collocation-2-Fiber Cross-Connect			CLO,ULDO3,ULD12,UL D48,U1TO3,U1T12,U1T 48,UDLO3,UDL12,UDF	PE1F2	2.82	20.94	15.23	7.40	5.93					
	Physical Collocation-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48, U1TO3,U1T12,U1T48,U DLO3,UDL12,UDF	PE1F4	5.01	25.61	19.90	9.73	8.26					
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft			CLO	PE1BW	219.19									
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft			CLO	PE1CW	21.50									

EXHIBIT 5

COLLOCATION - South Carolina														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring		NRC Disconnect							OSS Rates (\$)	
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
	Physical Collocation-Security Access System, Security System, per CO			CLO	PE1AX	74.72											
	Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85										
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81										
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.83										
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK		13.13										
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13										
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR		1,077.57										
	Physical Collocation-CFA Information Resend Request, per premises, per			CLO	PE1C9		77.71										
	Physical Collocation-Cable Records, per request			CLO	PE1CR		760.98	489.20	133.29								
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		327.65		189.54								
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr			CLO	PE1CO		4.82		5.91								
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.26		2.77								
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.90		9.68								
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.68		77.30								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT		16.96	10.75									
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89									
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02									
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit			CLO	PE1BV		33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit			CLO	PE1BR		23.00										
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00										
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof			CLO	PE1B7		592.00										
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001											
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015											
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.42										
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,136.597	42.808									
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.14										
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		940.686	42.808									
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.256										
	Physical Collocation-Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21								
	Physical Collocation-Application Cost, Minor Augment			CLO	PE1KM		833.26		1.21								
	Physical Collocation-Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21								

EXHIBIT 5

COLLOCATION - South Carolina											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	NRC Disconnect First						
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		536.56								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		536.56								
ADJACENT COLLOCATION															
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0264	12.32	11.83	6.04	5.45					
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0527	12.42	11.90	6.40	5.74					
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.03	22.08	15.96	6.42	5.80					
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	14.00	20.94	15.23	7.39	5.93					
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7.40	5.93					
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90	9.73	8.26					
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		1,580.20								
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.67									
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.36									
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.03									
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	39.33									
PHYSICAL COLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		308.38		168.60						
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44									
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		13.13								
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		116.13								
	Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64								
	Remote Site DLEC Data (BRSDDD), per Compact Disk, per CO			CLORS	PE1RR		234.50								
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		16.96	10.75							
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		22.10	13.89							
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02							
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27									
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134									
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62							
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.															
VIRTUAL COLLOCATION															
	Virtual Collocation-Application Fee			AMTFS	EAF		1,207.95		0.51						
	Virtual Collocation Administrative Only-Application Fee	I		AMTFS	VE1AF		743.66								
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		794.22		22.54						
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.95									
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	9.19									
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	18.66									

EXHIBIT 5

COLLOCATION - South Carolina											Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-1st	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,U	UEAC2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCNX	UEAC4	0.0634	12.42	11.90	6.40	5.74					
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	2.86	20.94	15.23	7.40	5.93					
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	5.71	25.61	19.90	9.73	8.26					
	Virtual collocation-Special Access & UNE,cross-connect per DS1			USL,ULC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80					
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC SX,ULDD3,U1TS1,ULDS1,UDLSX,UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93					
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0022									
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0033									
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure,per cable			AMTFS	VE1CC		536.56								
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		536.56								
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		760.98	489.20	133.29						
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		327.65		189.54						
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		4.82		5.91						
	Virtual Collocation Cable Records-DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77						
	Virtual Collocation Cable Records-DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68						
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.68		77.30						
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		16.96	10.75							
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		22.10	13.89							
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		27.23	17.02							
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		27.99	10.75							
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		36.56	13.89							
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		45.12	17.02							
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.71								
VIRTUAL COLLOCATION															
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 2W Cross Connect, Exchnage Port 2W ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45					
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80					
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.															

EXHIBIT 5

COLLOCATION - Tennessee														Attachment: 4		Exhibit: B						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l							
						Rec	Nonrecurring First	Add'l	NRC Disconnect							SOME C	SOMAN	SOMAN	SOMAN			
PHYSICAL COLLOCATION																						
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 2W Cross Connect, Exchange Port 2W Analog-Bus			UEPSB	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	PE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40							
	Physical Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20				20.35	10.54	13.32	1.40							
PHYSICAL COLLOCATION																						
	Physical Collocation-Cageless-Application Fee			CLO	PE1CH		2,633.00															
	Physical Collocation Administrative Only-Application Fee	I		CLO	PE1BL		743.25															
	Physical Collocation-Space Preparation-Firm Order Processing	I		CLO	PE1SJ		1,204.00															
	Physical Collocation-Space Preparation-C.O. Modification per sq ft	I		CLO	PE1SK	2.74																
	Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft	I		CLO	PE1SL	2.95																
	Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage	I		CLO	PE1SM	100.14																
	Physical Collocation-Cageless-Cable Installation Cost, per cable			CLO	PE1ZA		1,749.00															
	Physical Collocation-Cageless-Floor Space, per sq. ft.			CLO	PE1ZB	3.91																
	Physical Collocation-Floor Space, per sq feet	I		CLO	PE1PJ	5.94																
	Physical Collocation-Cageless-Cable Support Structure, per Entrance Cable			CLO	PE1CJ	17.87																
	Physical Collocation-Cable Support Structure, per Entrance Cable	I		CLO	PE1PM	19.80																
	Physical Collocation-Cageless-Power, per Fused Amp			CLO	PE1ZC	6.79																
	Physical Collocation-Power, -48V DC Power-per Fused Amp	I		CLO	PE1PL	8.87																
	Physical Collocation-Power Reconfiguration Only, Application Fee	I		CLO	PE1PR		400.10															
	Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FB	5.60																
	Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp	I		CLO	PE1FD	11.22																
	Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FE	16.82																
	Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp	I		CLO	PE1FG	38.84																
	Physical Collocation-2W cross-connect, loop, provisioning	I		UEANL,UEQ,UNLDX,UNCNX,UEA,UCL,UAL,UHL,U DC,UDN,UNCVX	PE1P2	0.033	33.82	31.92														
	Physical Collocation-Cageless-2W Cross-Connects			UNLDX,UNCNX	PE1ZD	0.57	11.62	9.90	10.38	8.66												
	Physical Collocation-4W cross-connect, loop, provisioning	I		UEA,UHL,UNCVX,UNC DX,UCL,UDL	PE1P4	0.066	33.94	31.95														
	Physical Collocation-Cageless-4W Cross Connects			UNCVX,UNC DX,	PE1ZE	0.57	11.81	10.04	10.44	8.67												
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	I		WDS1L,WDS1S,UXTD1,ULDD1,USLEL,UNLD1,UEPEX,UEPDX,USL,ULC,U1TD1,UNC1X	PE1P1	1.51	53.27	40.16														
	Physical Collocation-Cageless-DS1 Cross Connects			WDS1L,WDS1S,UXTD1,ULDD1,USLEL,UNLD1,UEPEX,UEPDX	PE1ZF	1.32	32.22	17.76	10.46	8.75												
	Physical Collocation-DS3 Cross-Connect, provisioning	I		UE3,U1TD3,UXTD3,UX TS1,UNC3X,UNC SX,UL DD3,U1TS1,ULDS1,UN LD3	PE1P3	19.26	52.37	38.89														
	Physical Collocation-Cageless-DS3 Cross Connects			UE3,U1TD3,UXTD3,UX TS1,UNC3X,UNC SX,UL DD3,U1TS1,ULDS1,UN LD3	PE1ZG	12.32	29.97	16.30	12.03	8.99												
	Physical Collocation-2-Fiber Cross-Connect	I		CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1F2	15.64	41.56	29.82	12.96	10.34		2.69	2.69	1.56	1.56							
	Physical Collocation-Cageless-2 Fiber Cross Connect			CLO,ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,UDLO3,UDL12,UDF	PE1CK	3.03	41.56	29.82	12.96	10.34												

EXHIBIT 5

COLLOCATION - Tennessee														Attachment: 4		Exhibit: B		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l		
						Rec	Nonrecurring First	Add'l	NRC Disconnect								OSS Rates (\$)	
									First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation-4-Fiber Cross-Connect	I		ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,U DLO3,UDL12,UDF	PE1F4	28.11		50.53	38.78		16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation-Cageless-4-Fiber Cross-Connect			ULDO3,ULD12,ULD48,U1TO3,U1T12,U1T48,U DLO3,UDL12,UDF	PE1CL	6.06		50.53	38.78		16.97	14.35						
	Physical Collocation-Space enclosure, welded wire, first 100 sq ft	I		CLO	PE1BW	218.53												
	Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft	I		CLO	PE1CW	21.44												
	Physical Collocation-Security Access System-Security System per CO	I		CLO	PE1AX	55.99												
	Physical Collocation-Security Access System-New Card Activation, per Card Activation (First), per State	I		CLO	PE1A1	0.059		55.67										
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA			15.61										
	Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card			CLO	PE1AR			45.64										
	Physical Collocation-Security Access-Initial Key, per Key			CLO	PE1AK			26.24										
	Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL			26.24										
	Physical Collocation-Space Availability Report, per CO Requested			CLO	PE1SR			2,027.00	2,154.00									
	Physical Collocation-CFA Information Resend Request, per premises, per request			CLO	PE1C9			77.67										
	Physical Collocation-Cable Records, per request	I		CLO	PE1CR			1,711.00										
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	I		CLO	PE1CD			925.06										
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pr	I		CLO	PE1CO			18.05										
	Physical Collocation, Cable Records, DS1, per T1 TIE	I		CLO	PE1C1			8.45										
	Physical Collocation, Cable Records, DS3, per T3 TIE	I		CLO	PE1C3			29.57										
	Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records)	I		CLO	PE1CB			279.42										
	Physical Collocation-Cageless-Security Escort-Basic, per Half Hour			CLO	PE1ZM			33.15	20.44									
	Physical Collocation-Cageless-Security Escort-Overtime, per Half Hour			CLO	PE1ZN			41.50	25.61									
	Physical Collocation-Cageless-Security Escort-Premium, per Half Hour			CLO	PE1ZO			49.86	30.79									
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLO	PE1BT			33.91	21.49									
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT			44.17	27.76									
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLO	PE1PT			54.42	34.02									
	Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit	I		CLO	PE1BV			33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit	I		CLO	PE1BO			33.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit	I		CLO	PE1B1			52.00										
	Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit	I		CLO	PE1B3			52.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit	I		CLO	PE1BR			23.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DSO Circuit	I		CLO	PE1BP			23.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit	I		CLO	PE1BS			33.00										
	Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit	I		CLO	PE1BE			37.00										
	Physical Collocation-Virtual to Physical Collocation In-Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable prs or fraction thereof	I		CLO	PE1B7			592.00										
	Physical Caged Collocation-App Cost(initial & sub)-Planning, per request			CLO	PE1AC	16.16		2,903.66										
	Physical Caged Collocation-Space Prep-Grounding, per location			CLO	PE1BB	4.32												
	Physical Collocation, Caged Collocation-Space Prep-Power Cable, 40 AMP, includes 20 AMP A and B Feed			CLO	PE1SN			142.40										
	Physical Collocation, Caged Collocation-Space Prep-Power Cable, 100 AMP, includes 50 AMP A and B Feed			CLO	PE1SO			185.72										
	Physical Collocation, Caged Collocation-Space Prep-Power Cable, 200 AMP, includes 100 AMP A and B Feed			CLO	PE1SP			242.05										
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97												
	Physical Caged Collocation-Space Enclosure-Cage Preparation2, per add'l 50 sq. ft.			CLO	PE1S5	55.49												

EXHIBIT 5

COLLOCATION - Tennessee										Attachment: 4		Exhibit: B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Add'l	Incremental Charge Manual Svc Order vs. Electronic-Add'l
						Rec	Nonrecurring First	Add'l	NRC Disconnect						
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156									
	Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27								
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94									
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47									
	Physical Caged Collocation-Power-Power Construction, per amp DC plant			CLO	PE1PN	3.55									
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03									
	Physical Caged Collocation-2W Cross Connects-VG ckt, per ckt.			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE12C	0.0475	7.68								
	Physical Caged Collocation-4W Cross Connects-VG Ckts, per ckt.			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE14C	0.0475	7.68								
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE11S	7.68	41.65								
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			UE3,U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE11X	0.38	41.65								
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE13S	53.96	298.03								
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			U1TD3,UXTD3,UXTS1,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,UNLD3	PE13X	9.32	298.03								
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10								
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0013									
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft.			CLO	PE1ZH	0.0031									
	Physical Collocation-Cageless-Co-Carrier Cross Connects- Fiber Cable Support Structure, per cable			CLO	PE1ZK		555.03								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0019									
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0.0045									
	Physical Collocation-Cageless-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555.03								
	Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		585.09								
	Physical Collocation-Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,279.91	42.784							
	Physical Collocation-Copper Entrance Cable Installation, per 100 prs			CLO	PE1EB		18.13								
	Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault			CLO	PE1EC		1,084.11	42.784							
	Physical Collocation-Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.252								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Fiber Cable Support Structure, per cable	I		CLO	PE1DU		555.03								
	Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		555.03								
ADJACENT COLLOCATION															
	Adjacent Collocation-Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656									
	Adjacent Collocation-Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53									
	Adjacent Collocation-2W Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.34	11.12	10.18	11.33	10.23	1.77	1.77	1.12	1.12	
	Adjacent Collocation-4W Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.33	11.30	10.31	11.62	10.44	1.77	1.77	1.12	1.12	

EXHIBIT 5

COLLOCATION - Tennessee										Attachment: 4		Exhibit: B								
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-Add'l					
						Rec	Nonrecurring First	Add'l	NRC Disconnect First							Add'l	OSS Rates (\$)			
																	SOMECE	SOMAN	SOMAN	SOMAN
	Adjacent Collocation-DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.70	28.39	16.88	11.65	10.54			1.77	1.77	1.12	1.12				
	Adjacent Collocation-DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	19.03	26.23	15.51	13.40	10.77			1.77	1.77	1.12	1.12				
	Adjacent Collocation-2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.78			1.77	1.77	1.12	1.12				
	Adjacent Collocation-4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12				
	Adjacent Collocation-Application Fee			CLOAC	PE1JB		2,973.00													
	Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.81														
	Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	11.64														
	Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.45														
	Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	40.30														
PHYSICAL COLLOCATION IN THE REMOTE SITE																				
	Physical Collocation in the Remote Site-Application Fee			CLORS	PE1RA		580.20		312.76											
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41														
	Physical Collocation in the Remote Site-Security Access-Key			CLORS	PE1RD		24.69													
	Physical Collocation in the Remote Site-Space Availability Report per Premises Requested			CLORS	PE1SR		218.49													
	Physical Collocation in the Remote Site-Remote Site CLI Code Request, per CLI Code Requested			CLORS	PE1RE		70.81													
	Remote Site DLEC Data (BRSD), per Compact Disk, per CO			CLORS	PE1RR		234.15													
	Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour			CLORS	PE1BT		33.91	21.49												
	Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		44.17	27.76												
	Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour			CLORS	PE1PT		54.42	34.02												
PHYSICAL COLLOCATION IN THE REMOTE SITE - ADJACENT																				
	Remote Site-Adjacent Collocation-AC Power, per breaker amp			CLORS	PE1RS	6.27														
	Remote Site-Adjacent Collocation-Real Estate, per sq ft			CLORS	PE1RT	0.134														
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62												
NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for remote site collocation, the Parties will negotiate appropriate rates.																				
VIRTUAL COLLOCATION																				
	Virtual Collocation-Application Fee			AMTFS	EAF		2,633.00					2.07	2.81	0.67	1.41					
	Virtual Collocation Administrative Only-Application Fee			AMTFS	VE1AF		743.25													
	Virtual Collocation-Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00					2.07	2.81	0.67	1.41					
	Virtual Collocation-Floor Space, per sq. ft.			AMTFS	ESPVX	3.91														
	Virtual Collocation-Power, per fused amp			AMTFS	ESPAX	6.79														
	Virtual Collocation-Cable Support Structure, per entrance cable			AMTFS	ESPSX	17.87														
	Virtual Collocation-2W Cross Connects (loop)			UEANL,UEA,UDN,UDC,UAL,UHL,UCL,UEQ,UNCVX,UNCDX,UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41				
	Virtual Collocation-4W Cross Connects (loop)			UEA,UHL,UCL,UDL,UAL,UDN,UNCVX,UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41				
	Virtual Collocation-2-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56				
	Virtual Collocation-4-Fiber Cross Connects			UDL12,UDLO3,U1T48,U1T12,U1T03,ULDO3,ULD12,ULD48,UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56				
	Virtual collocation-Special Access & UNE, cross-connect per DS1			USL,UJC,ULR,UXTD1,UNC1X,ULDD1,U1TD1,USLEL,UNLD1,UEPEX,UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41				
	Virtual collocation-Special Access & UNE, cross-connect per DS3			USL,UE3,U1TD3,UXTS1,UXTD3,UNC3X,UNC3X,ULDD3,U1TS1,ULDS1,ULDSX,UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41				

EXHIBIT 5

COLLOCATION - Tennessee														Attachment: 4		Exhibit: B	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted per LSR	Svc Order Submitted Manually per LSR	Incremental Charge Manual vs. Electronic-1st Add'l	Incremental Charge Manual vs. Electronic-Add'l	Incremental Charge Manual vs. Electronic-1st Add'l	Incremental Charge Manual vs. Electronic-Add'l		
						Rec	Nonrecurring First	Add'l	NRC Disconnect							SOME C	SOMAN
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per linear ft			AMTFS	VE1CB	0.0031											
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0045											
	Virtual Collocation-Co-Carrier Cross Connects-Fiber Cable Support Structure, per cable			AMTFS	VE1CC		555.03				2.07	2.81	0.67	1.41			
	Virtual Collocation-Co-Carrier Cross Connects-Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		555.03				2.07	2.81	0.67	1.41			
	Virtual Collocation Cable Records-per request			AMTFS	VE1BA		1,711.00										
	Virtual Collocation Cable Records-VG/DS0 Cable, per cable record			AMTFS	VE1BB		925.06										
	Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pr			AMTFS	VE1BC		18.05										
	Virtual Collocation Cable Records-DS1, per T1T1E			AMTFS	VE1BD		8.45										
	Virtual Collocation Cable Records-DS3, per T3T1E			AMTFS	VE1BE		29.57										
	Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records			AMTFS	VE1BF		279.42										
	Virtual collocation-Security Escort-Basic, per half hour			AMTFS	SPTBX		33.15				2.07	2.81	0.67	1.41			
	Virtual collocation-Security Escort-Overtime, per half hour			AMTFS	SPTOX		41.50				2.07	2.81	0.67	1.41			
	Virtual collocation-Security Escort-Premium, per half hour			AMTFS	SPTPX		49.86				2.07	2.81	0.67	1.41			
	Virtual collocation-Maintenance in CO-Basic, per half hour			AMTFS	CTRLX		30.64				2.07	2.81	0.67	1.41			
	Virtual collocation-Maintenance in CO-Overtime, per half hour			AMTFS	SPTOM		35.77				2.07	2.81	0.67	1.41			
	Virtual collocation-Maintenance in CO-Premium per half hour			AMTFS	SPTPM		40.90				2.07	2.81	0.67	1.41			
	Virtual Collocation-Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.67										
VIRTUAL COLLOCATION																	
	Virtual Collocation-2W Cross Connect, Exchange Port 2W Analog-Res			UEPSR	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Line Side PBX Trunk-Bus			UEPSP	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W VG PBX Trunk-Res			UEPSE	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPSX	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 2W Cross Connect, Exchange Port 2W ISDN			UEPTX	VE1R2	0.30	19.20	19.20				20.35	10.54	13.32	1.40		
	Virtual Collocation 4W Cross Connect, Exchange Port 4W ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20				20.35	10.54	13.32	1.40		
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																	

EXHIBIT 6

Attachment 6
Pre-Ordering, Ordering, Provisioning,
Maintenance and Repair

TABLE OF CONTENTS

1. **QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR ... 3**

2. **ACCESS TO OPERATIONS SUPPORT SYSTEMS 3**

3. **MISCELLANEOUS 5**

PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to WorldxChange nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that WorldxChange can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide WorldxChange with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of WorldxChange and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent WorldxChange requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of WorldxChange, BellSouth will not assess WorldxChange additional charges beyond the rates and charges specified in this Agreement.

2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide WorldxChange nondiscriminatory access to its OSS and the necessary information contained therein in order that WorldxChange can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of WorldxChange to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for WorldxChange's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 Pre-Ordering. BellSouth will provide electronic access to its OSS and the information contained therein in order that WorldxChange can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record

information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and WorldxChange will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. WorldxChange shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. WorldxChange shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, WorldxChange shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. WorldxChange will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit WorldxChange's access to customer record information. If a BellSouth audit of WorldxChange's access to customer record information reveals that WorldxChange is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to WorldxChange may take corrective action, including but not limited to suspending or terminating WorldxChange's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.

2.1.3 Ordering. BellSouth will make available to WorldxChange electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and WorldxChange will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.

2.1.4 Maintenance and Repair. BellSouth will make available to WorldxChange electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and WorldxChange will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described

below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and WorldxChange agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

2.1.5 Billing. BellSouth will provide WorldxChange nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.

2.2 Change Management. BellSouth and WorldxChange agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and WorldxChange agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The CCP will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to WorldxChange at BellSouth's interconnection website.

2.3 Rates. Charges for use of OSS shall be as set forth in this Agreement.

3. MISCELLANEOUS

3.1 Pending Orders. Orders placed in the hold or pending status by WorldxChange will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, WorldxChange shall be required to submit a new service request. Incorrect or invalid requests returned to WorldxChange for correction or clarification will be held for thirty (30) calendar days. If WorldxChange does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.

3.2 Single Point of Contact. WorldxChange will be the single point of contact with BellSouth for ordering activity for network elements and other services used by WorldxChange to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. WorldxChange and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by WorldxChange to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End

User. BellSouth will notify WorldxChange that such a request has been processed but will not be required to notify WorldxChange in advance of such processing.

- 3.2.1 Neither BellSouth nor WorldxChange shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 WorldxChange shall return a FOC to BellSouth within thirty-six (36) hours after WorldxChange's receipt from BellSouth of a valid LSR.
- 3.2.4 WorldxChange shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 Use of Facilities. When a customer of WorldxChange elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to WorldxChange by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify WorldxChange that such a request has been processed after the disconnect order has been completed.
- 3.4 Contact Numbers. The Parties agree to provide one another with toll-free nationwide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 Subscription Functions. In cases where BellSouth performs subscription functions for an IXC (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When WorldxChange's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the IXC elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to WorldxChange, which has the billing relationship with that End User, and WorldxChange may pass such charge to the End User.
- 3.6 Cancellation Charges. If WorldxChange cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the

provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if WorldxChange places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where WorldxChange places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, WorldxChange may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should WorldxChange elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 3.7 Service Date Advancement Charges (a.k.a. Expedites). For Service Date Advancement requests by WorldxChange, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

EXHIBIT 7

ODUF/ADUF/CMDS - Alabama										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.007037									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.000113									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.000011									
	ODUF: Message Processing, per message					0.004101									
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Florida										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.001656									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001245									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000071									
	ODUF: Message Processing, per message					0.002146									
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Georgia										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.001713									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013027									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000068									
	ODUF: Message Processing, per message					0.002167									
	ODUF: Message Processing, per Magnetic Tape provisioned					36.06									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Kentucky										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.001857									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012447									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000136									
	ODUF: Message Processing, per message					0.002506									
	ODUF: Message Processing, per Magnetic Tape provisioned					35.90									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Louisiana										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.007983									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012681									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000117									
	ODUF: Message Processing, per message					0.004641									
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Mississippi										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.008087									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000063									
	ODUF: Message Processing, per message					0.004707									
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - North Carolina										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.01435									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001277									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0003									
	ODUF: Message Processing, per message					0.0032									
	ODUF: Message Processing, per Magnetic Tape provisioned					54.61									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - South Carolina										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.008061									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013036									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000216									
	ODUF: Message Processing, per message					0.004704									
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 7

ODUF/ADUF/CMDS - Tennessee										Attachment: 7		Exhibit: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		NRC Disconnect						
							First	Add'l	First	Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/CMDS															
	ACCESS DAILY USAGE FILE (ADUF)														
	ADUF: Message Processing, per message					0.0158054									
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001387									
	OPTIONAL DAILY USAGE FILE (ODUF)														
	ODUF: Recording, per message					0.0000044									
	ODUF: Message Processing, per message					0.0027366									
	ODUF: Message Processing, per Magnetic Tape provisioned					52.75									
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339									
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)														
	CMDS: Message Processing, per message					0.004									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001									
Notes: If no rate is identified in the contract, the rate for the specific service or function will be as set forth in applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.															

EXHIBIT 8

Attachment 9
Performance Measurements

PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at <http://pmap.bellsouth.com>. The following Service Quality Measurements (SQM) plan as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

BellSouth Service Quality Measurement Plan (SQM)

Tennessee Performance Metrics

**Measurement Descriptions
Version 2.00**

Issue Date: July 1, 2003

Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)¹ and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Florida, Mississippi, and North Carolina have and continue to influence the SQM. Per the Order in Docket 01-00193, issued by the Tennessee Regulatory Authority on October 4, 2002, this version of the SQM reflects the Florida Public Service Commission Order Nos. PSC-02-1736-PAA-TP, issued December 10, 2002, PSC-03-0529-PAA-TP, issued April 22, 2003 and PSC-03-0603-CO-TP, issued May 15, 2003.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3rd Party audit requirements and the Florida PSC.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <http://pmap.bellsouth.com> in the Documentation/Exhibits folder.

Report Publication Dates

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (<http://pmap.bellsouth.com>) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the

¹*Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.*

15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of the month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

Report Delivery Methods

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the SQM and Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.

Contents

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)	4
OSS-2: OSS Availability (Pre-Ordering/Ordering)	7
OSS-3: OSS Availability (Maintenance & Repair)	9
OSS-4: Response Interval (Maintenance & Repair)	11
PO-1: Loop Makeup - Response Time – Manual	13
PO-2: Loop Makeup - Response Time - Electronic	15

Section 2: Ordering

O-1: Acknowledgement Message Timeliness	17
O-2: Acknowledgement Message Completeness	19
O-3: Percent Flow-Through Service Requests (Summary)	21
O-4: Percent Flow-Through Service Requests (Detail)	24
Flow-Through Error Analysis	27
O-6: CLEC LSR Information	29
O-7: Percent Rejected Service Requests	31
O-8: Reject Interval	34
O-9: Firm Order Confirmation Timeliness	38
O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	42
O-11: Firm Order Confirmation and Reject Response Completeness	44
O-12: Speed of Answer in Ordering Center	46

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals	48
P-2: (Deleted) Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	51
P-2A: Jeopardy Notice Interval	52
P-2B: Percentage of Orders Given Jeopardy Notices	54
P-3: Percent Missed Initial Installation Appointments	57
P-3A: (Deleted) Percent Missed Installation Appointments Including Subsequent Appointment	60
P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution	61
P-4A: (Deleted) Average Order Completion Interval (OCI) & Order Completion Interval Distribution	64
P-5: Average Completion Notice Interval	65
P-6: % Completions/Attempts without Notice or < 24 hours Notice	68
P-7: Coordinated Customer Conversions Interval	70
P-7A: Coordinated Customer Conversions – Hot Cut Timeliness% within Interval and Average Interval	72
P-7B: Coordinated Customer Conversions – Average Recovery Time	75
P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order	77
P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing	79
P-9: % Provisioning Troubles within 30 Days of Service Order Completion	81
P-10: (Deleted) Total Service Order Cycle Time (TSOCT)	84
P-11: Service Order Accuracy	85
P-11A: Service Order Accuracy	87
P-12: (Deleted) LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	90
P-13B: LNP-Percent Out of Service < 60 Minutes	91
P-13C: LNP-Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date	93
P-13D: LNP-Average Disconnect Timeliness Interval Distribution (Non-Trigger)	95

Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments	97
M&R-2: Customer Trouble Report Rate	100
M&R-3: Maintenance Average Duration	103
M&R-4: Percent Repeat Troubles within 30 Days	106

M&R-5: Out of Service (OOS) > 24 Hours	109
M&R-6: Average Answer Time – Repair Centers.....	112
M&R-7: Mean Time To Notify CLEC of Network Outages.....	114
 Section 5: Billing	
B-1: Invoice Accuracy.....	116
B-2: Mean Time to Deliver Invoices.....	118
B-3: Usage Data Delivery Accuracy.....	120
B-4: Usage Data Delivery Completeness.....	122
B-5: Usage Data Delivery Timeliness.....	124
B-6: Mean Time to Deliver Usage.....	126
B-7: Recurring Charge Completeness.....	128
B-8: Non-Recurring Charge Completeness.....	130
B-9: Percent Daily Usage Feed Errors Corrected in “X” Business Days.....	132
B-10: Percent Billing Errors Corrected in “X” Business Days.....	134
 Section 6: Operator Services and Directory Assistance	
OS-1: Speed to Answer Performance/Average Speed to Answer - Toll.....	136
OS-2: Speed to Answer Performance/Percent Answered within “X” Seconds – Toll.....	138
DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA).....	140
DA-2: Speed to Answer Performance/Percent Answered within “X” Seconds – Directory Assistance (DA).....	142
 Section 7: Database Update Information	
D-1: Average Database Update Interval.....	144
D-2: Percent Database Update Accuracy.....	146
D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date.....	148
 Section 8: E911	
E-1: Timeliness.....	150
E-2: Accuracy.....	152
E-3: Mean Interval.....	153
 Section 9: Trunk Group Performance	
TGP-1: Trunk Group Performance-Aggregate.....	155
TGP-2: Trunk Group Performance-CLEC Specific.....	158
 Section 10: Collocation	
C-1: Collocation Average Response Time.....	161
C-2: Collocation Average Arrangement Time.....	163
C-3: Collocation Percent of Due Dates Missed.....	165
 Section 11: Change Management	
CM-1: Timeliness of Change Management Notices.....	167
CM-2: Change Management Notice Average Delay Days.....	169
CM-3: Timeliness of Documents Associated with Change.....	171
CM-4: Change Management Documentation Average Delay Days.....	173
CM-5: Notification of CLEC Interface Outages.....	175
CM-6: Percent of Software Errors Corrected in “X” (10, 30, 45) Business Days.....	177
CM-7: Percent of Change Requests Accepted or Rejected within 10 Days.....	179
CM-8: Percent Change Requests Rejected.....	180
CM-9: Number of Defects in Production Releases (Type 6 CR).....	182
CM-10: Software Validations.....	184
CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization.....	186

Appendix A: Reporting Scope

A-1: Standard Service Groupings.....	188
A-2: Standard Service Order Activities	188

Appendix B: Glossary of Acronyms and Terms

.....	189
-------	-----

Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy.....	199
C-2: BellSouth's External Audit Policy.....	199

Appendix D: OSS Tables

.....	200
-------	-----

Appendix E: Flow-Through Matrix

.....	205
-------	-----

Section 1: Operations Support Systems (OSS)

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

Definition

The average response interval and percent within the Interval is the average times and percent of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service and feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

Exclusions

- Syntactically incorrect queries
- Scheduled OSS Maintenance
- Retail usage of LENS

Business Rules

The average response interval for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is received by the client application. The percent of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the percent of accesses which take more than 6 seconds, and the percent which are less than or equal to 6.3 seconds are also captured. BellSouth will not schedule maintenance during the hours from 8:00 a.m. until 9:00 p.m., Monday through Friday.

Calculation

Response Interval = (a - b)

- a = Date and Time of Legacy Response
- b = Date and Time of Legacy Request

Average Response Interval = c / d

- c = Sum of Response Intervals
- d = Number of Legacy Requests During the Reporting Period

Percent within Interval = (e / f) X 100

- e = Count of requests within the designated Interval within the reporting period.
- f = Number of Legacy Requests during the Reporting Period for System for which a response was provided.

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

Relating to BellSouth Performance

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- **RSAG – Address** (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- **RSAG – TN** (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- **ATLAS** (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.
- **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.
- **CRIS** (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- **P/SIMS** (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- **OASIS** (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.

SQM Analog/Benchmark

- Parity + 2 seconds

(See Appendix D: Tables for SQM OSS Legacy Access Times)

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- **RSAG – Address** (Regional Street Address Guide-Address) – stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- **RSAG – TN** (Regional Street Address Guide-Telephone number) – contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- **ATLAS** (Application for Telephone Number Load Administration and Selection) – acts as a warehouse for storing telephone numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve

OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

telephone numbers. CLECs and BellSouth query this legacy system.

- **COFFI** (Central Office Feature File Interface) – stores information about product and service offerings and availability. CLECs query this legacy system.
- **DSAP** (DOE Support Application) – provides due date information. CLECs and BellSouth query this legacy system.
- **CRIS** (Customer Record Information System) – Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- **P/SIMS** (Product/Services Inventory Management system) – provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- **OASIS** (Obtain Available Services Information Systems) – Information on feature and rate availability. BellSouth queries this legacy system.

SEEM Analog/Benchmark

- Parity + 2 Seconds

(See Appendix D: Tables for SEEM OSS Legacy Systems)

OSS-2: OSS Availability (Pre-Ordering/Ordering)

Definition

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided by an application or system available to the CLEC, but with significantly reduced response or processing time.
- Scheduled OSS Maintenance

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full and Loss of Functionality outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.
- Loss of Functionality outages are defined as:
 - A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

Calculation

OSS Availability (Pre-Ordering/Ordering) = $(a / b) \times 100$

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience

- Report Month
- Legacy Contract Type (per reporting dimension)
- Regional Scope
- Hours of Downtime

Relating to BellSouth Performance

- Report Month
- Legacy Contract Type (per reporting dimension)
- Regional Scope
- Hours of Downtime

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SQM OSS Availability)

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability)

OSS-3: OSS Availability (Maintenance & Repair)

Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. “Functional Availability” is defined as the number of hours in the reporting period that the applications/interfaces are available to users. “Scheduled Availability” is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

Exclusions

- CLEC-impacting trouble caused by factors outside of BellSouth’s purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided by an application or system available to the CLEC, but with significantly reduced response or processing time.

Business Rules

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when they may be directly associated with a specific application.

Loss of Functionality outages are defined as:

- A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of maintenance and repair systems.

Calculation

OSS Availability $(a / b) \times 100$

- a = Functional Availability
- b = Scheduled Availability

Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience

- Availability of CLEC TAFI
- Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPFCM

- ECTA

Relating to BellSouth Performance

- Availability of BellSouth TAFI
- Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for OSS Availability (M&R))

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability (M&R))

OSS-4: Response Interval (Maintenance & Repair)

Definition

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

Exclusions

None

Business Rules

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

Calculation

OSS Response Interval = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

Percent Response Interval (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
 - d = Number of Queries Submitted in the Reporting Period
- where, "X" is <= 4, > 4 <= 10, <= 10, > 10, or > 30 seconds.

Average Interval = (e / f)

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- Regional Level

Data Retained

Relating to CLEC Experience

- CLEC Transaction Intervals

Relating to BellSouth Performance

- BellSouth Business and Residential Transactions Intervals

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Regional Level, Per OSS Interface..... Parity with Retail

(See Appendix D: Tables for Legacy System Access Times for M&R)

Note: BellSouth's Appendix D lists the query functions and the appropriate legacy systems that the queries travel through to return a response.

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Region Level, Per OSS Interface Parity with Retail

PO-1: Loop Makeup - Response Time – Manual

Definition

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Inquiries, which are submitted electronically
- Designated Holidays are excluded from the interval calculation
- Weekends are excluded from the interval calculation
- Canceled Inquiries

Business Rules

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via E-mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
2. From SAC start date to SAC complete date
3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

Response Interval = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for manual LMUs:
 - 0 – <=1 day
 - >1 – <= 2 days
 - >2 – <= 3 days
 - 0 - <= 3 days
 - >3 – <= 6 days
 - >6 – <= 10 days
 - > 10 days
- Average Interval in days

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of Inquiries
- SI Intervals
- State and Region

Relating to BellSouth Performance

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- Loops.....

SQM Analog/Benchmark

Benchmark: 95% <= 3 Business Days

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- Loops.....

SEEM Analog/Benchmark

Benchmark: 95% <= 3 Business Days

PO-2: Loop Makeup - Response Time - Electronic

Definition

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

Exclusions

- Manually submitted inquiries
- Canceled Requests

Business Rules

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, TAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via the TAG Interface. LSRs submitted via LENSs will be reflected in the results for the TAG interface.

Note: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

Calculation

Response Interval = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

Percent within interval = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region
- Interval for electronic LMUS:
 - 0 - <= 1 minute
 - >1 - <= 5 minutes
 - 0 - <= 5 minutes
 - > 5 - <= 8 minutes
 - > 8 - <= 15 minutes

- > 15 minutes
- Average Interval in minutes

Data Retained**Relating to CLEC Experience**

- Report Month
- Total Number of Inquires
- SI Interval
- State and Region

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Loop Benchmark: 95% <= 1 Minute

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Loop..... 95% <= 1 Minute

Section 2: Ordering

O-1: Acknowledgement Message Timeliness

Definition

This measurement provides the response interval and percent within the interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

Exclusions

- Scheduled OSS Maintenance
- Manually Submitted LSRs

Business Rules

The process includes EDI and TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

Calculation

Response Interval = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

Average Response Interval = (c / d)

- c = Sum of all Response Intervals for returned acknowledgements
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, for which Acknowledgement Notices were returned in the Reporting Period.

Percent within Interval = (e / f) X 100

- e = Total number of electronically submitted messages/LSRs received, from CLEC via EDI or TAG respectively, in the Reporting Period.
- f = Total number of electronically submitted messages/LSRs acknowledged in the Reporting Period.

Reporting Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region
- Electronically Submitted LSRs
 - 0 - <= 10 minutes
 - > 10 - <= 20 minutes
 - > 20 - <= 30 minutes
 - 0 - <= 30 minutes
 - > 30 - <= 45 minutes
 - > 45 - <= 60 minutes

- > 60 – <= 120 minutes
- > 120 minutes
- Average interval for electronically submitted LSRs in minutes

Data Retained**Relating to CLEC Experience**

- Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- EDI EDI – 95% <= 30 Minutes
- TAG TAG – 95% <= 30 Minutes

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- EDI EDI – 95% <= 30 Minutes
- TAG TAG – 95% <= 30 Minutes

O-2: Acknowledgement Message Completeness

Definition

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

Exclusions

Manually submitted LSRs

Business Rules

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

Calculation

Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

Data Retained

Relating to CLEC Experience

- Report Month
- Record of Functional Acknowledgements

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- EDI Benchmark: 99.9%
- TAG Benchmark: 99.5%

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- EDI Benchmark: 99.9%
- TAG Benchmark: 99.5%

O-3: Percent Flow-Through Service Requests (Summary)

Definition

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

1. Complex*
2. Special pricing plans
3. Some Partial migrations (All LNP Partial Migrations)
4. New telephone number not yet posted to BOCRIS
5. Pending order review required
6. CSR inaccuracies such as invalid or missing CSR data in CRIS
7. Expedites (requested by the CLEC)
8. Denials-restore and conversion, or disconnect and conversion orders
9. Class of service invalid in certain states with some types of service
10. Low volume such as activity type "T" (move)
11. More than 25 business lines, or more than 15 loops
12. Transfer of calls option for the CLEC end users
13. Directory Listings (Identions and Captions)
14. LNP Only – Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (<http://pmap.bellsouth.com>) in the Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior

Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = $a / [b - (c + d + e + f)] \times 100$

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = $a / [b - (c + d + e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

- CLEC Aggregate
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification
 - CLEC Caused System Fallout
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ^a
• Residence	Benchmark: 95%
• Business	Benchmark: 90%
• UNE - Loops	Benchmark: 85%
• UNE-P	Benchmark: 90%
• LNP	Benchmark: 85%

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark ^a
• Residence	Benchmark: 95%
• Business	Benchmark: 90%
• UNE - Loops	Benchmark: 85%
• UNE-P	Benchmark: 90%
• LNP	Benchmark: 85%

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."

O-4: Percent Flow-Through Service Requests (Detail)

Definition

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

Exclusions

- Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

Definitions:

Fatal Rejects: Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

Auto-Clarification: Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

1. Complex*
2. Special pricing plans
3. Some Partial migrations (All LNP Partial Migrations)
4. New telephone number not yet posted to BOCRIS
5. Pending order review required
6. CSR inaccuracies such as invalid or missing CSR data in CRIS
7. Expedites (requested by the CLEC)
8. Denials-restore and conversion, or disconnect and conversion orders
9. Class of service invalid in certain states with some types of service
10. Low volume such as activity type "T" (move)
11. More than 25 business lines, or more than 15 loops
12. Transfer of calls option for the CLEC end users
13. Directory Listings (Identions and Captions)
14. LNP Only – Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (<http://pmap.bellsouth.com>) in the

Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior Commission approval.

Total System Fallout: Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

Calculation

Percent Flow Through = $a / [b - (c + d + e + f)] \times 100$

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

Percent Achieved Flow Through = $a / [b - (c + d + e)] \times 100$

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

Report Structure

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- Number of auto clarifications returned to CLEC
- Number of validated LSRs
- Number of BellSouth caused fallout
- Number of CLEC caused fallout
- Number of Service Orders Issued
- Base calculation
- CLEC error excluded calculation
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
 - TAG
 - EDI
 - LENS
- Total Number of Errors by Type, by CLEC
 - Fatal Rejects
 - Auto Clarification

- CLEC Errors
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark ^a
• Residence	Benchmark: 95%
• Business	Benchmark: 90%
• UNE - Loops	Benchmark: 85%
• UNE-P.....	Benchmark: 90%
• LNP	Benchmark: 85%

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Residence	Benchmark: 95%
• Business	Benchmark: 90%
• UNE- Loops	Benchmark: 85%
• UNE-P.....	Benchmark: 90%
• LNP	Benchmark: 85%

^a Benchmarks do not apply to the "Percent Achieved Flow-Through."

Flow-Through Error Analysis

Definition

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

Exclusions

Each Error Analysis is error code specific, therefore exclusions are not applicable.

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Total for each error type

Report Structure

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- Percent of each error type
- Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- Percent of CLEC caused count
- BellSouth Caused Count of each error code
- Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count.

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received
- Total Number of Errors by Type (by Error Code)
 - CLEC caused error

Relating to BellSouth Performance

- Report Month
- Total Number of Errors by Type (by Error Code)
 - BellSouth System Error

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Not Applicable..... Not Applicable

SEEM Measure

SEEM	Tier I	Tier II
------	--------	---------

No.....		
---------	--	--

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

O-6: CLEC LSR Information

Definition

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

Exclusions

- Fatal Rejects
- LSRs Submitted Manually

Business Rules

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

Calculation

Not Applicable

Report Structure

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

Data Retained

Relating to CLEC Experience

- Report Month
- Record of LSRs Received by CC, PON and Ver
- Record of Timestamp, Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Not Applicable..... Not Applicable

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

O-7: Percent Rejected Service Requests

Definition

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

Exclusions

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- LSRs identified as “Projects”

Business Rules

Fully Mechanized: An LSR/Service Request is considered “rejected” when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of “Rejects” in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

Partially Mechanized: A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and “falls out” for manual handling. It is then put into “clarification” and sent back (rejected) to the CLEC.

Non-Mechanized: LSRs which are faxed or mailed to the LCSC for processing and “clarified” (rejected) back to the CLEC by the BellSouth service representative.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

Calculation

Percent Rejected Service Requests = $(a / b) \times 100$

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

Report Structure

- Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State

- Region
- Product Specific percent Rejected
- Total percent Rejected

Data Retained
Relating to CLEC Experience

- Report Month
- Total Number of LSRs
- Total Number of Rejects
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark
SQM Level of Disaggregation
SQM Analog/Benchmark

Mechanized, Partially Mechanized and Non-Mechanized

- Resale – Residence Diagnostic
- Resale - Business
- Resale – Design (Special)
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks

SEEM Measure

SEEM	Tier I	Tier II
-------------	---------------	----------------

No.....
---------	-------	-------

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

O-8: Reject Interval

Definition

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs))] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete. When there are multiple rejects on a single version of an LSR, the first reject issued is used for the calculation of the interval duration.

Exclusions

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Fatal Rejects
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as “Projects”

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website:
<http://www.interconnection.bellsouth.com/centers/html/lcsc.html>

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 PM until 8:00 AM
From 4:30 PM Friday until 8:00 AM Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

Calculation

Reject Interval = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

Reject Interval Distribution = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - 0 - <= 4 minutes
 - > 4 - <= 8 minutes
 - > 8 - <= 12 minutes
 - > 12 - <= 60 minutes
 - 0 - <= 1 hour
 - > 1 - <= 4 hours
 - > 4 - <= 8 hours
 - > 8 - <= 12 hours
 - > 12 - <= 16 hours
 - > 16 - <= 20 hours
 - > 20 - <= 24 hours
 - > 24 hours
- Partially Mechanized:
 - 0 - <= 1 hour
 - > 1 - <= 4 hours
 - > 4 - <= 8 hours
 - > 8 - <= 10 hours
 - 0 - <= 10 hours
 - > 10 - <= 18 hours
 - 0 - <= 18 hours
 - > 18 - <= 24 hours
 - > 24 hours
- Non-mechanized:
 - 0 - <= 1 hour
 - > 1 - <= 4 hours
 - > 4 - <= 8 hours
 - > 8 - <= 12 hours
 - > 12 - <= 16 hours
 - > 16 - <= 20 hours
 - > 20 - <= 24 hours
 - 0 - <= 24 hours
 - > 24 hours
- Trunks:

- 0 - <= 36 hours
- > 36 hours

- Average Interval is reported in business hours.

Data Retained**Relating to CLEC Experience**

- Report Month
- Reject Interval
- Total Number of LSRs
- Total Number of Rejects
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Resale – Residence Fully Mechanized: 97% <= 1 Hour
- Resale – Business Partially Mechanized: 95% <= 10 Hours
- Resale – Design (Special)..... Non Mechanized: 95% <= 24 Hours
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks..... Trunks: 95% <= 36 Hours

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Fully Mechanized 97% <= 1 hour
- Partially Mechanized..... 95% <= 10 hours
- Non-Mechanized..... 95% <= 24 hours
- Local Interconnection Trunks..... 95% <= 36 hours

O-9: Firm Order Confirmation Timeliness

Definition

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR or ASR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

Exclusions

- Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as “Projects”

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website:
<http://www.interconnection.bellsouth.com/centers/html/lcsc.html>

For ASRs processed in the Local Interconnection Service Center (LISC) - From 4:30 PM All hours outside of Monday – Friday 8:00 AM – 4:30 PM CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The Centers will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

Business Rules

Fully Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.

Partially Mechanized: The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.

Non-Mechanized: The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

Note: When multiple FOCs occur on a single version of an LSR, the first FOC is used to measure the interval.

Calculation

Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

Average FOC Interval = (c / d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

FOC Interval Distribution = (e / f) X 100

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

Report Structure

- Fully Mechanized, Partially Mechanized, Non-Mechanized
 - CLEC Specific
 - CLEC Aggregate
- Geographic Scope
 - State
 - Region
- Fully Mechanized:
 - 0 - <= 15 minutes
 - > 15 - <= 30 minutes
 - > 30 - <= 45 minutes
 - > 45 - <= 60 minutes
 - > 60 - <= 90 minutes
 - > 90 - <= 120 minutes
 - > 120 - <= 180 minutes
 - 0 - <= 3 hours
 - > 3 - <= 6 hours
 - > 6 - <= 12 hours
 - > 12 - <= 24 hours
 - > 24 - <= 48 hours
 - > 48 hours
- Partially Mechanized:
 - 0 - <= 4 hours
 - > 4 - <= 8 hours
 - > 8 - <= 10 hours
 - 0 - <= 10 hours
 - > 10 - <= 18 hours
 - 0 - <= 18 hours
 - > 18 - <= 24 hours
 - > 24 - <= 48 hours
 - > 48 hours
- Non-mechanized:
 - 0 - <= 4 hours
 - > 4 - <= 8 hours
 - > 8 - <= 12 hours
 - > 12 - <= 16 hours
 - 0 - <= 24 hours
 - > 16 - <= 20 hours
 - > 20 - <= 24 hours
 - > 24 - <= 36 hours
 - 0 - <= 36 hours

- > 36 - <= 48 hours
- > 48 hours
- Trunks:
 - 0 - <= 48 hours
 - > 48 hours
- Average Interval is reported in business hours

Data Retained

Relating to CLEC Experience

- Report Month
- Interval for FOC
- Total Number of LSRs
- State and Region
- Total Number of ASRs (Trunks)

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale – Residence Fully Mechanized: 95% <= 3 Hours
- Resale – Business Partially Mechanized: 95% <= 10 Hours
- Resale – Design (Special)..... Non-Mechanized: 95% <= 24 Hours
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks..... Trunks: 95% <= 48 Hours

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Fully Mechanized 95% <= 3 Hours
- Partially Mechanized..... 95% <= 10 Hours
- Non-Mechanized..... 95% <= 24 Hours
- Local Interconnection Trunks..... 95% <= 48 Hours

O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual¹

Definition

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

Exclusions

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00 PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- Canceled Requests
- Electronically Submitted Requests
- Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website:
<http://www.interconnection.bellsouth.com/centers/html/lcsc.html>

Business Rules

This measurement combines four intervals:

1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
2. From SAC start date to SAC complete date.
3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

Calculation

FOC Timeliness Interval with SI = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals with SI
- d = Total number of SIs with LSRs received in the reporting period

Percent Within Interval = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

Report Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - State
 - Region

¹See O-9 for FOC Timeliness

- Intervals
 - 0 – <= 3 days
 - > 3 – <= 5 days
 - 0 – <=5 days
 - > 5 – <= 7 days
 - > 7 – <= 10 days
 - > 10 – <= 15 days
 - >15 days
- Average Interval measured in days

Data Retained**Relating to CLEC Experience**

- Report Month
- Total Number of Requests
- SI Intervals
- State and Region

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- xDSL (includes UNE unbundled ADSL, HDSL and 95% Returned <= 5 Business Days
UNE Unbundled Copper Loops)
- Unbundled Interoffice Transport

SEEM Measure

SEEM	Tier I	Tier II
No.....

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

O-11: Firm Order Confirmation and Reject Response Completeness

Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

Exclusions

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- Fatal Rejects
- LSRs identified as “Projects”

Business Rules

Mechanized – The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

Partially Mechanized – The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

Interconnection Trunks: Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

Calculation

Firm Order Confirmation / Reject Response Completeness = $(a / b) \times 100$

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

Report Structure

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- State and Region
- CLEC Specific
- CLEC Aggregate

Data Retained

Relating to CLEC Experience

- Report Month
- Total Number of LSRs
- Total Number of rejects

- Total Number of ASRs (Trunks)
- Total Number of FOCs

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	95% Returned
• Resale Business	
• Resale Design (Special)	
• Resale PBX	
• Resale Centrex	
• Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop with INP Design	
• 2W Analog Loop with INP Non-Design	
• 2W Analog Loop with LNP Design	
• 2W Analog Loop with LNP Non-Design	
• UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
• UNE Loop + Port Combinations	
• UNE Combination Other	
• UNE ISDN Loop	
• UNE Other Design	
• UNE Other Non-Design	
• UNE Line Splitting	
• EELs	
• Switch Ports	
• UNE xDSL (ADSL, HDSL, UCL)	
• Line Sharing	
• Local Interoffice Transport	
• Local Interconnection Trunks	

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Fully Mechanized	95% Returned
• Partially Mechanized	
• Non-Mechanized	
• Local Interconnection Trunks	

O-12: Speed of Answer in Ordering Center

Definition

Measures the average time a customer is in queue.

Exclusions

None

Business Rules

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

Calculation

Speed of Answer in Ordering Center = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

Report Structure

Aggregate

- CLEC – Local Carrier Service Center
- BellSouth
 - Business Service Center
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Mechanized Tracking Through LCSC Automatic Call Distributor

Relating to BellSouth Performance

- Mechanized Tracking Through BellSouth Retail Center Support System

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Aggregate

- CLEC – Local Carrier Service Center Parity with Retail (Business Service Center)

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- CLEC - Local Carrier Service Center Parity with Retail (Business Service Center)

Section 3: Provisioning

P-1: Mean Held Order Interval & Distribution Intervals

Definition

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

Exclusions

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T
- Disconnect (D) & From (F) orders
- Orders with Appointment Code of 'A', i.e., orders for locations requiring special construction including locations where no address exists and a technician must make a field visit to determine how to get facilities to the location.

Business Rules

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

Held Order Distribution Interval: This measure provides data to report total days held and identifies these in categories of >15 days and > 90 days. (Orders counted in >90 days are also included in > 15 days).

Calculation

Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held with a BellSouth Missed Appointment from the earliest BellSouth missed appointment
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

Held Order Distribution Interval (for each interval) = (c / d) X 100

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained
Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Order Submission Date (TICKET_ID)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date
- Committed Due Date
- Service Type
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

SQM Disaggregation - Analog/Benchmark
SQM Level of Disaggregation
SQM Analog/Benchmark

- | | |
|---|---|
| • Resale Residence | Retail Residence |
| • Resale Business | Retail Business |
| • Resale Design | Retail Design |
| • Resale PBX | Retail PBX |
| • Resale Centrex..... | Retail Centrex |
| • Resale ISDN..... | Retail ISDN |
| • LNP (Standalone) | Retail Residence and Business (POTS) |
| • INP (Standalone) | Retail Residence and Business (POTS) |
| • 2W Analog Loop Design..... | Retail Residence and Business Dispatch |
| • 2W Analog Loop Non-Design | Retail Residence and Business – (POTS Excluding
Switch-Based Orders) |
| • 2W Analog Loop with LNP - Design..... | Retail Residence and Business Dispatch |
| • 2W Analog Loop with LNP- Non-Design | Retail Residence and Business – (POTS Excluding
Switch-Based Orders) |
| • 2W Analog Loop with INP-Design..... | Retail Residence and Business Dispatch |
| • 2W Analog Loop with INP-Non-Design | Retail Residence and Business – (POTS Excluding
Switch-Based Orders) |

- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations..... Retail Residence and Business
 - Dispatch In..... - Dispatch
 - Switch Based..... - Switched Based
- UNE Switch Ports..... Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN (Includes UDC)..... Retail ISDN - BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design..... Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport)..... Retail DS1/DS3 Interoffice
- Local Interconnection Trunks..... Parity with Retail
- UNE Line Splitting ADSL to Retail
- EELs Retail DS1/DS3

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

**P-2: Average Jeopardy Notice Interval & Percentage of Orders Given
Jeopardy Notices**

(Deleted)

P-2A: Jeopardy Notice Interval

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the due date of the order.

Exclusions

- Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders
- Orders with Jeopardy Notice when jeopardy is identified on the due date. This exclusion only applies when the technician on premises has attempted to provide service but must refer to Engineer or Cable Repair for facility jeopardy.
- Orders issued with a due date of ≤ 48 hours.

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunk results are usually zero as these trunks seldom experience facility delays. The Committed Due Date is considered the Confirmed Due Date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Jeopardy Interval = a - b

- a = Date and Time of Scheduled Due Date on Service Order
- b = Date and Time of Jeopardy Notice

Average Jeopardy Interval = c / d

- c = Sum of all Jeopardy Intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON

- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

• Resale Residence	95% > = 48 hours
• Resale Business	95% > = 48 hours
• Resale Design	95% > = 48 hours
• Resale PBX	95% > = 48 hours
• Resale Centrex.....	95% > = 48 hours
• Resale ISDN	95% > = 48 hours
• LNP (Standalone)	95% > = 48 hours
• INP (Standalone)	95% > = 48 hours
• 2W Analog Loop Design.....	95% > = 48 hours
• 2W Analog Loop Non-Design	95% > = 48 hours
• 2W Analog Loop with LNP - Design	95% > = 48 hours
• 2W Analog Loop with LNP- Non-Design	95% > = 48 hours
• 2W Analog Loop with INP-Design.....	95% > = 48 hours
• 2W Analog Loop with INP-Non-Design	95% > = 48 hours
• UNE Digital Loop < DS1	95% > = 48 hours
• UNE Digital Loop >= DS1	95% > = 48 hours
• UNE Loop + Port Combinations.....	95% > = 48 hours
- Dispatch In.....	- Dispatch In
- Switch Based.....	- Switch Based
• UNE Switch Ports.....	95% > = 48 hours
• UNE Combo Other	95% > = 48 hours
• UNE xDSL (HDSL, ADSL and UCL)	95% > = 48 hours
• UNE ISDN (Includes UDC)	95% > = 48 hours
• UNE Line Sharing	95% > = 48 hours
• UNE Other Design.....	95% > = 48 hours
• UNE Other Non-Design	95% > = 48 hours
• Local Transport (Unbundled Interoffice Transport)	95% > = 48 hours
• Local Interconnection Trunks.....	95% > = 48 hours
• UNE Line Splitting	95% > = 48 hours
• EELs	95% > = 48 hours

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

P-2B: Percentage of Orders Given Jeopardy Notices

Definition

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

Exclusions

- Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders

Business Rules

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

Calculation

Percent of Orders Given Jeopardy Notice = $(a / b) \times 100$

- a = Number of Orders Given Jeopardy Notices in Reporting Period
- b = Number of Orders Confirmed (due) in Reporting Period

Percent of Orders Given Jeopardy Notice >= 48 hours = $(c / d) \times 100$

- c = Number of Orders Given Jeopardy Notice >= 48 hours in Reporting Period (electronic only)
- d = Number of Orders Given Jeopardy Notices in Reporting Period (electronic only)

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON

- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex..... Retail Centrex
- Resale ISDN Retail ISDN
- LNP (Standalone) Retail Residence and Business (POTS)
- INP (Standalone) Retail Residence and Business (POTS)
- 2W Analog Loop Design..... Retail Residence and Business Dispatch
- 2W Analog Loop Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with LNP - Design Retail Residence and Business Dispatch
- 2W Analog Loop with LNP - Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with INP-Design Retail Residence and Business Dispatch
- 2W Analog Loop with INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- UNE Digital Loop <DS1 Retail Digital Loop <DS1
- UNE Digital Loop >=DS1 Retail Digital Loop >=DS1
- UNE Loop + Port Combinations..... Retail Residence and Business
 - Dispatch In..... - Dispatch In
 - Switch Based..... - Switch Based
- UNE Switch Ports..... Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN (Includes UDC) Retail ISDN - BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting ADSL Provided to Retail
- EELs Retail DS1/DS3

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

P-2B: Percentage of Orders Given Jeopardy Notices

P-3: Percent Missed Initial Installation Appointments

Definition

“Percent missed initial installation appointments” monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

Exclusions

- Orders canceled prior to the due date including orders that are to be provisioned on the same day they are placed. (“Zero Due Date Orders”)
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc., Order types may be coded C, N, R or T)
- Disconnect (D) & From (F) orders
- End User Misses

Business Rules

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The “due date” is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

Calculation

Percent Missed Installation Appointments = $(a / b) \times 100$

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/Non-Dispatch (except Trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Committed Due Date (DD)

- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

Note: Code in parentheses is the corresponding header found in the raw data file.

Relatng to BellSouth Performance

- Report Month
- BellSouth Order Number
- Committed Due Date (DD)
- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding Switch- Based Orders)
• 2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
• 2W Analog Loop With LNP- Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• 2W Analog Loop With INP-Design	Retail Residence and Business Dispatch
• 2W Analog Loop With INP-Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations.....	Retail Residence and Business
- Dispatch In.....	- Dispatch In
- Switch Based.....	- Switched Based
• UNE Switch Ports.....	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
- Without Conditioning	- Without Conditioning
- With Conditioning.....	- With Conditioning (BellSouth does not offer this service to Retail)
• UNE ISDN	Retail ISDN - BRI
• UNE Line Sharing Without Conditioning	ADSL Provided to Retail
With Conditioning	ADSL Provided to Retail
• UNE Other Design.....	Retail Design
• UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport).....	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks.....	Parity with Retail
• UNE Line Splitting Without Conditioning	ADSL Provided to Retail
With Conditioning	ADSL Provided to Retail
• EELs	Retail DS1/DS3
• UNE UDC/IDSL.....	Retail ISDN - BRI

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- LNP (Standalone) Retail Residence and Business (POTS)
- INP (Standalone) Retail Residence and Business (POTS)
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop With LNP - Design Retail Residence and Business Dispatch
- 2W Analog Loop With LNP- Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop With INP-Design Retail Residence and Business Dispatch
- 2W Analog Loop With INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >=DS1
- UNE Loop + Port Combinations Retail Residence and Business
 - Dispatch In - Dispatched In
 - Switch Based - Switch Based
- UNE Switch Ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
 - Without Conditioning - Without Conditioning
 - With Conditioning - With Conditioning (BellSouth does not offer this service to Retail)
- UNE ISDN Retail ISDN - BRI
- UNE Line Sharing Without Conditioning ADSL Provided to Retail
- With Conditioning ADSL Provided to Retail
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting Without Conditioning ADSL Provided to Retail
- With Conditioning ADSL Provided to Retail
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- EELs Retail DS1/DS3
- UNE UDC/IDSL Retail ISDN - BRI

P-3A: Percent Missed Installation Appointments Including Subsequent Appointments**(Deleted)**

P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

Definition

The “average completion interval” measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The “Order Completion Interval Distribution” provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D & F) orders (Except “D” orders associated with LNP Standalone)
- “L” Appointment coded orders (where the customer has requested a later than offered interval)
- End user-caused misses

Business Rules

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth’s actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0-5 = 0-< 5, 5-10 = 5-<10, 10-15 = 10-< 15, 15-20 = 15-< 20, 20-25 = 20-< 25, 25-30 = 25-< 30, >= 30 = 30 and greater.

Calculation

Completion Interval = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in “X” days
- f = Total Service Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence and Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30, >= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)

- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Order Number (PON)
- Application Date and Time
- Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date and Time
- Order Completion Date and Time
- Service Type
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN.....	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• 2W Analog Loop with LNP - Design	Retail Residence and Business Dispatch
• 2W Analog Loop with LNP- Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• 2W Analog Loop with INP-Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop with INP-Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations.....	Retail Residence and Business
- Dispatch In.....	- Dispatch In
- Switch Based.....	- Switch Based
• UNE Switch Ports.....	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	
- Without Conditioning	- <= 5 Days
- With Conditioning.....	- <= 12 Days
• UNE ISDN	Retail ISDN - BRI
• UNE Line Sharing Without Conditioning	ADSL Provided to Retail

- With Conditioning <= 12 Days
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting Without Conditioning ADSL Provided to Retail
- With Conditioning <= 12 Days
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- EELs Retail DS1/DS3
- UNE UDC/IDSL Retail ISDN - BRI

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- LNP (Standalone) Retail Residence and Business (POTS)
- INP (Standalone) Retail Residence and Business (POTS)
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with LNP - Design Retail Residence and Business Dispatch
- 2W Analog Loop with LNP- Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with INP-Design Retail Residence and Business Dispatch
- 2W Analog Loop with INP-Non-Design Retail Residence and Business – (POTS Excluding Switch-Based Orders)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >=DS1
- UNE Loop + Port Combinations Retail Residence and Business
 - Dispatch In - Dispatch In
 - Switch Based - Switch Based
- UNE Switch Ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL)
 - Without Conditioning - <= 5 Days
 - With Conditioning - <= 12 Days
- UNE ISDN Retail ISDN - BRI
- UNE Line Sharing Without Conditioning ADSL Provided to Retail
- With Conditioning <= 12 Days
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting Without Conditioning ADSL Provided to Retail
- With Conditioning <= 12 Days
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- EELs Retail DS1/DS3
- UNE UDC/IDSL Retail ISDN/BRI

**P-4A: Average Order Completion and Completion Notice Interval (AOCCNI)
Distribution****(Deleted)**

P-5: Average Completion Notice Interval

Definitions

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders (Exception: "D" orders associated with LNP Standalone)

Business Rules

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was delivered to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders-the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system. For the retail analog, the start time is when the technician completes the order and the end time is when the order status is changed to complete in SOCS.

Calculation

Completion Notice Interval = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0,1- <= 2, > 2 - <= 4, > 4 - <= 8, > 8 - <= 12, > 12- <= 24, > 24 plus Overall Average Hour Interval
- Reported in categories of <10 line / circuits; >= 10 line/circuits (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number (so_nbr)
- Work Completion Date (cmpltn_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding Switch-Based Orders)
• 2W Analog Loop with LNP - Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop with LNP- Non-Design	Retail Residence and Business - POTS Excluding Switch-Based Orders
• 2W Analog Loop with INP-Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop with INP-Non-Design	Retail Residence and Business - POTS Excluding Switch-Based Orders
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations.....	Retail Residence and Business
- Dispatch In.....	- Dispatch In
- Switch Based.....	- Switch Based
• UNE Switch Ports.....	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail

- UNE ISDN (Includes UDC) Retail ISDN - BRI
- UNE Line Sharing ADSL Provided to Retail
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting ADSL to Retail
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- EELs Retail DS1/DS3

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

P-6: % Completions/Attempts without Notice or < 24 hours Notice

Definition

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

Exclusions

- Canceled Orders
- Expedited Orders
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

Business Rules

For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

Calculation

Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = $(a / b) \times 100$

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Committed Due Date (DD)
- FOC End Timestamp
- Report Month
- CLEC Order Number and PON

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	<= 5%
• Resale Business	
• Resale Design	
• Resale PBX	
• Resale Centrex	
• Resale ISDN	
• LNP (Standalone)	
• INP (Standalone)	
• 2W Analog Loop Design	
• 2W Analog Loop Non-Design	
• 2W Analog Loop Design with LNP	
• 2W Analog Loop Non-Design with LNP	
• 2W Analog Loop Design with INP	
• 2W Analog Loop Non-Design with INP	
• UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
• UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
• UNE Switch Ports	
• UNE Combo Other	
• UNE xDSL (HDSL, ADSL and UCL)	
• UNE ISDN (Includes UDC)	
• UNE Line Sharing	
• UNE Line Splitting	
• Local Transport (Unbundled Interoffice Transport)	
• Local Interconnection Trunks	
• EELS	

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable.....	Not Applicable

P-6: % Completions/Attempts without Notice or < 24 hours Notice

P-7: Coordinated Customer Conversions Interval

Definition

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

Business Rules

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

Calculation

Coordinated Customer Conversions Interval = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

Percent Coordinated Customer Conversions (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- The interval breakout is 0-5 = 0-<=5, 5-15 = >5-<=15, >=15 = 15 and greater, plus Overall Average Interval
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Start Time
- Cutover Completion time
- Portability Start and Completion Times (INP orders)
- Total Conversions (Items)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Unbundled Loops with INP 95% <= 15 minutes
- Unbundled Loops with LNP 95% <= 15 minutes

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Unbundled Loops With INP 95% <= 15 minutes
- Unbundled Loops With LNP 95% <= 15 minutes

P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interval

Definition

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

Exclusions

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop
- Test Orders

Business Rules

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered “on time” if the first line is cut within the interval. ≤ 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, ≤ 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

Calculation

% within Interval = $(a / b) \times 100$

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = $(c - d)$

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

Report Structure

- CLEC Specific
- CLEC Aggregate
Reported in intervals of early, on time and late cuts % <= 15 minutes; % >15 minutes, <= 30 minutes; % >30 minutes, plus Overall Average Interval
- Geographic Scope
 - State
 - Region
- Percentages are reported in intervals of early, on time and late cuts for IDLC and non-IDLC cuts

On Time (Non-IDLC)

<= 15 minutes

Note: This is a 30-minute bucket representing a cut that begins 15 minutes or less before or after the scheduled start time.

Early (Non-IDLC)

>15 minutes - <= 30 minutes

>30 minutes - <= 60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

<= 240 minutes

Late (Non-IDLC)

>15 minutes - <= 30 minutes

>30 minutes - <= 60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

>240 minutes

Overall Average Interval for non-IDLC

On Time (IDLC)

<= 2 hours

Note: This is a 4-hour bucket representing a cut involving IDLC that begins 2 hours or less before or after the scheduled start time

Early (IDLC)

>2 hours

Late (IDLC)

>2 hours

Overall Average Interval for IDLC

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Cutover Scheduled Start Time
- Cutover Actual Start Time
- Total Conversions Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark
SQM Level of Disaggregation
SQM Analog/Benchmark

- Product Reporting Level 95% within + or – 15 Minutes of Scheduled Start Time
 - SL1 Time Specific
 - SL1 Non-Time Specific
 - SL2 Time Specific
 - SL2 Non-Time Specific
 - SL1 IDLC 95% within 4-Hour Window
 - SL2 IDLC

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark
SEEM Disaggregation
SEEM Analog/Benchmark

- SL1 Time Specific..... 95% within + or – 15 Minutes of Scheduled Start Time
- SL1 IDLC
- SL1 Non-Time Specific
- SL2 Time Specific
- SL2 Non-Time Specific 95% within 4-Hour Window
- SL2 IDLC

P-7B: Coordinated Customer Conversions – Average Recovery Time

Definition

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

Exclusions

- Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- Cutovers where service outages are due to end-user caused reasons when the CLEC agrees
- Test Orders

Business Rules

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

Calculation

Recovery Time = (a - b)

- a = Date and Time That Trouble is Closed by CLEC
- b = Date and Time Initial Trouble is Opened with BellSouth

Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times per circuit
- d = Number of Troubles per circuit Referred to BellSouth

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- CLEC Order Number (so_nbr)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- CLEC Acceptance Conflict (CLEC_CONFLICT)
- CLEC Conflict Resolved (CLEC_CON_RES)
- CLEC Conflict MFC (CLEC_CONFLICT_MFC)

- Total Conversion Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- None

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Unbundled Loops with INP	<= 5 Hours
• Unbundled Loops with LNP	<= 5 Hours

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Not Applicable.....	Not Applicable

P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order

Definition

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

Exclusions

- Any order cancelled by the CLEC
- Troubles caused by Customer Provided Equipment
- Test Orders

Business Rules

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

Calculation

% Provisioning Troubles within 7 days of service order completion = $(a / b) \times 100$

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr)
- PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope
- Total Conversion Circuits

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- No BellSouth Analog exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- UNE Loop Design <= 3%
- UNE Loop Non-Design..... <= 3%

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- UNE Loop Design <= 3%
- UNE Loop Non-Design..... <= 3%

P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing

Definition

A loop will be considered successfully cooperatively tested when both the CLEC and BellSouth representatives agree that the loop meets the technical specifications set forth in TR 73600.

Exclusions

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing
- Test Orders

Business Rules

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested = $(a / b) \times 100$

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop Tested
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name (OCN)
- CLEC Order Number (so_nbr) and PON (PON)
- Committed Due Date (DD)
- Service Type (CLASS_SVC_DESC)
- Acceptance Testing Completed (ACCEPT_TESTING)
- Acceptance Testing Declined (ACCEPT_TESTING)
- Total xDSL Orders
- Missed Appointments Code (SO_MISSED_CMMT_CD)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- No BellSouth Analog Exists

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- UNE xDSL.....95% of Lines Successfully Tested
 - ADSL
 - HDSL
 - UCL
 - OTHER

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- UNE xDSL.....95% of Lines Successfully Tested
 - ADSL
 - HDSL
 - UCL
 - Other

P-9: % Provisioning Troubles within 30 Days of Service Order Completion

Definition

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

Exclusions

- Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

Business Rules

Measures the quality and accuracy of completed orders. The first trouble report received after service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

% Provisioning Troubles within 30 days of Service Order Activity = $(a / b) \times 100$

- a = Trouble reports on all completed orders within 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Order Submission Date (TICKET_ID)
- Order Submission Time (TICKET_ID)
- Status Type
- Status Notice Date

- Standard Order Activity
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Order Number
- Order Submission Date
- Order Submission Time
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN.....	Retail ISDN
• LNP (Standalone)	Retail Residence and Business (POTS)
• INP (Standalone)	Retail Residence and Business (POTS)
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding Switch-Based Orders)
• 2W Analog Loop with LNP Design	Retail Residence and Business Dispatch
• 2W Analog Loop with LNP Non-Design	Retail Residence and Business - (POTS Excluding Switch-Based Orders)
• 2W Analog Loop with INP Design	Retail Residence and Business Dispatch
• 2W Analog Loop with INP Non-Design	Retail Residence and Business (POTS - Excluding Switch-Based Orders)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE xDSL (HDSL, ADSL and UCL)	ADSL provided to Retail
• UNE ISDN (Includes UDC)	Retail ISDN BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Loop + Port Combinations.....	Retail Residence and Business
- Dispatch In.....	- Dispatch In
- Switch-Based.....	- Switch Based
• UNE Switch Ports.....	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
• Local Transport (Unbundled Interoffice Transport).....	Retail DS1/DS3 Interoffice
• UNE Other Non-Design	Retail Residence and Business
• UNE Other Design.....	Retail Design
• Local Interconnection Trunks.....	Parity with Retail
• UNE Line Splitting	ADSL to Retail
• EELs	Retail DS1/DS3

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- LNP (Standalone) Retail Residence and Business (POTS)
- INP (Standalone) Retail Residence and Business (POTS)
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non-Design Retail Residence and Business - (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with LNP Design Retail Residence and Business Dispatch
- 2W Analog Loop with LNP Non-Design Retail Residence and Business - (POTS Excluding Switch-Based Orders)
- 2W Analog Loop with INP Design Retail Residence and Business Dispatch
- 2W Analog Loop with INP Non-Design Retail Residence and Business (POTS - Excluding Switch-Based Orders)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations Retail Residence and Business
 - Dispatch In - Dispatch In
 - Switch-Based - Switch-Based
- UNE Switch Ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch (Including Dispatch Out and Dispatch In)
- UNE xDSL (HDSL, ADSL and UCL) ADSL provided to Retail
- UNE ISDN (Includes UDC) Retail ISDN BRI
- UNE Line Sharing ADSL Provided to Retail
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail
- UNE Line Splitting ADSL Provided to Retail
- UNE Other Non-Design Retail Residence and Business
- UNE Other Design Retail Design
- EELs Retail DS1/DS3

**P-10: Total Service Order Cycle Time (TSOCT)
(Deleted)**

P-11: Service Order Accuracy

Definition

The “service order accuracy” measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

Business Rules

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is “completed without error” if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a “Stratified Random Sampling for Proportions” formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

Calculation

Percent Service Order Accuracy = $(a / b) \times 100$

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

Report Structure

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- Dispatch/Non-Dispatch

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Local Service Request (LSR)
- Order Submission Date
- Committed Due Date
- Service Type
- Standard Order Activity

Relating to BellSouth Performance

- No BellSouth Analog Exist

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Resale Residence 95% Accurate
- Resale Business
- Resale Design (Specials)
- UNE Specials (Design)
- UNE (Non-Design)
- Local Interconnection Trunks

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Resale..... 95%
- UNE..... 95%
- UNE-P..... 95%

Note: This measure to be replaced when P-11A is implemented.

Note: This measure becomes effective with September 2003 service orders. The Service Order Accuracy measure as defined in the previous SQM will be effective prior to that time.

P-11A: Service Order Accuracy

Definition

The Service Order Accuracy measurement measures the accuracy and completeness of CLEC requests for service by comparing the CLEC Local Service Request (LSR) to the completed service order after provisioning has been completed. Only electronically submitted LSRs that require manual handling by a BellSouth service representative in the LCSC are measured.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, orders using test OCNs, which may be coded C, N, R or T etc.)
- Disconnect Orders
- CLEC LSRs submitted manually (FAX or Courier)
- CLEC LSRs submitted electronically that are not manually handled by BellSouth (Flow Through)

Business Rules

Only CLEC LSRs submitted electronically that fall out of the electronic system for manual processing (partially mechanized) by a BellSouth representative and the resulting service orders are selected for this measure. The CLEC requested services on the LSR are compared to the completed service order using the CLEC-Affecting Service Attributes shown below.

Selected CLEC-Affecting Service Attributes

The BellSouth Local Service Request (LSR) fields identified below will be used, as applicable, for this Service Order Accuracy review process.

BellSouth LSR Fields

The fields listed below would only be captured as a miss when they are service affecting. For the purpose of the Service Order Accuracy measure, if any of the fields listed below are populated on the LSR and do not match the corresponding field on the Service Order, but this mismatch does not affect the correct provisioning of the Service Order, the field is not considered to be service affecting and therefore will not be included as a miss in this measure. An example would be LCSC/System workarounds, which will be identified in a document posted on the Interconnection website. CLECs may discuss any of the posted LCSC/System Workarounds during the regular PMAP notification calls.

- Company Code
- PON
- Billed Telephone Number
- Telephone Number
- Ported Telephone Number
- Circuit ID
- PIC
- LPIC
- Directory Listing
 - Directory Delivery Address
 - Listing Activity
 - Alphanumeric Listing Identifier Code
 - Record Type

- Listing Type
- Listed Telephone Number
- Listed Name, Last Name
- Listed Name, First Name
- Address Indicator
- Listed Address House Number
- Listed Address House Number Suffix
- Listed Address Street Directional
- Listed Address Street Name
- Listed Address Thoroughfare
- Listed Address Street Suffix
- Listed Address Locality
- Yellow Pages Heading
- Features
 - Feature Activity
 - Feature Codes
 - Feature Detail*
- Hunting
 - Hunt Group Activity
 - Hunt Group Identifier
 - Telephone Number Identifier
 - Hunt Type Code
 - Hunt Line Activity
 - Hunting Sequence
 - Number Type
 - Hunting Telephone Number
- E911 Listing
 - Service Address House Number
 - Service Address House Number Suffix
 - Service Address Street Directional
 - Service Address Street Name
 - Service Address Thoroughfare
 - Service Address Street Suffix
 - Service Address Descriptive Location
- EATN
- ATN
- APOT
- CFA
- NC
- NCI

* Feature Detail will only be checked for the following USOCs: GCE, GCJ, CREX4, GCJRC, GCZ, DRS, VMSAX, S98VM, S98AF, SMBBX, MBBRX. USOCs and FIDs for Feature Detail will be posted on the Interconnection Website. Any changes to the USOCs and FIDs required to continue checking the identical service will be updated on this Website.

Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Applicable Orders Completed without Error
- b = Applicable Orders Completed in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (PON)
- Local Service Request (LSR) Number
- BellSouth Service Order Number
- BellSouth Service Order Completion Date
- Service Type (Resale, UNE, UNE-P)
- Standard Order Activity

Relating to BellSouth Performance

- No BellSouth Analog Exists

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale.....	95% Accurate
• UNE.....	95% Accurate
• UNE-P.....	95% Accurate

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes	X	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale.....	95% Accurate
• UNE.....	95% Accurate
• UNE-P.....	95% Accurate

**P-12: LNP-Average Disconnect Timeliness Interval & Disconnect
Timeliness Interval Distribution****(Deleted)**

P-13B: LNP - Percent Out of Service < 60 Minutes

Definition

The Number of LNP related conversions where the time required to facilitate the activation of the port in BellSouth's network is less than 60 minutes, expressed as a percentage of total number of activations that took place.

Exclusions

- CLEC-caused errors
- NPAC caused errors unless caused by BellSouth
- Standalone LNP orders with more than 500 number activations

Business Rules

The Start time is the Receipt of the NPAC broadcast activation message in BellSouth's LSMS. The End time is when the Provisioning event is successfully completed in BellSouth's network as reflected in BellSouth's LSMS. Count the number of activations that took place in less than 60 minutes.

Calculation

Percent Out of Service < 60 Minutes = $(a / b) \times 100$

- a = Number of activations provisioned in less than 60 minutes
- b = Total LNP activations

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- LNP >= 96.5%

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes	X	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- LNP > = 96.5%

P-13B: LNP – Percent Out of Service < 60 Minutes

P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

Definition

Percentage of time BellSouth applies 10-digit trigger for LNP TNs prior to the due date.

Exclusions

Excludes CLEC or Customer caused misses or delays.

Business Rules

Obtain number of LNP TNs where the 10-digit trigger was applicable prior to due date, and the total number of LNP TNs where the 10-digit trigger was applicable.

Calculation

Percentage of 10-Digit Applications = (a / b) X 100

- a = Count of LNP TNs for which 10-digit trigger was applied prior to due date
- b = Total LNP TNs for which 10-digit triggers were applicable

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- LNP (Standalone) Benchmark: 95%

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation

SEEM Analog/Benchmark

- LNP (Standalone) Benchmark: 95%

P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

Definition

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

Exclusions

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable. Order types may be C, N, R, or T.
- CLEC-caused errors
- NPAC-caused errors, unless caused by BellSouth
- Incomplete Ports where only a subset of activate messages have been received compared with the LSR and create messages.
- Orders which are candidates for 10 digit triggers, except those that did not receive 10 digit triggers prior to the port out date.
- LSRs where the CLEC did not contact BST within 30 minutes after Activate Message.

Business Rules

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period. Non-Business hours will be excluded from the duration calculation for unscheduled after hours LNP ports. This will yield a benchmark equivalent to by 12:00 noon the next business day thus, keeping the benchmark at 4 hours.

Calculation

Disconnect Timeliness Interval = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date and time

Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained**Relating to CLEC Experience**

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Receipt Date/Time (ESI Number Manager)
- Date/Time of Recent Change Notice

Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

SQM Disaggregation – Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- LNP (Normal Working Hours and Approved After Hours)..... 95% <= 4 Hours
- LNP (Unscheduled After Hours Ports)..... 95% <= 4 Hours (excluding non-business hours)

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

- LNP (Normal Working Hours and Approved After Hours)..... 95% <= 4 Hours
- LNP (Unscheduled After Hours Ports)..... 95% <= 4 Hours (excluding non-business hours)

Section 4: Maintenance & Repair

M&R-1: Missed Repair Appointments

Definition

The percent of customer trouble reports not cleared by the committed date and time.

Exclusions

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

Business Rules

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a “Missed Commitment” or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

Note: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

Calculation

Percentage of Missed Repair Appointments = $(a / b) \times 100$

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Customer Trouble reports closed in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Submission Date and Time (TICKET_ID)
- Completion Date (CMLPTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Company Code
- Submission Date and Time
- Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN	Retail ISDN
• 2W Analog Loop Design.....	Retail Residence & Business Dispatch
• 2W Analog Loop Non – Design.....	Retail Residence & Business (POTS) (Exclusion of Switch-based feature troubles)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations.....	Retail Residence and Business
• UNE Switch ports.....	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business and Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN – BRI
• UNE Line Sharing	ADSL provided to Retail
• UNE Other Design.....	Retail Design
• UNE Other Non-Design	Retail Residence and Business
• Local Interconnection Trunks.....	Parity with Retail
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non – Design Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations Retail Residence & Business
- UNE Switch ports Retail Residence & Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

M&R-2: Customer Trouble Report Rate

Definition

Initial and repeated customer direct or referred customer troubles reported within a calendar month per 100 lines/circuits in service.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total “number of service” lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

Calculation

Customer Trouble Report Rate = $(a / b) \times 100$

- a = Count of Initial and Repeated Customer Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)
- # Service Access Lines in Service at the end of period

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- BellSouth Company Code
- Ticket Submission Date and Time
- Ticket Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)
- # Service Access Lines in Service at the end of period

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- | | |
|---|---|
| • Resale Residence | Retail Residence |
| • Resale Business | Retail Business |
| • Resale Design | Retail Design |
| • Resale PBX | Retail PBX |
| • Resale Centrex..... | Retail Centrex |
| • Resale ISDN..... | Retail ISDN |
| • 2W Analog Loop Design..... | Retail Residence and Business Dispatch |
| • 2W Analog Loop Non – Design..... | Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles) |
| • UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
| • UNE Digital Loop >= DS1 | Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations..... | Retail Residence and Business |
| • UNE Switch Ports..... | Retail Residence and Business (POTS) |
| • UNE Combo Other | Retail Residence, Business and Design Dispatch |
| • UNE xDSL (HDSL, ADSL and UCL) | ADSL Provided to Retail |
| • UNE ISDN | Retail ISDN – BRI |
| • UNE Line Sharing | ADSL Provided to Retail |
| • UNE Other Design..... | Retail Design |
| • UNE Other Non-Design | Retail Residence and Business |
| • Local Interconnection Trunks | Parity with Retail |
| • Local Transport (Unbundled Interoffice Transport) | Retail DS1/DS3 Interoffice |

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- | | |
|-------------------------------------|---|
| • Resale Residence | Retail Residence |
| • Resale Business | Retail Business |
| • Resale Design | Retail Design |
| • Resale PBX | Retail PBX |
| • Resale Centrex..... | Retail Centrex |
| • Resale ISDN..... | Retail ISDN |
| • 2W Analog Loop Design..... | Retail Residence and Business Dispatch |
| • 2W Analog Loop Non – Design..... | Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles) |
| • UNE Digital Loop < DS1 | Retail Digital Loop < DS1 |
| • UNE Digital Loop > DS1 | Retail Digital Loop >= DS1 |
| • UNE Loop + Port Combinations..... | Retail Residence and Business |
| • UNE Switch Ports..... | Retail Residence and Business (POTS) |
| • UNE Combo Other | Retail Residence, Business and Design Dispatch |

- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

M&R-3: Maintenance Average Duration

Definition

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

Calculation

Maintenance Duration = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Customer Trouble Ticket was Opened

Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Customer Troubles in the reporting period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE_NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Service Type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total Duration Time
- Service Type
- Disposition and Cause (Non-Design/Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN.....	Retail ISDN
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non – Design.....	Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations.....	Retail Residence and Business
• UNE Switch ports	Retail Residence and Business (POTS)
• UNE Combo Other	Retail Residence, Business & Design Dispatch
• UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN	Retail ISDN – BRI
• UNE Line Sharing	ADSL Provided to Retail
• UNE Other Design.....	Retail Design
• UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
• Local Interconnection Trunks.....	Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
• Resale Residence	Retail Residence
• Resale Business	Retail Business
• Resale Design	Retail Design
• Resale PBX	Retail PBX
• Resale Centrex.....	Retail Centrex
• Resale ISDN.....	Retail ISDN
• 2W Analog Loop Design.....	Retail Residence and Business Dispatch
• 2W Analog Loop Non – Design.....	Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
• UNE Digital Loop < DS1	Retail Digital Loop < DS1

- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations..... Retail Residence and Business
- UNE Switch ports..... Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks..... Parity with Retail

M&R-4: Percent Repeat Troubles within 30 Days

Definition

Percent Customer Repeat Troubles within 30 Days measures the percent of customer troubles, during the current reporting period, that had at least one prior trouble ticket on the same line/circuit, anytime in the proceeding 30 calendar days from the receipt of the current trouble report.

Exclusions

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

Business Rules

This measure includes Customer trouble reports on the same line/circuit, received within 30 days of an original Customer trouble report, using the 'cleared date' of the first trouble and the 'received date' of the next trouble.

Calculation

Percent Repeat Customer Troubles within 30 Days = $(a / b) \times 100$

- a = Count of Customer Troubles using the 'received date' where more than one trouble report was logged for the same service line/circuit, within a continuous 30 days
- b = Count of Total Customer Trouble Reports using the 'cleared date', in the Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets (LINE_NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Total and Percent Repeat Customer Trouble Reports within 30 Days (TOT_REPEAT)
- Service Type
- Disposition and Cause (CAUSE_CD & CAUSE_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month

- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total and Percent Repeat Customer Trouble Reports within 30 Days
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non – Design Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations Retail Residence and Business
- UNE Switch ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non – Design Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations Retail Residence and Business
- UNE Switch ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch

M&R-4: Percent Repeat Troubles within 30 Days

- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

M&R-5: Out of Service (OOS) > 24 Hours

Definition

For Out of Service Customer Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Customer Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

Exclusions

- Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

Business Rules

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the customer trouble report is created in LMOS/WFA and the customer trouble is counted if the elapsed time exceeds 24 hours.

Calculation

Out of Service (OOS) > 24 hours = $(a / b) \times 100$

- a = Total Cleared Customer Troubles OOS > 24 Hours
- b = Total OOS Customer Troubles in Reporting Period

Report Structure

- Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Total Tickets
- CLEC Company Name
- Ticket Submission Date and Time (TICKET_ID)
- Ticket Completion Date (CMPLTN_DT)
- Percentage of Customer Troubles out of Service > 24 Hours (OOS>24_FLAG)
- Service type (CLASS_SVC_DESC)
- Disposition and Cause (CAUSE_CD & CAUSE-DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission time
- Ticket Completion Date
- Ticket Completion Time
- Percent of Customer Troubles out of Service > 24 Hours
- Service Type
- Disposition and Cause (Non-Design/Non-Special only)
- Trouble Code (Design and Trunking Services)

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex Retail Centrex
- Resale ISDN Retail ISDN
- 2W Analog Loop Design Retail Residence and Business Dispatch
- 2W Analog Loop Non – Design..... Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1
- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations Retail Residence and Business
- UNE Switch ports Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale Residence Retail Residence
- Resale Business Retail Business
- Resale Design Retail Design
- Resale PBX Retail PBX
- Resale Centrex..... Retail Centrex
- Resale ISDN Retail ISDN
- 2W Analog Loop Design..... Retail Residence and Business Dispatch
- 2W Analog Loop Non – Design..... Retail Residence and Business (POTS) (Exclusion of Switch-based feature troubles)
- UNE Digital Loop < DS1 Retail Digital Loop < DS1

M&R-5: Out of Service (OOS) > 24 Hours

- UNE Digital Loop >= DS1 Retail Digital Loop >= DS1
- UNE Loop + Port Combinations..... Retail Residence and Business
- UNE Switch Ports..... Retail Residence and Business (POTS)
- UNE Combo Other Retail Residence, Business and Design Dispatch
- UNE xDSL (HDSL, ADSL and UCL) ADSL Provided to Retail
- UNE ISDN Retail ISDN – BRI
- UNE Line Sharing ADSL Provided to Retail
- UNE Other Design..... Retail Design
- UNE Other Non-Design Retail Residence and Business
- Local Transport (Unbundled Interoffice Transport) Retail DS1/DS3 Interoffice
- Local Interconnection Trunks Parity with Retail

M&R-6: Average Answer Time – Repair Centers

Definition

This report measures the average time a customer is in queue when calling a BellSouth Repair Center.

Exclusions

- Abandoned Calls

Business Rules

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call.

Note: The Total Column is a combined BellSouth Residence and Business number.

Calculation

Answer Time for BellSouth Repair Centers = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- CLEC Average Answer Time

Relating to BellSouth Performance

- BellSouth Average Answer Time

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.

SQM Analog/Benchmark

- For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

M&R-6: Average Answer Time – Repair Centers

M&R-7: Mean Time To Notify CLEC of Network Outages

Definition

BellSouth will inform the CLEC and appropriate BellSouth personnel of any Network outages (customer impacting).

Exclusions

None

Business Rules

The time it takes for the Network Management Center (NMC) to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

Calculation

Time to Notify = (a - b)

- a = Date and Time NMC Notified
- b = Date and Time NMC detected network incident

Mean Time to Notify = (c / d)

- c = Sum of all Times to Notify
- d = Count of all Network Incidents

Report Structure

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

Relating to BellSouth Performance

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

SQM Disaggregation - Analog/Benchmark
SQM Level of Disaggregation
SQM Analog/Benchmark

- BellSouth Aggregate Parity with Retail
- CLEC Aggregate Parity with Retail
- CLEC Specific..... Parity with Retail

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark
SEEM Disaggregation
SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

Section 5: Billing

B-1: Invoice Accuracy

Definition

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

Exclusions

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

Business Rules

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

Calculation

Invoice Accuracy = $[(a - b) / a] \times 100$

- a = Absolute Value of Total Billed Revenues during current month
- b = Absolute Value of Total Billing Related Adjustments during current month

Measure of Adjustments = $[(c-d) / c] \times 100$

- c = Number of Bills in current month
- d = Number of Billing-related Adjustments in current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region
- Number of Adjustments

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection

- Total Billed Revenue
- Total Billing Related Adjustments
- Number of Bills
- Number of Adjustments

Relating to BellSouth Performance

- Report Month
- Retail Type
 - CRIS
 - CABS
- Total Billed Revenue
- Total Billing Related Adjustments

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Product/Invoice Type Parity with BellSouth Retail Aggregate
 - Resale
 - UNE
 - Interconnection

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Resale..... Parity with Retail
- UNE
- Interconnection

B-2: Mean Time to Deliver Invoices

Definition

This report measures the mean interval for timeliness of billing invoices sent to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

Exclusions

None

Business Rules

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first workday. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

Calculation

Invoice Timeliness = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
 - UNE
 - Resale
 - Interconnection
 - State
- Invoice Transmission Count
- Date of Scheduled Bill Close

Relating to BellSouth Performance

- Report Month
- Invoice Type
 - CRIS
 - CABS
- Invoice Transmission Count
- Date of Scheduled Bill Close

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

Product/Invoice Type

- Resale
- UNE
- Interconnection
- State

SQM Analog/Benchmark

- CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both systems.

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- CLEC State..... Parity with Retail
 - CRIS
 - CABS
- BST-State

B-2: Mean Time to Deliver Invoices

B-3: Usage Data Delivery Accuracy

Definition

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

Exclusions

None

Business Rules

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

Calculation

Usage Data Delivery Accuracy (Packs) = $(a - b) / a \times 100$ (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

Usage Data Delivery Accuracy (Records) = $(c - d) / c \times 100$

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded
- Number of Records
- Packs

Relating to BellSouth Performance

- Report Month
- Record Type
- Number of Records
- Packs

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... Parity With Retail

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- CLEC State (In Florida, SEEM is based on records)..... Parity with Retail
- BellSouth Region

B-4: Usage Data Delivery Completeness

Definition

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

Calculation

Usage Data Delivery Completeness = $(a / b) \times 100$

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

Report Structure

- CLEC Specific
- CLEC Aggregate
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

- None

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Region >= 98% within 30 Calendar Days

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-5: Usage Data Delivery Timeliness

Definition

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

Calculation

Usage Data Delivery Timeliness Current month = $(a / b) \times 100$

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- b = Total number of usage records sent

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

- None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region.....>= 95% Delivered within 6 Calendar Days

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-6: Mean Time to Deliver Usage

Definition

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

Exclusions

None

Business Rules

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

Calculation

Delivery Interval Record = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

Estimated Interval = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

Mean Time to Deliver Usage = (e / f)

- e = Sum of all estimated intervals
- f = Total number of records delivered

Report Structure

- CLEC Aggregate
- CLEC Specific
- Region

Data Retained

Relating to CLEC Experience

- Report Month
- Record Type
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

- None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... <= 6 Days

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-7: Recurring Charge Completeness

Definition

This measure captures percentage of fractional recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of fractional recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total fractional recurring charges on the bill.

Calculation

Recurring Charge Completeness = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill¹
- b = Total count of fractional recurring charges that are on the bill

¹Correct bill = next available bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- Report Month
- Retail Analog
- Total Recurring Charges Billed
- Total Billed On Time

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

- Resale..... Parity
- UNE..... Benchmark 90%
- Interconnection..... Benchmark 90%

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-8: Non-Recurring Charge Completeness

Definition

This measure captures percentage of non-recurring charges appearing on the correct bill.

Exclusions

None

Business Rules

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of non-recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total non-recurring charges on the bill.

Calculation

Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill¹
- b = Total count of non-recurring charges that are on the bill

¹Correct bill = next available bill

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - State

Data Retained

Relating to CLEC Experience

- Report Month
- Invoice Type
- Total Non-Recurring Charges Billed
- Total Billed On Time

Relating to BellSouth Performance

- Report Month
- Retail Analog
- Total Non-Recurring Charges Billed
- Total Billed On Time

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

Product/Invoice Type

- Resale..... Parity
- UNE..... Benchmark 90%
- Interconnection..... Benchmark 90%

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-9: Percent Daily Usage Feed Errors Corrected in “X” Business Days

Definition

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

Exclusions

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

Business Rules

This measure will provide the % of errors corrected in “X” Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (<http://pmap.bellsouth.com/>) and click the Documentation/Exhibits link, then select the “CLEC Problem/Issue/File Retransmission form.”

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

Calculation

Timeliness of Daily Usage EMI Content Errors Corrected = $(a / b) \times 100$

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

Timeliness of Daily Usage Pack Format Errors Corrected = $(c / d) \times 100$

- c = Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

Report Structure

- CLEC Specific
 - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
 - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
 - Total number of Daily Usage Packs with Format Errors received in reporting month
- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
 - BellSouth Recorded
 - Non-BellSouth Recorded

Relating to BellSouth Performance

- None

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... Diagnostic

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

B-10: Percent Billing Errors Corrected in “X” Business Days

Definition

Measures timely carrier bill adjustments.

Exclusions

Adjustments that are initiated by BellSouth

Business Rules

This measure applies to CLEC wholesale bill adjustment requests. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. The clock starts when BellSouth receives the CLEC Billing Adjustment Request (BAR) form and the clock stops when BellSouth either makes an adjustment through BOCRIS or ACATS (generally next CLEC bill unless adjustment request after middle of the month) or BellSouth denies the request in BDATS or ACATS and BellSouth notifies the CLEC of the BAR resolution. BellSouth will report separately those adjustment requests that are disputed by BellSouth. (BAR form and instructions are found at www.interconnection.bellsouth.com/forms/html/billing&collections.html).

Calculation

Percent Billing Errors Corrected in 45 Business Days = $(a / b) \times 100$

- a = Number of BAR resolutions sent in 45 Business Days
- b = Total Number of BAR resolutions due in Reporting Period

Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
 - State
 - Region

Data Retained

Relating to CLEC Experience

- Number of BellSouth Adjustments in 45 Business Days
- Total number of Billing Adjustment Requests in Reporting Period
- Number of Adjustments disputed by BellSouth (reported separately)

Relating to BellSouth Performance

- None

SQM Disaggregation - Retail Analog/Benchmark

SQM Level of Disaggregation

- State..... 90% Billing Disputes <= 45 Business Days

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- State..... 90% Billing Disputes <= 45 Business Days

Note: In order to set an appropriate penalty provision, staff recommends deferring implementation of the penalty until conclusion of the commission proceeding on the remedy structure of the SEEM Plan, or 120 days, whichever comes first.

B-10: Percent Billing Errors Corrected in "X" Business Days

Section 6: Operator Services and Directory Assistance

OS-1: Speed to Answer Performance/Average Speed to Answer – Toll

Definition

Measurement of the average time in seconds calls wait before answered by a toll operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Toll = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- None Parity by Design

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

OS-2: Speed to Answer Performance/Percent Answered within “X” Seconds – Toll

Definition

Measurement of the percent of toll calls that are answered in less than ten seconds

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within “X” Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within “X” seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth’s Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation:

SQM Analog/Benchmark

- None Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

Definition

Measurement of the average time in seconds calls wait before answered by a DA operator.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

Note: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- None Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within “X” Seconds – Directory Assistance (DA)

Definition

Measurement of the percent of DA calls that are answered in less than twelve seconds.

Exclusions

None

Business Rules

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

Calculation

The Percent Answered within “X” Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within “X” seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

Report Structure

- Reported for the aggregate of BellSouth and CLECs
 - State

Data Retained (on Aggregate Basis)

- For the items below, BellSouth’s Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- None Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

Section 7: Database Update Information

D-1: Average Database Update Interval

Definition

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

Exclusions

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system. This metric includes updates from stand-alone directory listing orders.

For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

Calculation

Update Interval = (a - b)

- a = Completion Date and Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period

Report Structure

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained
Relating to CLEC Experience

- Database File Submission Time
- Database File Update Completion Time
- CLEC Number of Submissions
- Total Number of Updates

Relating to BellSouth Performance

- Database File Submission Time
- Database File Update Completion Time
- BellSouth Number of Submissions
- Total Number of Updates

SQM Disaggregation - Analog/Benchmark
SQM Level of Disaggregation

- Database Type
- LIDB
- Directory Listings
- Directory Assistance

SQM Analog/Benchmark

Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark
SEEM Disaggregation

- Not Applicable.....

SEEM Analog/Benchmark

Not Applicable

D-2: Percent Database Update Accuracy

Definition

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of completed CLEC Service Orders in a manual review. This manual review is not conducted on BellSouth Service Orders.

Exclusions

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- CLEC orders that had CLEC errors
- BellSouth updates associated with internal or administrative use of local services.

Business Rules

For each update reviewed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is “completed without error” if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of completed CLEC Service Orders is pulled each month. This metric includes updates from stand-alone directory listing orders.

Calculation

Percent Update Accuracy = $(a / b) \times 100$

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

Report Structure

- CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Report Month
- CLEC Order Number (so_nbr) and PON (PON)
- Local Service Request (LSR)
- Order Submission Date
- Number of Orders Reviewed

Note: Code in parentheses is the corresponding header found in the raw data file.

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Database Type 95% Accurate
 - LIDB
 - Directory Listings
 - Directory Assistance

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

Definition

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

Exclusions

- Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- Expedite requests

Business Rules

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration - Dispatch In database.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = $(a / b) \times 100$

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)
- Geographic Scope
 - Region

Data Retained**Relating to CLEC Experience**

- Company Name
- Company Code
- NPA/NXX
- LERG Effective Date
- Loaded Date

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark**SQM Level of Disaggregation****SQM Analog/Benchmark**

- Geographic Scope 100% by LERG Effective Date
- Region

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark**SEEM Disaggregation****SEEM Analog/Benchmark**

- Not Applicable..... Not Applicable

Section 8: E911

E-1: Timeliness

Definition

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Timeliness = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report Month
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- None Parity by Design

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

E-2: Accuracy

Definition

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Accuracy = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report Month
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- None Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
-------------	---------------	----------------

No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

E-3: Mean Interval

Definition

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

Exclusions

- Any resale order canceled by a CLEC
- Facilities-based CLEC orders

Business Rules

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted in 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

Calculation

E911 Interval = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

E911 Mean Interval = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

Report Structure

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

Data Retained

- Report Month
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- None Parity by Design

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

Section 9: Trunk Group Performance

TGP-1: Trunk Group Performance-Aggregate

Definition

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing, not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

- This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem.....	CLEC Switch
Category 5:	BellSouth Access Tandem.....	CLEC Switch

Category 10:..... BellSouth End Office BellSouth Local Tandem

Category 16:..... BellSouth Tandem..... BellSouth Tandem

BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:.....	BellSouth End Office	BellSouth Local Tandem
Category 16:.....	BellSouth Tandem.....	BellSouth Tandem

Calculation
Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Aggregate
- BellSouth Aggregate
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained
Relating to CLEC Experience

- Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Related to BellSouth Performance

- Report Month
- Total Trunk Groups
- Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- CLEC Aggregate
- BellSouth Aggregate

SQM Analog/Benchmark

Any consecutive 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- CLEC Aggregate
- BellSouth Aggregate

SEEM Analog/Benchmark

Any consecutive 2 hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1,3,4,5,10,16 for CLECs and 9 for BellSouth

TGP-1: Trunk Group Performance-Aggregate

TGP-2: Trunk Group Performance – CLEC Specific

Definition

The Trunk Group Performance report displays, over a reporting cycle, CLEC specific, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

Exclusions

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing not blocked

Business Rules

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

Trunk Categorization:

- This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group’s end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

CLEC Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem.....	CLEC Switch
Category 5:	BellSouth Access Tandem.....	CLEC Switch
Category 10:.....	BellSouth End Office	BellSouth Local Tandem

Category 16:..... BellSouth Tandem..... BellSouth Tandem

BellSouth Affecting Categories:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:.....	BellSouth End Office	BellSouth Local Tandem
Category 16:.....	BellSouth Tandem.....	BellSouth Tandem

Calculation**Monthly Average Blocking:**

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

Report Structure

- CLEC Specific
 - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

Data Retained**Relating to CLEC Experience**

- Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

Relating to BellSouth Performance

- Report Month
- Total Trunk Groups
- Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- CLEC Trunk Group

SQM Analog/Benchmark

Any 2 consecutive hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

- CLEC Trunk Group
- BellSouth Trunk Group

SEEM Analog/Benchmark

Any 2 consecutive hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

TGP-2: Trunk Group Performance-CLEC Specific

Section 10: Collocation

C-1: Collocation Average Response Time

Definition

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within the number of calendar days as designated by the Collocation order after having received a bona fide application for physical collocation, BellSouth must respond with space availability and a price quote.

Exclusions

Any application canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

Calculation

Response Time = (a - b)

- a = Request Response Date
- b = Request Submission Date

Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- Report period
- Aggregate data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- State
- Virtual-Initial.....
- Virtual-Augment.....
- Physical Caged-Initial
- Physical Caged-Augment
- Physical-Cageless-Initial
- Physical Cageless-Augment

SQM Analog/Benchmark

- Virtual - 15 Calendar Days
- Physical Caged - 15 Calendar Days
- Physical Cageless - 15 Calendar Days

SEEM Measure

SEEM Tier I Tier II

No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

C-2: Collocation Average Arrangement Time

Definition

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

Calculation

Arrangement Time = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

Report Structure

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 60 Calendar Days
• Virtual-Initial	Virtual-Augment - 60 Calendar Days (Without Space Increase)
• Virtual-Augment	Virtual-Augment - 60 Calendar Days (With Space Increase)
• Physical Caged-Initial	Physical Caged - 90 Calendar Days (Ordinary)
• Physical Caged-Augment	Physical Caged-Augment - 45 Calendar Days (Without Space Increase)
• Physical Cageless-Initial	Physical Caged-Augment - 90 Calendar Days (With Space Increase)
• Physical Cageless-Augment	Physical Cageless - 90 Calendar Days
	Physical Cagedless-Augment - 45 Calendar Days (Without

Space Increase)
Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)

SEEM Measure

SEEM Tier I Tier II

No.....

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

C-2: Collocation Average Arrangement Time

C-3: Collocation Percent of Due Dates Missed

Definition

Measures the percent of missed due dates for both virtual and physical collocation arrangements

Exclusions

Any Bona Fide firm order canceled by the CLEC

Business Rules

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

Calculation

% of Due Dates Missed = (a / b) X 100

- a = Number of Completed Orders that were not completed by BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

Report Structure

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- Geographic Scope
 - State

Data Retained

- Report Period
- Aggregate Data

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- State >= 95% on time
- Virtual-Initial
- Virtual- Augment
- Physical Caged- Initial
- Physical Caged- Augment
- Physical Cageless- Initial
- Physical Cageless- Augment

SEEM Measure

SEEM	Tier I	Tier II
Yes	X	X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- All Collocation Arrangements>= 95% on time

C-3: Collocation Percent of Due Dates Missed

Section 11: Change Management

CM-1: Timeliness of Change Management Notices

Definition

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

Business Rules

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... 98% on time

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Region..... 98% on time

CM-2: Change Management Notice Average Delay Days

Definition

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

Exclusions

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

Business Rules

This metric is designed to compute the average delay days for change management notices sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- Region..... <= 5 Days

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

CM-2: Change Management Notice Average Delay Days

CM-3: Timeliness of Documents Associated with Change

Definition

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

Exclusions

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Timeliness of Documents Associated with Change = $(a / b) \times 100$

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... 98% on Time

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Region..... 98% on Time

CM-4: Change Management Documentation Average Delay Days

Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

Exclusions

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

Business Rules

This metric is designed to compute the average delay days for business rule documentation sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

Calculation

Change Management Documentation Delay Days = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

Report Structure

- BellSouth Aggregate
- Geographic Scope
 - Region

Data Retained

- Report Period
- Notice Date
- Release Date

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... <= 5 Days

CM-5: Notification of CLEC Interface Outages

Definition

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

Exclusions

None

Business Rules

This metric measures the process of notifying CLECs of an interface outage as defined by the Change Control Process Documentation. BellSouth has 15 minutes to notify the CLECs via email, once the Help Desk has verified the existence of an outage. An outage is verified to exist when on or more of the following conditions occur:

1. BellSouth can duplicate a CLEC reported error.
2. BellSouth finds an error message within the system error log that identifiably matches a CLEC reported outage.
3. When 3 or more CLECs report the identical type of outage.
4. BellSouth detects a problem due to the loss of functionality for users of a system.

Note: The 15 minute clock begins once a CLEC reported or a BellSouth detected outage has lasted for 20 minutes and has been verified. If the outage is not verified within 20 minutes, the clock begins at the point of verification.

This metric will be expressed as a percentage.

Calculation

Notification of CLEC Interface Outages = $(a / b) \times 100$

- a = Number of Interface Outages where CLECs are notified within 15 minutes
- b = Total Number of Interface Outages

Report Structure

- CLEC Aggregate
- Geographic Scope
 - Region

Data Retained

Relating to CLEC Experience

- Number of Interface Outages
- Number of Notifications \leq 15 minutes

Relating to BellSouth Performance

- Not Applicable

SQM Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- By interface type for all interfaces accessed by CLECs 97% <= 15 Minutes

Interface	Applicable to
EDI.....	CLEC
CSOTS	CLEC
LENS.....	CLEC
TAG	CLEC
ECTA.....	CLEC
TAFI.....	CLEC/BellSouth

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

CM-5: Notification of CLEC Interface Outages

CM-6: Percent of Software Errors Corrected in “X” (10, 30, 45) Business Days

Definition

Measures the percent of all outstanding Software Errors due and overdue to be corrected by BellSouth in “X” (10, 30, 45) business days within the monthly report period.

Exclusions

- Software Corrections having implementation intervals that are longer than those defined in this measure and agreed upon by the CLECs
- Rejected or reclassified software errors (BellSouth must report the number of rejected or reclassified software errors disputed by the CLECs)

Business Rules

This metric is designed to measure BellSouth’s performance each month in correcting identified Software Errors within the specified interval. The clock starts when a Software Error validated per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html, and stops when the error is corrected and notice posted to the Change Control Website. The monthly report should include all defects due and overdue to be corrected within the report period. Software defects are defined as Type 6 Change Requests in the Change Control Process.

Calculation

Percent of Software Errors Corrected in “X” (10, 30, 45) Business Days = (a / b) X 100

- a = Total number of Software Errors Corrected where “X” = 10, 30, or 45 Business Days.
- b = Total number of Software Errors requiring correction where “X” = 10, 30, or 45 Business Days.

Report Structure

- Severity 2 = 10 Business Days
- Severity 3 = 30 Business Days
- Severity 4 = 45 Business Days

Data Retained

- Report Period
- Total Completed
- Total Completed within “X” Business Days
- Disputed, Rejected or Reclassified Software Errors

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region..... 95% within interval

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Region.....95% within interval

CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

Definition

Measures the percent of Change Requests other than Type 1 or Type 6 Change Requests, submitted by CLECs that are Accepted or Rejected by BellSouth in 10 business days within the report period.

Exclusions

- Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

The Acceptance/Rejection interval starts when the acknowledgement is due to the CLEC per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. The clock ends when BellSouth issues an acceptance or rejection notice to the CLEC. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the reporting period.

Calculation

Percent of Change Requests Accepted or Rejected within 10 Business Days = (a / b) X 100

- a = Total number of Change Requests accepted or rejected within 10 business days
- b = Total number of Change Requests submitted in the reporting period

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Requests Accepted or Rejected
- Total Requests

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region.....95% within interval

SEEM Measure

SEEM	Tier I	Tier II
Yes		X

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Region.....95% within interval

CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

CM-8: Percent Change Requests Rejected

Definition

Measures the percent of Change Requests (other than Type 1 or Type 6 Change Requests) submitted by CLECs that are rejected by reason within the report period.

Exclusions

- Change Requests that are canceled or withdrawn before a response from BellSouth is due.

Business Rules

This metric includes any rejected change requests in the reporting period, regardless of whether received early or late. The metric will be disaggregated by major categories of rejections per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html. These reasons are: Cost, Technical Feasibility, and Industry Direction. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the same reporting period.

Calculation

Percent Change Requests Rejected = (a / b) X 100

- a = Total number of Change Requests rejected
- b = Total number of Change Requests submitted within the report period

Report Structure

- BellSouth Aggregate
- Cost
- Technical Feasibility

Data Retained

- Report Period
- Requests Rejected
- Total Requests

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- Region.....
- Reason – Cost
- Reason – Technical Feasibility
- Reason – Industry Direction

SQM Analog/Benchmark

Diagnostic

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

CM-8: Percent Change Requests Rejected

CM-9: Number of Defects in Production Releases (Type 6 CR)

Definition

Measures the number of defects in Production Releases. This measure will be presented as the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definition of Type 6 Change Requests (CR) and Severity 1, Severity 2, and Severity 3 defects can be found in the Change Control Process Document.

Exclusions

None

Business Rules

This metric measures the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definitions of Type 6 Change Requests (CR) and Severity 1, 2, and 3 defects can be found in the Change Control Process, which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

The number of Type 6 Severity 1 Defects, the number of Type 6 Severity 2 Defects without a mechanized work around, and the number of Type 6 Severity 3 defects.

Report Structure

- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

Data Retained

- Region
- Report Period
- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region—Number of Type 6 Severity 1 Defects..... 0 Defects
- Region—Number of Type 6 Severity 2 Defects..... 0 Defects without a mechanized work around
- Region—Number of Type 6 Severity 3 Defects..... 0 Defects

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable Not Applicable

CM-9: Number of Defects in Production Releases (Type 6 CR)

CM-10: Software Validation

Definition

Measures software validation test results for Production Releases of BellSouth Local Interfaces.

Exclusions

None

Business Rules

BellSouth maintains a test deck of transactions that are used to validate that functionality in software Production Releases work as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics. Within the software validation metric weight factors will be allocated among transaction types (e.g., Pre-Order, Order Resale, Order UNE, Order UNE-P) and then equally distributed across transactions within the specific type.

BellSouth will begin to execute the software validation test deck within one (1) business day following a Production Release. Test deck transactions will be executed using Production Release software in the CAVE environment. Within seven (7) business days following completion of the Production Release software validation test in CAVE, BellSouth will report the number of test deck transactions that failed. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

The test deck scenario weight table can be found in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp_live/index.html.

Calculation

This software validation metric is defined as the ratio of the sum of the weights of failed transactions using Production Release software in CAVE to the sum of the weights of all transactions in the test deck.

- Numerator = Sum of weights of failed transactions
- Denominator = Sum of weights of all transactions in the test deck

Report Structure

- BellSouth Aggregate

Data Retained

- Report Period
- Production Release Number
- Test Deck Weights
- % Test Deck Weight Failure

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

- Region <= 5%

SQM Analog/Benchmark

SEEM Measure

SEEM	Tier I	Tier II
No.....		

SEEM Disaggregation

SEEM Analog/Benchmark

- Not Applicable..... Not Applicable

CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization

Definition

Measures whether BellSouth provides CLECs timely implementation of prioritized change requests.

Exclusions

- Change requests that are implemented later than 60 weeks with the consent of the CLECs
- Change requests for which BellSouth has regulatory authority to exceed the interval

Business Rules

This metric is designed to measure BellSouth's monthly performance in implementing prioritized change requests. The clock starts when a change request has first been prioritized as described in the Change Control Process. The clock stops when the change request has been implemented by BellSouth and made available to the CLECs. BellSouth will begin reporting this monthly measure with the next release for diagnostic purposes, and will be measured for SEEM purposes 60 weeks from first prioritization meeting following Commission approval of this measure.

Calculation

Percent of Type 5 CLEC initiated Change Requests implemented on time = $(a / b) \times 100$

- a = Total number of prioritized Type 5 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of their first prioritization plus all other prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 5 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Percent of Type 4 BellSouth initiated Change Requests implemented on time = $(a / b) \times 100$

- a = Total number of prioritized Type 4 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of the release prioritization list plus all other Type 4 prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 4 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

Report Structure

- BellSouth Aggregate
- Type 4 requests implemented
- Type 5 requests implemented
- % implemented within 16, 32, 48, and 60 weeks

Data Retained

- Region
- Report Month
- Total implemented by type
- Total implemented within 60 weeks

SQM Level of Disaggregation - Analog/Benchmark

SQM Level of Disaggregation

SQM Analog/Benchmark

- Region.....95% within interval
- Type 4 requests implemented95% within interval
- Type 5 requests implemented95% within interval

SEEM Measure

SEEM	Tier I	Tier II	Tier III
Yes		X.....	

SEEM Disaggregation

SEEM Analog/Benchmark

- Region.....95% within interval

CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization

Appendix A: Reporting Scope

A-1: Standard Service Groupings

See individual reports in the body of the SQM.

A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

Service Order Activity Types

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

Pre-Ordering Query Types

- Address
- Telephone Number
- Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

Maintenance Query Types

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
 - DLR
 - DLETH
 - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

Report Levels

- CLEC RESH
- CLEC State
- CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- BellSouth Region

Appendix B: Glossary of Acronyms and Terms

Symbols used in calculations

Σ

A mathematical symbol representing the sum of a series of values following the symbol.

-

A mathematical operator representing subtraction.

+

A mathematical operator representing addition.

/

A mathematical operator representing division.

<

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

<=

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

>

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

>=

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

()

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

A

ACD

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

ALEC

Alternative Local Exchange Company = FL CLEC

ADSL

Asymmetrical Digital Subscriber Line

ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

ATLAS

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

ATLASTN

ATLAS software contract for Telephone Number.

Auto Clarification

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

B**BFR:**

Bona Fied Request

BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

BOCRIS

Business Office Customer Record Information System (Front-end to the CRIS database.)

BRI

Basic Rate ISDN

BRC

Business Repair Center – The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

BellSouth

BellSouth Telecommunications, Inc.

C**CABS**

Carrier Access Billing System

CCC

Coordinated Customer Conversions

CCP

Change Control Process

Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

CKTID

A unique identifier for elements combined in a service configuration

CLEC

Competitive Local Exchange Carrier

CLP

Competitive Local Provider = NC CLEC

CM

Change Management

CMDS

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

COFFI

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

CRIS

Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

CRSACCTS

CRIS software contract for CSR information

CRSG

Complex Resale Support Group

C-SOTS

CLEC Service Order Tracking System

CSR

Customer Service Record

CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

D**DA**

Directory Assistance

DESIGN

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

DISPOSITION & CAUSE

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

DLR

Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

DSAP

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

DSAPDDI

DSAP software contract for schedule information.

DSL

Digital Subscriber Line

DUI

Database Update Information

E**E911**

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

ESSX

BellSouth Centrex Service

F G**Fatal Reject**

The number of LSRs that were electronically rejected from LEO, which checks to see if the LSR has all the required fields correctly populated.

Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

FOC

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

FX

Foreign Exchange

H**HAL**

“Hands Off” Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

HALCRIS

HAL software contract for CSR information

HDSL

High Density Subscriber Loop/Line

I J K**ILEC**

Incumbent Local Exchange Company

INP

Interim Number Portability

ISDN

Integrated Services Digital Network

IPC

Interconnection Purchasing Center

L**LAN**

Local Area Network

LAUTO

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

LEO

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

LERG

Local Exchange Routing Guide

LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

LFACS

Loop Facilities Assessment and Control System

LIDB

Line Information Database

LMOS

Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

LMOS HOST

LMOS host computer

LMOSupd

LMOS update allows trouble tickets on line records to be entered into LMOS.

LMU

Loop Make-up

LMUS

Loop Make-up Service Inquiry

LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

LNP Gateway

Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.

LOOPS

Transmission paths from the central office to the customer premises.

LRN

Location Routing Number

LSR

Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

M**Maintenance & Repair**

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

MARCH

A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

N**NBR**

New Business Request

NC

“No Circuits” - All circuits busy announcement.

NIW

Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.

NMLI

Native Mode LAN Interconnection

NPA

Numbering Plan Area

NXX

The “exchange” portion of a telephone number.

O**OASIS**

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

OASISBSN

OASIS software contract for feature/service

OASISNET

OASIS software contract for feature/service

OASISOCP

OASIS software contract for feature/service

ORDERING

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

Order Types

The following order types are used in this document:

- (1). T - The “to” portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A “T” Order Type is always paired with an “F” Order Type which will have the same telephone number following the “F” Order Type Code unless the orders are within different states.
- (2). N - Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.
- (3). C - Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer’s request.
- (4). R - Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no “field work” is involved.

OSPCM

Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and

application which is used to provide the support functions.

OUT OF SERVICE

Customer has no dial tone and cannot call out.

P Q**PMAP**

Performance Measurement Analysis Platform

PON

Purchase Order Number

POTS

Plain Old Telephone Service

PREDICTOR

A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

Preordering

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

PRI

Primary Rate ISDN

Provisioning

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

PSIMS

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

PSIMSORB

PSIMS software contract for feature/service.

R**RNS**

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

ROS

Regional Ordering System

RRC

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

RSAGADDR

RSAG software contract for address search.

RSAGTN

RSAG software contract for telephone number search.

S**SAC**

Service Advocacy Center

SEEM

Self Effectuating Enforcement Mechanism

SOCS

Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

SONGS

Service Order Negotiation and Generation System.

Syntactically Incorrect Query

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

T**TAFI**

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

TN

Telephone Number

Total Manual Fallout

The number of LSRs which are entered electronically but require manual entering into a service order generator.

U V**UNE**

Unbundled Network Element

UCL

Unbundled Copper Link

USOC

Universal Service Order Code

W X Y Z**WATS**

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.

Appendix C: BellSouth Audit Policy

C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

1. Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing measurements.
2. Production addresses the quality assurance steps used to create monthly SQM reports.
3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

1. The cost shall be borne by BellSouth.
2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM, PMAP and SEEM produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.

Appendix D: OSS Tables

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

Table 1: Legacy System Access Times For RNS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP-DDI	Schedule	X	X	X	X	X
CRIS	CRSACCTS	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

Table 2: Legacy System Access Times For R0S

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP-DDI	Schedule	X	X	X	X	X
CRIS	CRSOCSR	CSR	X	X	X	X	X
OASIS	OASISBIG	Feature/Service	X	X	X	X	X

Table 3: Legacy System Access Times For LENS

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
DSAP	DSAP	Schedule	X	X	X	X	X
CRIS	CRSECSRL	CSR	X	X	X	X	X
COFFI	COFFI/USOC	Feature/Service	X	X	X	X	X
P/SIMS	PSIMS/ORB	Feature/Service	X	X	X	X	X

Table 4: Legacy System Access Times For TAG

System	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	X	X
ATLAS	ATLAS-TN	TN	X	X	X	X	X
ATLAS	ATLAS-MLH	TN	X	X	X	X	X
ATLAS	ATLAS-DID	TN	X	X	X	X	X
DSAP	DSAP-DDI	Schedule	X	X	X	X	X
CRIS	TAG-CSR	CSR	X	X	X	X	X
P/SIMS	PSIM/ORB	Feature/Service	X	X	X	X	X

OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

SEEM OSS Legacy System

System	BellSouth	CLEC
Telephone Number/Address		
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
Atlas	RNS,ROS	TAG, LENS
Appointment Scheduling		
DSAP	RNS, ROS	TAG, LENS
CSR Data		
CRSACCTS	RNS	
CRSOCSR	ROS	
CRSECSRL		LENS
TAG-CSR		TAG
Service/Feature Availability		
OASISBIG	RNS, ROS	
PSIMS/ORB, COFFI		LENS, TAG

OSS-2: OSS Availability (Pre-Ordering/Ordering)

OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	x
LENS	CLEC	x
LEO	CLEC	x
LESOG	CLEC	x
PSIMS	CLEC	x
TAG	CLEC	x
LNP Gateway	CLEC	x
COG	CLEC	x
SOG	CLEC	x

DOM	CLEC	X
DOE	CLEC/BellSouth	X
CRIS	CLEC/BellSouth	X
ATLAS/COFFI	CLEC/BellSouth	X
BOCRIS	CLEC/BellSouth	X
DSAP	CLEC/BellSouth	X
RSAG	CLEC/BellSouth	X
SOCS	CLEC/BellSouth	X
SONGS	CLEC/BellSouth	X
RNS	BellSouth	X
ROS	BellSouth	X

OSS-2: OSS Availability (Pre-Ordering/Ordering)

SEEM OSS Availability

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	X
DOM	CLEC	X

OSS-3: OSS Availability (Maintenance & Repair)

OSS Availability (M&R)

OSS Interface	% Availability
BellSouth TAFI.....	X
CLEC TAFI.....	X
CLEC ECTA.....	X
BellSouth & CLEC	
CRIS.....	X
LMOS HOST.....	X
LNP Gateway.....	X
MARCH.....	X
OSPCM.....	X
PREDICTOR.....	X
SOCS.....	X

OSS-3: OSS Availability (Maintenance & Repair)

SEEM OSS Availability (M&R)

OSS Interface	% Availability
CLEC TAFI.....	X
CLEC ECTA.....	X

OSS-4: Response Interval (Maintenance & Repair)

Legacy System Access Times for M&R

System	BellSouth & CLEC	Count					Avg. Int.
		<= 4	> 4 <= 10	<= 10	> 10	> 30	
CRIS	x	X	X	X	X	X	X
DLETH	x	X	X	X	X	X	X
DLR	x	X	X	X	X	X	X
LMOS	x	X	X	X	X	X	X
LMOSupd	x	X	X	X	X	X	X
LNP	x	X	X	X	X	X	X
MARCH	x	X	X	X	X	X	X
OSPCM	x	X	X	X	X	X	X
Predictor	x	X	X	X	X	X	X
SOCS	x	X	X	X	X	X	X
NIW	x	X	X	X	X	X	X

TAFI

System	Open Trouble Ticket	Status Trouble Ticket	Mechanized Line Testing	Close Trouble Ticket
CRIS	x			
DLETH	x			
DLR	x			
LMOS	x	x		x
LMOSSupd	x	x	x	x
LNP	x			
MARCH	x			
OSPCM	x	x		
Predictor	x	x		
SOCS	x	x		
NIW	x			

Note: Depending on the type of customer report multiple systems maybe touched in one transaction.



Appendix E: LSR Flow-Through Matrix
(as of May 13, 2003)

Tennessee Performance Metrics

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
2 wire analog DID trunk port	U	F	N	No	UNE	Yes	NA	N	N	N	
2 wire analog port	U	F	N	No	UNE	No	Yes	Y	Y	Y	
2 wire ISDN digital line	U	A	N,T	No	UNE	Yes	NA	N	N	N	
2 wire ISDN digital loop	U	A	N,C,D	Yes	UNE	Yes	No	Y	Y	N	
2 wire ISDN digital loop - LNP	U	B	V,P,Q	Yes	UNE	Yes	No	Y	Y	N	
3 Way Calling	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
3rd Party Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Y	Y	Y	
4 wire analog voice grade loop	U	A	T	No	UNE	Yes	Yes	Y	Y	N	
4 wire analog voice grade loop	U	A	N	Yes	UNE	Yes	No	Y	Y	N	
4 wire DS1 & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4 wire DSO & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4 wire ISDN DSI digital trunk ports	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT DS1	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT TRUNK SERVICE	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
900 Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Y	Y	Y	
Accupulse	C	E	N,C,T,V,W	No	Yes	Yes	NA	N	N	N	
ADSL	R,B,C	E	V,W,D	Yes	C/S	C/S	No	Y	Y	Y	NOTE THIS PRODUCT CAN BE ORDERED FOR RES/BUS AND CENTREX
Analog Data/Private Line	C	E	N,C,T,V,W,D	No	Yes	Yes	NA	N	N	N	
Area Plus	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
ATM (ASYNCHRONOUS TRANFER MODE)	C	E	N,C,V,W,D	No	Yes	Yes	NA	N	N	N	
Basic Rate ISDN *Unbundled	U	A	T	No	Yes	Yes	Yes	Y	Y	N	
Basic Rate ISDN *Unbundled	U	A	N,V,D	Yes	UNE	Yes	No	Y	Y	Y	
Basic Rate ISDN *Unbundled	U	A	C,T	No	UNE	Yes	Yes	Y	Y	Y	
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	Manual
Basic Rate ISDN 2 Wire	C	E	N,C, D,T,V,P,Q	No	Yes	Yes	Yes	Y	Y	Y	



**Appendix E: LSR Flow-Through Matrix
(as of May 13, 2003)**

Tennessee Performance Metrics

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
BELLSOUTH CHANNELIZED TRUNKS	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Call Block	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Forwarding	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Return	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Selector	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Tracing	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Waiting	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Call Waiting Deluxe	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Caller ID	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
BELLSOUTH CENTREX*	C	P	N,C,D,W,T,S,B,L,V,P	No	Yes	Yes	NA	N	N	N	
UNE P CENTREX	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Collect Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Y	Y	Y	
DID	C	N	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	Y	
2-WIRE DIRECT INWARD DIAL (DID) TRUNK PORT AND VOICE GRADE LOOP COMBINATION	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Digital Data Transport	U	E	N,C,T,V,W	No	UNE	Yes	NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) DS1	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) TRUNK SERVICE	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Directory Listing Indentions	B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	N,C,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	T	No	No	No	Yes	Y	Y	N	
Directory Listings Captions	R,B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y	
DIFFERENT PREMISE ADDRESS (DPA)	C	E	N,C,D,V,W,T	No	Yes	Yes	NA	N	N	N	
DS1Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	Y	
DS3	U	A	N,C,V	No	UNE	Yes	NA	N	N	N	
DSO Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	Y	
DSO Loop	U	A	C,T	No	No	No	Yes	Y	Y	Y	
Enhanced Caller ID	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	



**Appendix E: LSR Flow-Through Matrix
(as of May 13, 2003)**

Tennessee Performance Metrics

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
Enhanced Extended Links (EELS)	U	A	C,D,N,T,V	Yes	No	No	No	Y	Y	Y	
ESSX	C	P	C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	N	N	N	
Flat Rate/Business	B	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Y	Y	Y	
Flat Rate/Residence	R	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Y	Y	Y	
FLEXSERV	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Frame Relay	C	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
FX/FCO	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
UNE P FX/FCO (RES,BUS,PBX) (NOTE: THIS PRODUCT WILL NOT BE AVAILABLE UNTIL 08--01-02)	C	M	N,C,V,D,T,S,B,L,W,Y,P,Q	No	Yes	Yes	NA	N	N	N	
Ga. Community Calling	R,B	M	C,D,N,V,W,P,Q	No	No	No	NA	N	N	N	
Ga. Community Calling	R,B	E	T	No	No	No	Yes	Y	Y	N	
HDSL	U	A	T	No	UNE	No	Yes	Y	Y	N	
HDSL	U	A	N,C,D,V	Yes	UNE	No	No	Y	Y	Y	
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S ⁴	C/S	Yes	Y	Y	N	
Hunting Series Completion	R,B	E, M	C,D,N,V,W	Yes	C/S	C/S	No	Y	Y	Y	
Hunting Series Completion	R,B	E, M	T	No	No	No	Yes	Y	Y	N	
INP to LNP Conversion	U	C	C	No	UNE	Yes	Yes	Y	Y	N	
LightGate	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Line Sharing	U	A	N,C,D,V,P,Q	Yes	UNE	No	No	Y	Y	Y	
Line Splitting	U	A	N,C,D	Yes	UNE	No	No	Y	Y	Y	
LNP With Complex Listing	U	C	P,V,Q	No	UNE	Yes	Yes	Y	Y	N	
LNP with Complex Services	U	C	P,V,Q	No	UNE	Yes	Yes	Y	Y	N	
LNP with Partial Migration	U	C	P,V,Q	No	UNE	Yes	Yes	Y	Y	N	
LNP	U	C	P,V,Q	Yes	UNE	Yes	No	Y	Y	N	
Local Number Portability (INP to LNP)	U	C	C	No	UNE	No	Yes	Y	Y	N	
INP	U	B,C	D	No	UNE	No	Yes	Y	Y	N	
Loop+LNP	U	B	V,P,Q	Yes	UNE	No	No	Y	Y	N	
Measured Rate/Bus	R,B	E,M	C,D,N,V,W,P,Q,T Y,B,L,S,D	Yes	No	No	No	Y	Y	Y	



Appendix E: LSR Flow-Through Matrix
(as of May 13, 2003)

Tennessee Performance Metrics

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
Measured Rate/Res	R,B	E,M	C,D,N,V,W,P,Q,T Y,B,L,S,D	Yes	No	No	No	Y	Y	Y	
Megalink POINT TO POINT	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Megalink CHANNELIZED	C	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Memory Call	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Memory Call Ans. Svc.	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Multiserv	C	P	N,C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	N	N	N	
Native Mode LAN Interconnection (NMLI)	C	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
Off-Prem Stations	C	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N	
Optional Calling Plan	R,B	E, M	N,V,P,Q,W	Yes	No	No	No	Y	Y	Y	
Package/Complete Choice and Area Plus	R,B	E, M	N,C,V,W,P,Q	Yes	No	No	No	Y	Y	Y	
Package/Complete Choice and Area Plus	R,B	E, M	T	No	No	No	Yes	Y	Y	N	
Pathlink/ Primary Rate ISDN	C	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
4-WIRE ISDN PRI UNE COMBO	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Pay Phone Provider	B	E,M	C,D,T,N,V,W,P,Q	Yes	No	No	No	Y	Y	Y	
PBX Standalone Port	C	F	N,C,D	No	Yes	Yes	Yes	Y	Y	N	
PBX Trunks	C	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Y	Y	N	
PIC/LPIC Change	R,B,C	E,M	C,V,P,Q,T	Yes	No	No	No	Y	Y	Y	
PIC/LPIC Freeze	R,B,C	E,M	N,C,V,P,Q,T	Yes	No	No	No	Y	Y	Y	
PORT/LOOP COMBO 2-WIRE PBX	C	M	N,C,D,V	No	No	No	Yes	Y	Y	N	
Port/Loop Simple	U	M	N,C,D,V	Yes	No	No	No	Y	Y	Y	
Preferred Call Forward	R,B,U	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
RCF Basic	R,B	E,M	N,D,W,V,P,Q,T	No	No	No	Yes	Y	Y	N	
Remote Access to CF	R,B	E,M	C,D,N,V,W,P,Q,T	No	No	No	NA	Y	Y	N	
Repeat Dialing	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Ringmaster	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Smartpath	R,B	E	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N	
SmartRING	C	E	N,D,C,V,W	No	Yes	Yes	NA	N	N	N	
Speed Calling	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Synchronet	C	E	N,D,C,V,W	No	Yes	Yes	Yes	Y	Y	N	
Three Way Call Block	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	N	

Tennessee Performance Metrics

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T ³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING ¹	EDI	TAG ²	LENS ⁴	COMMENTS
Tie Lines	C	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	N	
TOLL FREE DIALING (TFD)	C	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
Touchtone	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	D,N,V	Yes	UNE	No	No	Y	Y	Y	
Unbundled Loop-Analog 2W, SL1,SL2	U	A,B	C **	Yes	UNE	No	Yes	Y	Y	Y	
Unbundled Universal Digital Channel (UDC) Loop	U	A	N,D	Yes	UNE	No	No	Y	Y	Y	
WATS*	C	E	W,D,N,C,V	No	Yes	Yes	NA	N	N	N	
XDSL	U	A,B	N,C,V,D	Yes	UNE	No	No	Y	Y	Y	
XDSL	U	A,B	T	No	No	No	Yes	Y	Y	N	

Product: U-UNE; C-Complex; B-Business; R-Residence

Reqtype: A-Loop; B-Loop with LNP/INP; C-LNP/INP; E-Resale; F-Port; J-Directory Listing and Directory Assistance; M-UNE-P; N-DID Resale; P-Centrex Resale, ACT: N-New installation-; C-Change an existing account; D-Disconnection; T-Outside move of end user location; R-Record activity is for ordering administrative changes; V-Conversion of service to new LSP as specified; W-Conversion of service to new LSP "as is"; S-Suspend; B-Restore; Y-Deny; L-Seasonal Suspend; P-Partial Migration (initial); Q-Partial Migration (subsequent)

Note 1: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow-through due to the complexity of the service.

Note 2: The TAG column includes thse LSRs submitted via Robo TAG.

Note 3: For all services that indicate 'No' for flow-through, the following reasons, in addition to complex services or complex order, also prompt manual handling: Expedites from CLECs, special pricing plans, partial migrations (although conversions-as-is flow through for issue 9 unless migrating the main TN and a new TN must be assigned), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, pending order review required (Example: Any pending service order (PSO) not related to current PON, pending service order (PSO) with multiple service orders pending related to current PON and SUP received), more than 25 business lines and more than 15 loops, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings with Indentions or Captions, , transfer of calls option for CLEC end user – new TN not yet posted to CRIS.

Note 4: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

Note 5: The following list of items will not FT:

LSRs with Project or RPON fields populated

**SL1 REQ TYP A, ACT C, LNA N, C, or D

**SL2 REQ TYP A, ACT C, LNA C

REQ TYP B, C, ACT P when migrating main telephone number

REQ TYP B, C ACT V with Complex

REQ TYP E, M, N and P; ACT = V, LNA = V (LNP to Resale/UNE Switched Combinations)

EXHIBIT 9

Attachment 5
Access to Numbers and Number Portability

TABLE OF CONTENTS

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS..... 3

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP) 3

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES..... 4

ACCESS TO NUMBERS AND NUMBER PORTABILITY

1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- 1.1 During the term of this Agreement, where WorldxChange is utilizing its own switch, WorldxChange shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, WorldxChange will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- 1.2 Where BellSouth provides local switching or resold services to WorldxChange, BellSouth will provide WorldxChange with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. WorldxChange acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. WorldxChange acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that WorldxChange return unused intermediate numbers to BellSouth. WorldxChange shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow WorldxChange to designate up to 100 intermediate telephone numbers per rate center for WorldxChange's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. WorldxChange acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry forums.
- 2.2 End User Line Charge. Where WorldxChange subscribes to BellSouth's local switching, BellSouth shall bill and WorldxChange shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff

No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- 2.3 To limit service outage, BellSouth and WorldxChange will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: <http://www.interconnection.bellsouth.com>. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and WorldxChange.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- 2.5 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- 2.6 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.7 BellSouth and WorldxChange will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

- 3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.