Amendment to the Interconnection Agreement Between BellSouth Telecommunications, Inc. and INET Communications, Inc.

This agreement (the "Amendment") is made and entered into between BellSouth Telecommunications, Inc. (BellSouth), a Georgia corporation, and INET Communications, Inc. (INET), a Georgia corporation and may refer to either BellSouth or INET or both as a "Party" or "Parties". This Amendment will be effective thirty (30) days from the date of last signature executing the Amendment.

WHEREAS, BellSouth and INET entered into the Agreement on July 4, 2004,

and;

WHEREAS, the Parties desire to amend the Agreement in order to modify provisions pursuant to the United States Court of Appeals for the District of Columbia Circuit's mandate, effective June 16, 2004, in the appeal of the Federal Communications Commission's (FCC) Order on Remand and Further Notice of proposed Rulemaking (Triennial Order) that was effective on October 2, 2003;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. Delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement, dated July 4, 2004, shall remain in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

INET Communications, Inc.

By:

Name: Kristen Rowe

Title: Director

08-23-04 Date:

By:

NATINA ADAMS Name:

Title: PRESIDENT

Date: 7-28-04

[CCCS Amendment 2 of 106]

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

RatesExhibit A				
8 .	OPERATIONAL SUPPORT SYSTEMS			
7.	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS) 33			
6.	<u>SS7 NETWORK INTERCONNECTION</u>			
5.	TRANSPORT			
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS			
3	LINE SHARING			
2	<u>UNBUNDLED LOOPS</u>			
1	INTRODUCTION			

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 <u>Introduction</u>

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements that BellSouth agrees to offer to INET in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to INET (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require INET to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 INET may not access a Network Element for the sole purpose of providing nonqualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of INET, and to the extent technically feasible, provide to INET access to its Network Elements for the provision of INET's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 INET may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to INET under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between INET and BellSouth.
- 1.6.1 Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.

- 1.7 INET may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(8) and (e)(5). If BellSouth has anticipated such RNMs and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A of this Attachment, then BellSouth shall perform such RNMs at no additional charge. RNMs shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNMs were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A of this Attachment, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the RNM.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

1.10 Commingling of Services

- 1.10.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that INET has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.10.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.10.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.10.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher bandwidth circuit and the Central Office Channel Interfaces

(COCI) will be billed from the same jurisdictional authorization (agreement or tariff) as the lower bandwidth circuit.

- 1.11 If INET reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge INET for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.
- 1.12 Rates
- 1.12.1 The prices that INET shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If INET purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.12.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.
- 1.12.3 If INET modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by INET in accordance with FCC No. 1 Tariff, Section 5.
- 1.12.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

2 <u>Unbundled Loops</u>

- 2.1 <u>General</u>
- 2.1.1 The local loop Network Element (Loop) is defined as a narrowband transmission facility (i.e., below the DS1 level) between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises. INET shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to INET on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by INET. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.
- 2.1.1.5 A hybrid loop is a local Loop, below the DS1 level, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide INET with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid loop on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.1.6 INET may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to INET's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <u>http://www.interconnection.bellsouth.com</u>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.4 The Loop shall be provided to INET in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If INET wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), INET may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by INET (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill INET for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

2.1.6 Loop Testing/Trouble Reporting

- 2.1.6.1 INET will be responsible for testing and isolating troubles on the Loops. INET must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, INET will be required to provide the results of the INET test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once INET has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If INET reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge INET for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by INET (e.g., incomplete

Page 8 address, incorrect contact name/number, etc.), BellSouth will bill INET for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

Attachment 2

2.1.7 Order Coordination and Order Coordination-Time Specific

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and INET to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to INET's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination – Time Specific" (OC-TS) allows INET to order a specific time for OC to take place. BellSouth will make every effort to accommodate INET's specific conversion time request. However, BellSouth reserves the right to negotiate with INET a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. INET may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If INET specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information	Charged for Dispatch inside and outside Central Office

					I age J
				Document	
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, INET must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by INET when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in INET's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to INET pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

2.1.9 Bulk Migration

2.1.9.1 If INET requests to migrate twenty-five (25) or more port/loop combination customers to Loops (UNE-L) in the same Central Office on the same due date, INET must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package. This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at <u>www.interconnection.bellsouth.com/guides/html/unes.html</u>. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

2.1.10 Ordering Guidelines and Processes

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, INET should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: <u>http://www.interconnection.bellsouth.com/</u>
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html

2.2 Unbundled Voice Loops (UVLs)

- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that INET will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by INET. INET may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- Page 11 For an additional charge BellSouth will make available Loop Testing so that INET may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to INET. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow INET to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.2.4

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. INET will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Effective Date of this Agreement may remain connected, maintained and repaired

according to BellSouth's TR73600 until such time as they are disconnected by INET or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. INET may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.

- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.4 Unbundled Copper Loops (UCL)

2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.

2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by INET.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by INET to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will

Page 13

include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop – Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by INET or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, INET can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that INET may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by INET to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 INET may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by INET which has over 6,000 feet of combined bridged tap will be modified, upon request from INET, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to INET. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.
- 2.5.4 INET may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If INET requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed

specifications of the requested loop facility as modified. INET will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.

- 2.5.8 INET shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that INET desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for INET, INET will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by INET is available at the location for which the ULM was requested, INET will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, INET will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving Integrated Digital Loop Carriers

- 2.6.1 Where INET has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to INET. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for INET (e.g. hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, nondesigned Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from INET, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. INET will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's premises wiring to BellSouth's distribution plant, such as a cross connect device used for

that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit INET to connect INET's Loop facilities to the End User's premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 INET may access the End User's premises wiring by any of the following means and INET shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow INET to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 INET may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be INET's responsibility to ensure there is no safety hazard, and INET will hold BellSouth harmless for any liability associated with the removal of the BellSouth

Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.

- 2.7.3.3 INET shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 INET shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with INET to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's premises and the distribution media and/or cross connect to INET's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. INET may request BellSouth to do additional work to the NID on a time and material basis. When INET deploys its own local Loops in a multiple-line termination device, INET shall specify the quantity of NID connections that it requires within such device.

2.8 Sub-loop Elements

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

2.8.2 Unbundled Sub-Loop Distribution

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade Unbundled Copper Sub-Loop Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If INET requests a UCSL and it is not available, INET may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from INET, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for INET's use on this cross-connect panel. INET will be responsible for connecting its facilities to the 25-pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, INET shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. INET's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by INET is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet INET's request, then BellSouth will perform the site set-up as described in the

CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before INET can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice INET's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, INET will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when INET requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by INET for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.

- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, INET will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate INET for each pair activated commensurate to the price specified in INET's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.

- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Unbundled Loop Concentration

2.8.4.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by INET, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

2.9 Loop Makeup

- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to INET LMU information so that INET can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment INET intends to install and the services INET wishes to provide. This section addresses LMU as a preordering transaction, distinct from INET ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique

from other preordering functions with associated SIs as described in this Agreement.

- 2.9.1.2 BellSouth will provide INET LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to INET as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 INET may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by INET and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee INET's ability to provide advanced data services over the ordered Loop type. Further, if INET orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. INET is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.2 Submitting Loop Makeup Service Inquiries

2.9.2.1 INET may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if INET needs further Loop information in order to determine Loop service capability, INET may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.

2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website: <u>http://interconnection.bellsouth.com/guides/html/unes.html</u>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

2.9.3 Loop Reservations

- 2.9.3.1 For a Mechanized LMUSI, INET may reserve up to ten (10) Loop facilities. For a Manual LMUSI, INET may reserve up to three (3) Loop facilities.
- 2.9.3.2 INET may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to INET. During and prior to INET placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If INET does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.
- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. INET will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, INET does not reserve facilities upon an initial LMUSI, INET's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where INET has reserved multiple Loop facilities on a single reservation, INET may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to INET, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by INET.

3 <u>Line Sharing</u>

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which INET provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice

service, with BellSouth using the low frequency portion of the loop and INET using the high frequency spectrum (as defined below) of the loop.

- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with INET. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, INET may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003 and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, INET may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with INET, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow INET the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications, Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. INET shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.
- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- BellSouth will provide Loop Modification to INET on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment.
 BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If INET requests that BellSouth modify a Loop and such modification

- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and INET desires to continue providing xDSL service on such Loop, INET shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give INET notice in a reasonable time prior to disconnect, which notice shall give INET an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and INET purchases the full stand-alone Loop, INET may elect the type of Loop it will purchase. INET will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event INET purchases a voice grade Loop, INET acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If INET reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge INET for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- 3.1.11 Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.

3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide INET with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, INET must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 INET may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of INET's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of INET in a central office in which INET is located, INET shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and INET shall pay the

electronic or manual ordering charges as applicable when INET orders High Frequency Spectrum for End User service.

3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for INET's data.

3.3 BellSouth Provided Splitter – Line Sharing

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide INET access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to INET's xDSL equipment in INET's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide INET with a carrier notification letter, informing INET of change. INET shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. INET shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to INET's collocation area, if possible; or (ii) in a BellSouth relay rack as close to INET's DS0 termination point as possible. INET shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for INET on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified INET DS0 at such time that a INET End User's service is established.

3.4 CLEC Provided Splitter – Line Sharing

- 3.4.1 INET may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. INET may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.4.2 Any splitters installed by INET in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. INET may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 Ordering – Line Sharing

- 3.5.1 INET shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide INET the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at http://www.interconnection.bellsouth.com.
- 3.5.4 BellSouth will provide INET access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and INET shall pay the rates for such services, as described in Exhibit A.

3.6 Maintenance and Repair – Line Sharing

- 3.6.1 INET shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If INET is using a BellSouth owned splitter, INET may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If INET provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. INET will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.
- 3.6.3 INET shall inform its End Users to direct data problems to INET, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to INET, BellSouth will notify INET. INET will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, INET will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue INET's access to the High Frequency

Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

3.7 Line Splitting

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and the Data LEC may be the same or different carriers.
- 3.7.2 In the event INET provides its own switching or obtains switching from a third party, INET may engage in line splitting arrangements with another CLEC using a splitter, provided by INET, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 INET shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if INET will not provide voice and data services.
- 3.7.4 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing INET for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of INET or its authorized agent to determine if the Loop is compatible for Line Splitting Service. INET or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and INET or its authorized agent submits an LSR to BellSouth to change the Loop.

3.8 Provisioning Line Splitting and Splitter Space

3.8.1 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.9 <u>Maintenance – Line Splitting</u>

- 3.9.1 INET shall inform its End Users to direct all problems to INET or its authorized agent.
- 3.9.2 If INET is not the data provider, INET shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by INET are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by INET are not already combined by BellSouth in the location requested by INET but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by INET are not elements that BellSouth combines for its use in its network.
- 4.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

4.2 Enhanced Extended Links (EELs)

- 4.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide INET with EELs where the underlying UNEs are available.
- 4.2.2 In the event INET converts special access services to UNEs, INET shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

4.3 **Rates**

- 4.3.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.3.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the nonrecurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.3.3 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to INET in addition to those specifically referenced in this Section 4above, where available. To the extent

INET requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

5. Transport

- 5.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to DS0 and voice grade interoffice transmission facilities described in this Section 5 on an unbundled basis to INET for the provision of a qualifying service, as set forth herein.
- 5.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that INET uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- 5.2 BellSouth shall:
- 5.2.1 Provide INET exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 5.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 5.2.3 Permit, to the extent technically feasible, INET to connect such interoffice facilities to equipment designated by INET, including but not limited to, INET's collocated facilities; and
- 5.2.4 Permit, to the extent technically feasible, INET to obtain the functionality provided by BellSouth's digital cross-connect systems.

5.3 **Dedicated Transport**

- 5.3.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 5.3.1.1 As capacity on a shared UNE facility.
- 5.3.1.2 As a circuit (e.g., DS0 and voice grade) dedicated to INET.
- 5.3.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.3.3 Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.

5.3.4 Technical Requirements

- 5.3.4.1 The entire designated transmission service (e.g., DS0 or voice grade) shall be dedicated to INET designated traffic.
- 5.3.4.2 BellSouth shall offer the following interface transmission rates for DS0 or voice grade Dedicated Transport: DS0 Equivalent
- 5.3.4.3 BellSouth shall design Dedicated Transport according to its network infrastructure. INET shall specify the termination points for Dedicated Transport.
- 5.3.4.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 5.3.4.5 <u>BellSouth Technical Reference</u>: TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.

6. <u>SS7 Network Interconnection</u>

- 6.1 SS7 Network Interconnection is the interconnection of INET local signaling transfer point switches or INET local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, INET local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 6.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and INET or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 6.3 If traffic is routed based on dialed or translated digits between a INET local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the INET local signaling transfer point switches and BellSouth or other third-party local switch.
- 6.4 SS7 Network Interconnection shall provide:
- 6.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 6.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 6.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 6.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4.

	Page 32 Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a INET local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of INET local STPs and shall not include SCCP Subsystem Management of the destination.
6.6	SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
6.7	SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.
6.8	If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
6.9	Interface Requirements
6.9.1	The following SS7 Network Interconnection interface options are available to connect INET or INET-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
6.9.1.1 6.9.1.2	A-link interface from INET local or tandem switching systems; and B-link interface from INET STPs.
6.9.2	The Signaling Point of Interconnection for each link shall be located at a cross- connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
6.9.3	BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
6.9.4	The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
6.9.5	BellSouth shall set message screening parameters to accept messages from INET local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the INET switching system has a valid signaling relationship

relationship.

7. Automatic Location Identification/Data Management System (ALI/DMS)

7.1 The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. INET will be required to provide BellSouth daily updates to E911 database. INET shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

7.2 <u>Technical Requirements</u>

- 7.2.1 BellSouth shall provide INET the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to INET after INET provides End User information for input into the ALI/DMS database.
- 7.2.2 INET shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

8. <u>Operational Support Systems</u>

- 8.1 BellSouth has developed and made available electronic interfaces by which INET may submit LSRs electronically.
- 8.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment.
- 8.3 Denial/Restoral OSS Charge
- 8.3.1 In the event INET provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 8.4 <u>Cancellation OSS Charge</u>
- 8.4.1 INET will incur an OSS charge for an accepted LSR that is later cancelled.
- 8.5 Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 8.6 <u>Network Elements and Other Services Manual Additive</u>

8.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

	NETWORK ELEMENTS - Alabama					1					0 0 I	0 0 i		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add ⁴
						Rec	Nonrec		Nonrecurring					Rates(\$)		
The "Zee	ne" shown in the sections for stand-alone loops or loops as pa		omhin	ation refers to Coorr	anh iaolly Do		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	ww.interconnection.bellsouth.com/become a clec/html/interco			ation refers to Geogr	aprically De	averaged ONE A	zones. To view	Geographican	y Deaveraged C	INE Zone Desig	mations by	Central Off	ce, refer to int	ernet website	-	
	UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	meene												1		
	1) CLEC should contact its contract negotiator if it prefers the															
either th	e state specific Commission ordered rates for the service orde	ring cha	arges, o	or CLEC may elect the	regional se	rvice ordering o	charge, howeve	r, CLEC can no	ot obtain a mixtu	re of the two r	egardless if	CLEC has a	a interconnect	tion contract e	stablished in	each of the
	2) Any element that can be ordered electronically will be billed red electronically at present per the LOH, the listed SOMEC rate															
	(LSR) - UNE Only	111 1113	catego		SOMEC		3.50	0.00	3.50	0.00	nat element		, the manual of		e, coman, w	
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
	ATE ADVANCEMENT CHARGE				0011// 11		10.00	0.00	1.57	0.00						
	The Expedite charge will be maintained commensurate with Be	llSouth'	s FCC	No.1 Tariff, Section 5	as applicab	le.										
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1712, U1748, U17D1, U17D3, U17D3, U1703, U17D5, U1703, U17D5, UC18L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC16C, UC16L, UC162, UC16L, UC162, UL1048, UDL03, UDL03, ULD51, ULD03, ULD51, ULD03, ULD51, ULD03, UNC1X, UNC0X, UNC0X, UNCNX, UNC0X, UNCNX, UNC0X, UNCVX, UNCD1, UNT03, UXTD1, UXTD3, UXTS1, U1TUC, U1TUA, U1TUA	SDASP		200.00									
							05.40		0.00							<u> </u>
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						35.13 150.00	0.00	0.00	0.00						
	(CHANGE ACCESS LOOP					1	150.00	0.00	0.00	0.00						
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30				L		
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEAL2 UEAL2	21.05 34.34	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30				<u> </u>		ł
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30				L		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	1	34.16	0.00								
1	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.78	8.94								

UNBUNDLE	ED NETWORK ELEMENTS - Alabama					-							Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per				0000		10.00									
2.WID	LSR) RE UNBUNDLED COPPER LOOP - NON-DESIGNED			UEANL	OCOSL		18.09									
2-9915	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed Zone 1	i	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i		UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		8.15									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44 34.16	0.00								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ UEQ	URET1 URETA		34.16 19.85	0.00								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	_			URETA		19.00	19.00								
	ND)	-		UEQ	UREWO		14.27	7.43								
UNBUNDLED	EXCHANGE ACCESS LOOP			023	ORENO		14.27	7.40								
	RE ANALOG VOICE GRADE LOOP		1													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
4 W/B	Loop Tagging - Service Level 2 (SL2) RE ANALOG VOICE GRADE LOOP			UEA	URETL		11.21	1.10								
4-9915	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						-
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	00.02	87.72	36.36	00.11	11.00						
2-WIR	RE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-WIR	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		<u> </u>	UAL	UALZA	11.01	110.00	66.00	47.24	7.44			-			
	facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-	0/1L	UNLEX	12.70	110.00	00.00	41.24	7.44						
	facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3	1	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						1
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOC	P													───
1	2 Wire Unbundled HDSL Loop including manual service inquiry &	1				0.74	440.00	60 66	47.04	7.44					1	1
H	facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						───
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44					1	1
L	100mg 10301 Valion - 2010 2	1	۷ ا	0.1L		10.17	110.00	00.00	41.24	1.44	1			1	1	<u> </u>

JNBUNDL	LED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
ATEGORY	Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												po: 2011	poo	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														150	Addi	Diac Tat	Disc Addi
1								Nonrec	urring	Nonrecurring	Disconnect			055	Rates(\$)	1	1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2 Wire Unbundled HDSL Loop including manual service inquiry &						11150	Auur	11130	Addi	COMEO	COMAN	COMAN	COMAN	COMAN	COMAN
		facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		Ŭ	OTIL	OTILEX	11.44	110.00	00.00	47.24	7.44						
		facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and		-	UNL	UTILZW	0.74	90.00	57.00	47.24	7.44						
		facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
				2	UNL	UHLZW	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry and							57.00	17.04							
		facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOC	P													
		4 Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73					1	
		4-Wire Unbundled HDSL Loop including manual service inquiry and															
		facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry and													1		
		facility reservation - Zone 3	1	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73				1		1
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and		· ·	OHE	OTIL	10.00	04.00	01.00	01.70	0.10						
		facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
				2	UHL	UHL4VV	15.50	94.00	57.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop without manual service inquiry and															
		facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-W		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
		CLEC to CLEC Conversion Charge without outside dispatch		5	UDL	UREWO	57.00	102.13	49.75	55.14	14.50						
2 14		Unbundled COPPER LOOP			ODL	UNLINO		102.15	43.13								
2-11																	
		2-Wire Unbundled Copper Loop-Designed including manual service							05.00	17.04							
		inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed including manual service	1	- I											1		1
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual service	1	1													1
		inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44					ļ	
		Order Coordination for Unbundled Copper Loops (per loop)	1	1	UCL	UCLMC		8.15	8.15								
	T	2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44	l	l				<u> </u>
		2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
1		2-Wire Unbundled Copper Loop-Designed without manual service	1	1													
		inquiry and facility reservation - Zone 3	1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	1 1.00	8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-			002	OOLINO		0.10	0.10								
		Des)			UCL	UREWO		97.23	42.48								
4.14		COPPER LOOP			UCL	UKEWO		91.23	42.40								
4- V V			+	1												1	+
		4-Wire Copper Loop-Designed including manual service inquiry and	1		1101	1101.40	17.00	405.04	00.05	F4 70	0.70				1		
		facility reservation - Zone 1	+	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73				<u> </u>	-	
		4-Wire Copper Loop-Designed including manual service inquiry and	1	1.											1		1
		facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry and	1	1													
		facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73					1	<u> </u>
T		4-Wire Copper Loop-Designed without manual service inquiry and		1													
		facility reservation - Zone 1	1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
		4-Wire Copper Loop-Designed without manual service inquiry and															

UNBUNDLE	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	I Zone	BCS	USOC			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		00450	COMAN		Rates(\$)	COMAN	00000
├	4-Wire Copper Loop-Designed without manual service inquiry and		+		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)	· ·	Ŭ	UCL	UCLMC	20.21	8.15	8.15	01.70	5.70						
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.09									
LOOP MODIF	ICATION				_											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less						0.00	0.00								
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULM4L	┨	0.00	0.00							+	ł'
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop	I		UEQ,ULS,UEA, UEANL, UEPSR, UEPSB	ULMBT		32.41	32.41								
SUB-LOOPS																
Sub-	Loop Distribution													-		
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		244.42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
	3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
			1											1		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	+		UEANL UEANL	USBMC USBR2	2.27	8.15 53.01	8.15 18.17	45.25	6.70				<u> </u>		ł
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		+	GEANL	USDKZ	2.21	53.01	18.17	45.25	6.70	<u> </u>		ł	ł	1	ł
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15						1		
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	1		l	1		1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.15	8.15						ļ		Ļ
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00						ļ		
	Loop Testing - Basic Additional Half Hour	+	1	UEANL UEF	URETA UCS2X	6.22	19.85 65.80	19.85 30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+		UEF	UCS2X UCS2X	6.22	65.80 65.80	30.96	45.25	6.70	<u> </u>		ł	ł	1	ł
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1		UEF	UCS2X	11.27	65.80	30.96	45.25	6.70	1			<u> </u>	1	<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEF	USBMC		8.15	8.15		5.10						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07	1			1		1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	Toraci coordination for onbundled Sub-Loops, per sub-loop pall	1	1			1	0.10	0.15			1	1		1		1

UNBUNDL	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
											Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
							Nonred	urring	Nonrecurring Di	coonnoct			089	Rates(\$)		Ļ
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-															
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF UEF	URET1 URETA		34.16 19.85	0.00								┟────┤
Unb	undled Sub-Loop Modification			UEF	UKETA		19.65	19.65								├─── ┦
0.1.2	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
	Removal per 4-W PR			UEF	ULM4X		175.78	5.10								├──── ┦
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		278.20	6.11								
Unb	undled Network Terminating Wire (UNTW)	1	1	<u>.</u>	CLINDI	1 1	210.20	0.11					1		1	<u>}</u> −−−−↓
	Unbundled Network Terminating Wire (UNTW) per Pair	1	L_	UENTW	UENPP	0.40	30.01									
Netv	vork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W				UNDC2 UNDC4		5.87 5.87	5.87 5.87								┟────┤
LINE OTHER	, PROVISIONING ONLY - NO RATE			UENTW	UNDC4		5.67	5.67								┥────┦
UNE OTTIEN	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL,	UNECN	0.00	0.00									
LOOP MAKE				- /												
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or spare															
	facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE SHARI	E 1: The Line Sharing monthly recurring rates for all installations	comple	tod fro	n Octobor 02, 2002 th	rough midni	ight October 01	2004 chall be b	illed as follow	. .							┟────┤
	E 1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop					ight October 01,	2004 Shall be i	niled as follow	5.							├ ───┤
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
NOT	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULSE	DC and L	JLSCC	applies only to circui	ts installed	and inservice or	or before Octo	ober 1, 2003								┟─────
	SHARING TTERS-CENTRAL OFFICE BASED	<u> </u>														┟────┤
- SPL	Line Sharing Splitter, per System 96 Line Capacity	1		ULS	ULSDA	155.97	188.79	0.00	177.98	0.00						┟────┦
	Line Sharing Splitter, per System 24 Line Capacity	1	1		ULSDB	38.99	188.79	0.00	177.98	0.00			İ		İ	
	Line Sharing Splitter, Per System, 8 Line Capacity	<u>i </u>			ULSD8	12.73	377.58	0.00	355.96	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG		86.47	0.00	49.84	0.00						
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.80	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.40	18.51	10.60	10.01	4.92						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19								

UNBUN	NDLED	NETWORK ELEMENTS - Alabama												Attach	ment:2	Exhi	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interim	I Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring		001150	001111	OSS	Rates(\$)		
		Line Sharing - per Subsequent Activity per Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		16.39	8.19								<u> </u>
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1	1	1													1
		(E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		NANCE	_			-											
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00 82.50								
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium				-		120.00 160.00	110.00					-			
UNBUN		EDICATED TRANSPORT				-		100.00	110.00								-
		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.008838										
		Eacility Termination Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						-
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Orace Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			U1TVX	1L5XX	0.008838										
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
SIGNAL	ING (CC	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83										
		CCS7 Signaling Termination, Per STP Port CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A	130.83	35.53	35.53	16.44	16.44						
-		CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44						-
		CCS7 Signaling Connection, Per DS1 level link (Kinnk) as D link)			UDB	ТРР6В	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)	1		UDB	ТРР9В	15.46	35.53	35.53	16.44	16.44						1
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		1	UDB	ССАРО	10.40	29.01	29.01	35.57	35.57		L			1	1
E911 SE	RVICE	Establishment of Change, per STP affected	+	+		CCAPU	╂────┤	29.01	29.01	35.57	35.57				ł	1	ł
		Local Channel - Dedicated - 2-wr Voice Grade	1	1		1	13.97	193.10	33.17	36.64	3.20					1	1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile	1	1		1	0.008838	100.10	00.11	00.04	0.20				1	1	1
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					21.13	40.54	27.41	16.74	6.90					T	
		Local Channel - Dedicated - DS1 - Zone 1	1	1			35.76	177.47	153.72	22.19	15.26						1
		Local Channel - Dedicated - DS1 - Zone 2		1			49.98	177.47	153.72	22.19	15.26						1
		Local Channel - Dedicated - DS1 - Zone 3					107.63	177.47	153.72	22.19	15.26						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.18										
ENHAN	CED EX	Interoffice Transport - Dedicated - DS1 Per Facility Termination TENDED LINK (EELs)		<u> </u>			60.16	89.27	81.81	16.35	14.44						
		The monthly recurring and non-recurring charges below will a	poly and	the Sw	vitch-As-Is Charge w	ill not apply f	or UNE combina	tions provision	ned as ' Ordina	rily Combined'	Network Eleme	nts.			1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The monthly recurring and the Switch-As-Is Charge and not the				apply for UN	E combinations	provisioned as	' Currently Co	mbined' Networ	k Elements.						
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADE IN	TEROF						17.01							
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						-
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3		2	UNCVX UNCVX	UEAL2 UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44						
	2-WireVG Loop in combination - Zone 3		3	UNCVA	UEALZ	30.14	88.00	55.00	47.24	7.44						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															
	per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN														
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-WireVG Loop in combination - Zone 2	+	2	UNCVX UNCVX	UEAL4 UEAL4	38.58 60.02	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50						
	4-WireVG Loop in combination - Zone 3	1	3	UNCVA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		1	UNCVX	1L5XX	0.008838						1				
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			001/	. 20/01	0.000000							1		1	
	per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	SINTERO	DFFICE	TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDA	01105	15.12	40.54	27.41	10.74	6.90						
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS		FFICE		011000		0.00	0.00	0.00	0.00						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
FXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	FROFF			011000		0.09	5.59	0.90	0.90						<u>├</u>
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			1		1	
1	First 4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50	1		ĺ	İ		1
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1														
	month			UNCDX	1L5XX	0.008838										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		1									1				
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						L
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge						E E 0	E E 0	6.00	6.00						
EYTEN	ICnarge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	FROFE	E TP A	UNCDX	UNCCC	łł	5.59	5.59	6.98	6.98			ł		1	+
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						<u>├</u>
	First 4-wire 64 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50					1	<u> </u>
	First 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50				1		
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1			1											
	month			UNCDX	1L5XX	0.008838										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month	I		UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						L
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNODY						0.00						
	Charge	1	1	UNCDX	UNCCC	1	5.59	5.59	6.98	6.98					1	<u> </u>

Exhibit 1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch As Is															
	Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurrng															
	used as ordinarily combined network elements in All States, the					Is Charge does	not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" Cl	harge (O	ne app	lies to each combina	tion)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
Miscel	llaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	I		UN1CX	OCOSR		18.93	18.93								
Note:	Rates displaying an "R" in the interim column are interim and su	bject to	rate tru	ie-up as set forth in C	General Term	ns and Condition	ns.									

UNBUN	IDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring				OSS	Rates(\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as p ww.interconnection.bellsouth.com/become a clec/html/interco			ation refers to Geogr	aphically Dea	averaged UNE 2	cones. To view	Geographicall	y Deaveraged (JNE Zone Desig	gnations by	Central Offi	ce, refer to Int	ernet Website		
		UPPORT SYSTEMS (OSS) - "REGIONAL RATES"	linectic	/1													[
1	NOTE: (1) CLEC should contact its contract negotiator if it prefers the															
		ne state specific Commission ordered rates for the service orde 2) Any element that can be ordered electronically will be billed															
		red electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						ł
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						1
		DATE ADVANCEMENT CHARGE															
1	NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth	s FCC	No.1 Tariff, Section 5	as applicabl	e.										[
ORDER	MODIFI	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day CATION CHARGE			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UIT12, UIT48, UITD1, UITD3, UITD3, UIT03, UITS1, UITVX, UC18C, UC18L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1FC, UC1FL, UC1FC, UC1FL, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC14C, UC16L, UC16C, U	SDASP		200.00									
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						ļ
		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP															ł
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						L
\vdash		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	26.97 10.69	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57						<u> </u>
├		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
I T		Unbundled Miscellaneous Rate Element, Tag Loop at End User						0	0.55								1
┝──┼		Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8.33 48.65	0.83								<u> </u>
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									

INBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring		COMEO	COMAN		Rates(\$)	COMAN	001141
					1154440		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								l
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.02									i i
2-W/P	E UNBUNDLED COPPER LOOP - NON-DESIGNED			UEANL	OCOSL		23.02		ł		-					i
2-0011	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						<u> </u>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	i	3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						[
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEQ	URETL		8.33	0.83								i
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST															1
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									L
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								I
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								l
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-	·	1	l											1	1
	ND)			UEQ	UREWO		14.27	7.43								l
	EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		~		115 41 0	17.10	105 75	aa 47	00.50	10.01						1
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEAL2	00.07	405 75	00.47	00.50	10.01						i -
	Ground Start Signaling - Zone 3		3	UEA	UEALZ	30.87	135.75	82.47	63.53	12.01						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	ULARZ	12.24	135.75	02.47	03.55	12.01						i
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						i -
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	ULA	OLANZ	17.40	100.10	02.47	03.33	12.01						
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						i -
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	00.07	87.71	36.35	00.00	12.01						,
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 2		2		U1L2X	27.40	147.69	94.41	62.23	10.71						ļ
	2-Wire ISDN Digital Grade Loop - Zone 3		3	OBIT	U1L2X	48.62	147.69	94.41	62.23	10.71						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UDN	UREWO		91.61	44.15								L
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													L
	2 Wire Unbundled ADSL Loop including manual service inquiry &		.													1
	facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry &		-		1141 614											1
	facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						└──
	2 Wire Unbundled ADSL Loop including manual service inquiry &		~	1141	UAL2X	20.94	149.53	100.05	75.05	45.00					1	1
	facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						<u> </u>
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12					1	i i
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL	UALZW	0.30	124.03	71.12	00.04	9.12					ł	r
			2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						1
	facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry &	+	- 4	UAL	UALZW	11.60	124.03	71.12	00.04	9.12					1	
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						1
	CLEC to CLEC Conversion Charge without outside dispatch	1	3	UAL	UREWO	20.94	86.19	40.39	00.04	9.12						<u> </u>
2-WIP	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BIELOO	P	¢, \∟	OILEWO		00.18	40.39								<u> </u>
2-111	2 Wire Unbundled HDSL Loop including manual service inquiry &		i –	1	1											<u> </u>
	facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						1
	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	† ·					110.41	. 0.00				1	1	ł	[
	facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63					1	i -
	···· · · · · · · · · · · · · · · · · ·			1						.0.50						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonreo First	urring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &		-				FIISL	Add1	FIISL	Add I	SOWIEC	JOWAN	JOMAN	SOWAN	JOMAN	JOIMAN
	facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		2		UHLZW	10.20	134.40	80.09	00.04	9.12						
	facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and				UHL4A	10.80	193.31	130.90	11.15	12.01						
	facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61				-		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>	OTTE	OTIL	10.00	100.02	110.47	02.14	11.22						
	facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL4W UREWO	27.39	168.62 86.12	115.47 40.39	62.74	11.22						
4-WIP	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			UHL	UREWO		00.12	40.39								
4-00110	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		2		UDL56 UDL56	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 5		1	UDL	UDL56 UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74								
2-WIR	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual service			UCL	OCLI D	0.50	140.50	102.02	13.03	15.05						
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service			UUL	OOL! W	0.00	120.01	10.00	00.04	0.12						
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL - Des)			UCL	UREWO		97.21	42.47								
4-WIR	E COPPER LOOP			UCL	UKEWO		37.21	42.47								
	4-Wire Copper Loop-Designed including manual service inquiry and	1	1						1	1						
	facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						ļ
	4-Wire Copper Loop-Designed including manual service inquiry and	1	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	facility reservation - Zone 2 4-Wire Copper Loop-Designed including manual service inquiry and	1	2	UCL	UUL4S	16.81	177.87	132.76	//.15	17.73		-				<u> </u>
	facility reservation - Zone 3	1	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						L
	4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL		10.01	450.40	100.00	00.71	44.00						
	facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and	+	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22					+	+
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
	· · · · · · · · · · · · · · · · · · ·															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch Order Coordination for Unbundled Copper Loops (per loop)		-	UCL UCL	UREWO UCLMC		97.21 9.00	42.47								l
	Order Coordination for Oribundied Copper Loops (per loop)			UEA, UDN, UAL,	UCLINC		9.00	9.00								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.02									1
LOOP MODIFIC	ATION															l
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UHL, UCL, UEA	ULM4L		0.00	0.00								1
	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOOPS																í
Sub-Lo	oop Distribution				-	-			-							l
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		487.23									l
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		6.25									1
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						1
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBMC USBN4	7.37	9.00 68.83	9.00	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		9.00	9.00								ł
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26		<u> </u>				[
			1									1				i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.07	9.00	9.00	40.74	0.00						
├──┼ ──	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						ſ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								<u> </u>
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	0.00								
┝──┼──	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	5.15	23.95 60.19	23.95 21.78	47.50	5.26		<u> </u>				
├ ── ├ ──	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						[
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						i
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
┝──┼──	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		L				
<u>├── </u>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		2	UEF UEF	UCS4X UCS4X	7.61	68.83 68.83	30.42 30.42	49.71 49.71	6.60 6.60						ſ
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	-		UEF	USBMC	10.01	9.00	9.00	40.71	0.00						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		1		000000		9.00	9.00	1	-		1				í
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00								ı

UNB	JNDLEI	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec		curring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								<u> </u>
	Unbun	dled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip			02.	0 EINEX		10.111									
		Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled	I														
		loop			UEF	ULMBT		15.58	15.58								
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
	Netwo	rk Interface Device (NID)				UND12		71.49	10.07								<u> </u>
	+	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines	+		UENTW UENTW	UND12 UND16	1	113.89	48.87 89.07	1	ł	+	1	<u> </u>			+
		Network Interface Device (NID) - 1-6 lines			UENTW	UNDC2		7.63	7.63								
	1	Network Interface Device Cross Connect - 2 W	1		UENTW	UNDC4	1	7.63		1	1	1		1			
UNE C	THER, P	ROVISIONING ONLY - NO RATE	1				İ					1	1	1	İ	İ	1
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
					UEANL,UEF,UEQ,UE												
		Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
					UAL,UCL,UDC,UDL,												
1000		Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			имк	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility			UNIT	OWNER		52.17	52.17								
		queried (Manual).			UMK	UMKLP		55.07	55.07								
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE S	HARING																
		1: The Line Sharing monthly recurring rates for all installations				rough midni	ight October 01	2004 shall be	billed as follow	/s:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")							-		-			
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT										-		-			
		E 2: The Line Sharing monthly recurring rates with USOCs ULSI	DC and L	II SCC	applies only to circui	ts installed	and inservice o	n or before Oct	ober 1, 2003								
		HARING															
		ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	119.72	379.13	0.00	347.90	0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.93	379.13	0.00		0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	8.33	379.13	0.00	347.90	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation	١					170.00		07.40							
		(per LSOD) SER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG		173.66	0.00	97.42	0.00						
	ENDU	Line Sharing - per Line Activation (BST Owned splitter) -										-		-			
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	29.68	21.28	19.57	9.61	1		1			
	1	Line Share Service, TRO per line activation, BST owned splitter -	1				0.01	20.00	21.20	10.07	5.01	1	1	1	1	1	<u> </u>
	1	Central Office Located (25% of UCLND) - please see NOTE 1										1	1	1			
		(E:10/2/2003)			ULS	ULSDT	1.99	29.68	21.28	19.57	9.61						
		Line Share Service, TRO per line activation, BST owned splitter -															
	1	Central Office Located (50% of UCLND) - please see NOTE 1									-	1		1			
		(E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61	<u> </u>					
	1	Line Share Service, TRO per line activation, BST owned splitter -										1	1	1			1
	1	Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	5.07	20.69	21.29	10.57	0.61	1	1	1			
	+	(E:10/2/2005)	+		013	ULOUI	5.97	29.68	21.28	19.57	9.61	+	1	<u> </u>			+
	1	Line Sharing - per Subsequent Activity per Line Rearrangement - (BST Owned Splitter)			ULS	ULSDS		21.68	16.44			1	1	1			
	1	Line Sharing - per Subsequent Activity per Line Rearrangement -	1				1	21.00	10.44	1	1	1	1	1	1	1	<u> </u>
	1	(DLEC Owned Splitter)			ULS	ULSCS		21.68	16.44			1	1	1			
		Line Sharing - per Line Activation (DLEC owned Splitter) -															
	1	OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74		1		1	1	1

UNBUN	IDLE	NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGO	DRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						-	Rec		curring	Nonrecurring		COMEO	COMAN		Rates(\$)	COMAN	
		Line Share Service, TRO per line activation, CLEC owned splitter -	1			+		First	Add'l	First	Add'l	SOWEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74						
N	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic				-		80.00	55.00	-		-					-
		No Trouble Found - per 1/2 hour increments - Overtime No Trouble Found - per 1/2 hour increments - Premium						120.00 160.00	82.50 110.00								
		DEDICATED TRANSPORT				-		160.00	110.00								
		OFFICE CHANNEL - DEDICATED TRANSPORT	1			+				1							1
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade															
		Rev Bat Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat				1L5XX U1TR2	0.0091	47.05	31.78	40.04	7.03						
		Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX U1TVX	1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			0 m m	120/01	0.0001										
		Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
		month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0091				-						
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
SIGNALI	NG (CC	CS7)															
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	135.05										
		CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.93	43.57	43.57	18.31	18.31						
		CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known			UDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
		as D link) CCS7 Signaling Connection, Per DS3 level link (B link) (also known	-		UDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
		CCS7 Signaling Point Code, per Originating Point Code	-		UDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
E911 SEF		Establishment or Change, per STP affected	-		UDB	CCAPO		46.03	46.03	46.03	46.03						
	VICE	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	1			+	21.94	265.84	46.97	37.63	4.00						<u> </u>
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	1			1	29.62	265.84	46.97	37.63	4.00			1	l	l	1
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					57.22	265.84	46.97	37.63	4.00						
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0091										
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					25.32	47.35	31.78	18.31	7.03						
		Local Channel - Dedicated - DS1 - Zone 1				+	35.28	216.65	183.54	21.47	19.05						<u> </u>
		Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					47.63 92.01	216.65 216.65	183.54 183.54	21.47 21.47	19.05 19.05						
\vdash		Interoffice Transport - Dedicated - DS1 - Zone 3					92.01	210.65	183.54	21.47	19.05						
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05						
		TENDED LINK (EELs)															
N	NOTE:	The monthly recurring and non-recurring charges below will a	pply and	the Sw	vitch-As-Is Charge w	ill not apply f	or UNE combina	ations provisio	ned as ' Ordina	arily Combined	Network Eleme	ents.					L
		The monthly recurring and the Switch-As-Is Charge and not the				apply for UNE	combinations	provisioned as	S' Currently Co	mbined' Netwo	rk Elements.						
E	-XTEN	DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GI	RADE IN	TEROF	FICE TRANSPORT											1	

Version 06/29/04

UNBL	JNDLEI	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		2:	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge -
	_						Rec	Nonrec		Nonrecurring		CONTO	001141		Rates(\$)	SOMAN	SOMAN
	_			1		UEAL2	40.04	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-	2-WireVG Loop in combination - Zone 1		2	UNCVX UNCVX	UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	42.79 42.79	2.81 2.81						
	-	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3		2	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	-	2-WireVG Loop in combination - Zone 3		3	UNCVA	UEALZ	30.67	127.59	60.54	42.79	2.01						
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination				120/01	0.0001										
		per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF													
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	1	4-WireVG Loop in combination - Zone 2	L	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ļ
	1	4-WireVG Loop in combination - Zone 3	 	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
			1								1						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	+		UNCVX	1L5XX	0.0091				<u> </u>						+
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination	1			114 71/4	00.50	04.70	50.50	50.40	04.50						
		per month	+	<u> </u>	UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						l
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	1		UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS		FEICE		UNCCC		0.90	0.90	0.90	0.90						
	EATEN	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	-	4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
		4-wire 56 kbps Local Loop in combination - Zone 2		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		Ŭ	UNUDA	ODLOO	00.00	121.00	00.04	42.15	2.01						
		Mile per month			UNCDX	1L5XX	0.0091										
	1	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	S INTERC														
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	_	Mile per month			UNCDX	1L5XX	0.0091										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	-	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFE			UNCCC	├	0.98	0.98	0.98	6.98						+
	EATEN	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	1	First 4-wire 56 kbps Local Loop in combination - Zone 1	t	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						<u> </u>
	1	First 4-wire 56 kbps Local Loop in combination - Zone 2	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81			1	1	1	1
	1	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	1	Ť			00.00	.2	00.04		2.51			İ	İ	İ	1
	1	month	1	1	UNCDX	1L5XX	0.0091										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1								1						
		Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC														
	-	First 4-wire 64 kbps Local Loop in combination - Zone 1	 	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						l
		First 4-wire 64 kbps Local Loop in combination - Zone 2	+	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81		L				
		First 4-wire 64 kbps Local Loop in combination - Zone 3	+	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						+
	1	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month	1	1	UNCDX	1L5XX	0.0091										
	+		 		UNCDA	12377	0.0091				ł						+
	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	1	1	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	1	Nonrecurring Currently Combined Network Elements Switch -As-Is	+	-	SHODA	51100	10.44	34.10	02.09	50.49	21.00						1
		Charge	1		UNCDX	UNCCC		8.98	8.98	8.98	8.98						
		IETWORK ELEMENTS	1					0.00	0.00	0.00	3.50			1	1	1	1
		used as a part of a currently combined facility, the non-recurring	, charce	s do n	ot apply, but a Switc	h As Is charge	e does apply.			1	t			1	1	1	1
		used as ordinarily combined network elements in All States, the						not.									
				J		-											-

UNBUND	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l		
								Nonred		Nonrecurring	Disconnect			000	Rates(\$)		i
							Rec										
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No		urring Currently Combined Network Elements "Switch As Is" Cl	harge (C)ne app	lies to each combina	tion)											
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						1
Mis	scella	aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport	-		UN1CX	OCOSR		18.90	18.90								

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
	l l										Submitted		Incremental Charge -	Incremental Charge -	Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORI	KATE ELEMENTS	merm	Zone	803	0300			KATE3(\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
The	 "Zone" shown in the sections for stand-alone loops or loops as p	art of a	combin	ation refers to Goog	raphically D		First	Add'l Geographical	First	Add'l		SOMAN		SOMAN arrat Wabsite	SOMAN	SOMAN
	//www.interconnection.bellsouth.com/become_a_clec/html/interco				raphically D	eaveraged ONE 2	Lones. To view	Geographican	y Deaveraged (JNE Zone Desi	gnations by	Central Off	ce, refer to int	ernet website		
	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOT	E: (1) CLEC should contact its contract negotiator if it prefers the															
eithe	r the state specific Commission ordered rates for the service orde	ring ch	arges,	or CLEC may elect the	e regional se	ervice ordering o	harge, howeve	r, CLEC can no	ot obtain a mixt	ure of the two	regardless if	f CLEC has a	a interconnect	tion contract	established in	each of the 9
	E: (2) Any element that can be ordered electronically will be billed dered electronically at present per the LOH, the listed SOMEC rate															
be of	OSS - Electronic Service Order Charge, Per Local Service Request	e in this	catego	bry reflects the charge	e that would	be billed to a C	LEC Once elect	rome ordering	capabilities co	ne on-line for	that element	. Otherwise	, the manual of	bruering char	ge, SOWAN, W	III be applied
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
	E DATE ADVANCEMENT CHARGE		. 500													
NOT	E: The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff, Section 5	as applicat	ole.										
				UAL, UEANL, UCL,												
				UEF, UDC, UDF,												
				UEQ, UDL, UENTW,												
				UDN, UEA, UHL,												
				ULC, USL, U1T12,												
				U1T48, U1TD1,												
				U1TD3, U1TDX,												
				U1TO3, U1TS1, U1TVX, UC1BC,												
				UC1BL, UC1CC,												
				UC1CL, UC1DC,												
				UC1DL, UC1EC,												
				UC1EL, UC1FC,												
				UC1FL, UC1GC,												
				UC1GL, UC1HC,												
				UC1HL, UDL12,												
				UDL48, UDLO3,												
				UDLSX, UE3,												
				ULD12, ULD48, ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X,												
				UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3, UXTD1, UXTD3,												
				UXTS1, U1TUC,												
			1	U1TUD, U1TUB,												1
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
ORDER MOD	IFICATION CHARGE															
	Order Modification Charge (OMC)		Ļ		ļ		26.21	0.00	0.00	0.00		ļ				4
	Order Modification Additional Dispatch Charge (OMCAD)					+	150.00	0.00	0.00	0.00						ł
	RE ANALOG VOICE GRADE LOOP				1	1					1	1				1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72	1	1				1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						4
<u>├</u> ─-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEASL UEASL	15.85 31.97	40.02	9.99 9.99	5.61 5.61	1.72						ł
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	JEANL	UEASL	31.97	40.02	9.99	5.61	1.72	<u> </u>	+	}	1	1	+
	Premise		1	UEANL	URETL		8.33	0.83								1
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1	1	25.12	0.00			1	1	İ	İ		1
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEANL	URETA		13.62	13.62								<u> </u>
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-															
	SL1)			UEANL	UREWO		15.75	8.92							1	

UNBUNDLE	D NETWORK ELEMENTS - Georgia			-		-					-			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates(\$)	SOMAN	SOMAN
	University of Vision Lange New Designs Vision Lange Hilling for DOT		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per			ULANE	OLANIC		10.32	10.32								
	LSR)			UEANL	OCOSL		57.79									
2-WIR	E UNBUNDLED COPPER LOOP - NON-DESIGNED															
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															
	Designed (per loop)			UEQ	USBMC		18.92	18.92	-							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			1150			7.00	7.00								
	providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour			UEQ UEQ	UEQMU URET1		7.30 25.12	7.30	ł		-				-	
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-				UNLIA		10.02	15.02								
	ND)			UEQ	UREWO		14.25	7.42								
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse						70.05	04.05	40.00	7.07						
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	10.95	79.00	24.05	10.92	1.01						
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	00.00	87.72	36.36	10.52	7.07						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
2-WIR	E ISDN DIGITAL GRADE LOOP		.		1141.631						<u> </u>				ļ	
	2-Wire ISDN Digital Grade Loop - Zone 1	-	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97					l	
	2-Wire ISDN Digital Grade Loop - Zone 2	-	2	UDN UDN	U1L2X U1L2X	25.27 40.17	180.06 180.06	35.25	18.23	6.97	-					
	2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDN	UREWO	40.17	180.06	35.25 33.04	18.23	6.97					<u> </u>	
2_W/ID	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT		OP	UDIN	UNEWU	 	120.98	əə.04	<u> </u>						 	1
2-11/15	2 Wire Unbundled ADSL Loop including manual service inquiry &		ř.		1	1 1			1						1	1
	facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00					1	
	2 Wire Unbundled ADSL Loop including manual service inquiry &	<u> </u>	† ·	1				01.00	0.00	0.00					1	1
	facility reservation - Zone 2	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00					1	
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 3	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00	L					l
	2 Wire Unbundled ADSL Loop without manual service inquiry &		1		l										1	
	facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00	<u> </u>					
	2 Wire Unbundled ADSL Loop without manual service inquiry &	l .	_			00.05		04.5-							1	
	facility reservaton - Zone 3		3	UAL UAL	UAL2W	20.62	44.69	31.55	0.00	0.00					<u> </u>	┨─────
2 14/10	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29			-					+
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE		۳ ۲								-					l
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		4	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	racinty reservation - Zone i		1 1	UIL		1.08	44.09	31.35	0.00	0.00	I	l	I	I	1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
													Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc
CATEGORI		Interim	20116	600	0000			ΝΑΤΕΘ(φ)			per LSR	per LSR	Electronic-	Electronic-	Electronic-	Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													131	Addi	Disc ist	Disc Addi
						Rec		urring	Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL		9.09	44.00	31.55	0.00	0.00						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						<u> </u>
	facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		Ŭ	0112	UTILLI	1.1.0	11.00	01100	0.00	0.00					1	
	facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						l
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL2W UREWO	14.48	44.69 44.69	31.55 31.55	0.00	0.00						ł
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE		P	UNL	UKEWO		44.09	31.55								
	4 Wire Unbundled HDSL Loop including manual service inquiry and	1 200	Ì	1	1	1			1		1			1	ł	
	facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and		ľ													
	facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	I .	_			10.0-		01.5-	0.65	0.65					1	1
	facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and			OTIL	OT IL 4VV	10.53	44.03	51.55	0.00	0.00						
	facility reservation - Zone 2	I	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch	1		UHL	UREWO		44.69	31.55								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP					01.00	100.00	07.00	10.00	7.00						L
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		1		UDL19 UDL19	21.86 28.36	196.66 196.66	37.00 37.00	18.82 18.82	7.20						<u> </u>
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	28.36	196.66	37.00	18.82	7.20					ł	<u> </u>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20	1				1	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						L
2 14/10	CLEC to CLEC Conversion Charge without outside dispatc h Unbundled COPPER LOOP			UDL	UREWO		101.95	49.66								
2-WIR	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1	1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						L
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service		-	UCL	UCLPW	12.02	44.09	31.55	0.00	0.00						
	inquiry and facility reservation - Zone 2	1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3	I	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
4 14/15/	Des)	1		UCL	UREWO		44.69	31.55								L
4-WIRE	COPPER LOOP	-			-						-				<u> </u>	
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00					1	
	4-Wire Copper Loop-Designed including manual service inquiry and			UCL	00143	10.05	44.09	31.00	0.00	0.00						
	facility reservation - Zone 2	1	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00					1	1
İ	4-Wire Copper Loop-Designed including manual service inquiry and															
	facility reservation - Zone 3	1	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						ļ
	4-Wire Copper Loop-Designed without manual service inquiry and															1
	facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00	-				ļ	<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry and		_			10.00	11.00	04.55	0.00	0.00					1	1
	facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00	1				1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs.
					-	Rec		urring	Nonrecurring		001150	COMAN		Rates(\$)	COMAN	SOMAN
\vdash	4-Wire Copper Loop-Designed without manual service inquiry and	+			+	1	First	Add'l	First	Add'l	SUMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOWAN
	facility reservation - Zone 3	1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch	i	Ŭ	UCL	UREWO	00.00	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		57.79									
LOOP MODIFIC	CATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less	I		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91	0.00								
SUB-LOOPS																
Sub-Lo	pop Distribution				+										-	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL	USBSA		255.76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			UEANL	USBSB		7.29									
	Set-Up			UEANL	USBSC		175.09									<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and	0		UEANL	USBSD		51.61									<u> </u>
	Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
	Order Coordination for Linkundlad Sub-Loope, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01					ł	
	Sub-Loop 2-Wile Initiabuliang Network Cable (INC)		-	ULANL	00DIX2	5.01	20.40	5.05	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
		T	ľ													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	ļ	L	UEANL	USBMC		18.92	18.92								
├ ── ├ ──	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	+		UEANL UEANL	URET1		25.12	0.00								+
┣──┤──	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEANL	URETA UCS2X	5.94	13.62 28.46	13.62 3.85	2.20	0.01					ł	+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	9.22	28.46	3.85	2.20	0.01				İ	1	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1		UEF	UCS4X	6.37	31.07	4.79	2.27	0.01					ļ	<u> </u>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS4X	6.32	31.07	4.79	2.27	0.01					ļ	───
<u>ــــــــــــــــــــــــــــــــــــ</u>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	1		I	1	L	J

UNBUNDLE	D NETWORK ELEMENTS - Georgia			r										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonree		Nonrecurring					Rates(\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	Loop tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per unbundled															
	loop			UEF	ULMBT		17.91	17.91								<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)					0.500	05.40	40.00			ļ	L				───
Notw	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)			UENTW	UENPP	0.533	25.12	12.28								
Netwo	Network Interface Device (NID) - 1-2 lines	1		UENTW	UND12		32.86	20.69								
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		56.03	43.86								
	Network Interface Device Cross Connect - 2 W	i		UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,UE NTW	UNECN	0.00	0.00									
	Linkundlad Contect Name Dravisioning Only			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE-	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECIN	0.00	0.00				1			-		
	Loop Makeup - Preordering Without Reservation, per working or				-											
	spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			имк	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or spare			имк	UMKMQ		0.82	0.92								
	facility queried (Mechanized)			UMK	UIVIKIVIQ		0.82	0.82								
	 The Line Sharing monthly recurring rates for all installations 	comple	ted fro	m October 02, 2003 th	rough midni	aht October 01	2004 shall be	villed as follow	e.							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop					gin ootober er,	2004 Shan be		5.		1					
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND			, (, , , , , , , , , , , , , , , , , ,												
NOTE	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and U	JLSCC	applies only to circui	its installed a	and inservice or	n or before Oct	ober 1, 2003								
SPLII	TERS-CENTRAL OFFICE BASED			ULS	ULSDA	131.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDA	32.00	0.00	0.00	0.00	0.00	1			-		
	Line Sharing Splitter, Per System 24 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation (per LSOD)			ULS	ULSDG	1100	66.34	0.00	51.20	0.00						
ENDI	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING			013	01303		00.34	0.00	51.20	0.00						
END	Line Sharing - per Line Activation (BST Owned splitter) -					0.01	10.51	7.70	7.00	4.00						
	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						<u> </u>
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		36.23	13.23	16.94	1.69						

UNBL	INDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental		
														Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
											D : (L
	-		-	-			Rec	Nonred	Add'l	Nonrecurring	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Line Sharing - per Subsequent Activity per Line		-				First	Add1	First	Addi	SOMEC	SOWAN	SOMAN	SOMAN	SOMAN	SOMAN
		Rearrangement(DLEC Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
		Line Sharing - per Line Activation (DLEC owned Splitter) -			010	02000		00.20	10.20	10.04	1.00						
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
		Line Share Service, TRO per line activation, CLEC owned splitter -															
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)				ULSCT	5.51	17.82	0.00	8.53	4.30						
	-	Line Share Service, TRO per line activation, CLEC owned splitter -		-	ULS	ULSCI	5.51	17.82	9.36	8.53	4.30						
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBU																	
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT	-	-							-						
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVA	ILSAA	0.0057										
		Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per		-		01174	10.76	40.40	19.40	06.01	5.00						
		month			U1TDX	1L5XX	0.0057										
-		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			011B/C	120/01	0.0001										
		Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per															
		month			U1TDX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
0.011		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00				-		
SIGNA	LING (CO	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1		-	UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
	1	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
		CCS7 Signaling Point Code, Establishment or Change, per STP										1					
	<u> </u>	affected		L	UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 \$	ERVICE		I	<u> </u>								ļ			ļ		L
<u> </u>		Local Channel - Dedicated - 2-wr Voice Grade	 	<u> </u>		+	7.74	121.07	53.30	46.40	13.37				ł		<u> </u>
<u> </u>	-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility			ł	+	0.0057				<u> </u>	1			<u> </u>	1	+
		Termination		1			12.87	48.46	19.48	16.58	5.00				1		
	1	Local Channel - Dedicated - DS1 - Zone 1	1	<u> </u>	1	1	18.47	149.46	111.20	40.36	26.12			1	1	1	<u> </u>
	1	Local Channel - Dedicated - DS1 - Zone 2	1	1		1	56.30	149.46	111.20	40.36	26.12	1		İ	1		1
		Local Channel - Dedicated - DS1 - Zone 3				1	164.70	149.46	111.20	40.36	26.12						
		Interoffice Transport - Dedicated - DS1 Per Mile					0.1154										
			1														
		Interoffice Transport - Dedicated - DS1 Per Facility Termination	ļ	L			34.19	111.03	80.28	31.36	21.73						L
ENHA		(TENDED LINK (EELs)	<u> </u>	4	itali Ala la Ci						Natural El	L			ł	1	<u> </u>
	NOTE:	The monthly recurring and non-recurring charges below will a The monthly recurring and the Switch-As-Is Charge and not the	pply and	the Sw	Anter the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	apply for UN	For UNE combinations	mons provisio	ned as Ordina	mbined'	Network Eleme	ents.					<u> </u>
<u> </u>		DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G					Combinations	provisioned as	Currently Co	momeu: NetWO	Elements.	1			<u> </u>	1	+
L	EVIEN	DED 2-WINE VOICE GRADE EATENDED LOUP/ 2 WIRE VOICE GI	VADE IN	IERUP	INCE INANOPURI	1	1				I	1			1	1	L

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2 UEAL2	16.95 33.08	195.94 195.94	36.38	18.42 18.42	6.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination				LOVON	0.0007										
	per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	RADE IN	TEROF													
	4-WireVG Loop in combination - Zone 1	 	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						l
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						I
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						ł
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1		UNCVX	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Fer Mile Fer Month			UNCVA	TLJAA	0.0037										
	per month	1		UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
1	Nonrecurring Currently Combined Network Elements Switch -As-Is	1			1		00.00	00.01	10.42	21.00					İ	1
	Charge	1		UNCVX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	FFICE	TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per				41 5307	0.0057										
	Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDA	01105	7.05	00.55	33.01	43.42	27.00						
	Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTER	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS		FFICE													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per															
	Mile per month			UNCDX	1L5XX	0.0057										-
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDA	01100	7.05	00.55	33.01	43.42	27.00						
	Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC	ETRA				00						İ		İ	
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	 	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						l
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per					0.0057										
 	month First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDX	1L5XX	0.0057										
	Termination per month	1		UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1			51105	1.00	00.00	55.01	40.42	21.00			1			1
	Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
EXTER	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC	E TRA													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 2	<u> </u>	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1		UNCDX	1L5XX	0.0057										
 	month			UNCDA	ILDAX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	1		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As-Is	1		000/	01100	,	00.00	00.01		27.00			1			1
	Charge	1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
	NETWORK ELEMENTS															
When	used as a part of a currently combined facility, the non-recurring															
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and t	he Switch As	Is Charge does	not.								1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l	
							Nonred	urring	Nonrecurring	Disconnect			0990	Rates(\$)	l	L
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							FIISt	Add I	FIISt	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SUMAN	SUMAN
Nonre	curring Currently Combined Network Elements "Switch As Is" Cl	narge (C)ne app	lies to each combina	tion)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.70	5.70	6.61	6.61						1
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						1
Misce	llaneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	-		UN1CX	OCOSR		18.89	18.89								

UNBU	NDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN		SOMAN
		one" shown in the sections for stand-alone loops or loops as p				aphically De	averaged UNE 2	Zones. To view	Geographical	y Deaveraged l	JNE Zone Desi	gnations by	Central Office	ce, refer to Int	ernet Website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interco SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	onnectio	on.htm					-		-	r	1		1		1
OPERA	NOTE	1) CLEC should contact its contract negotiator if it prefers the	"state s	necific	" OSS charges as ord	ered by the S	tate Commissi	ons The OSS	charges curren	tly contained in	this rate exhi	hit are the B	ellSouth "re	gional" servio	ce ordering ch	arges CLEC	may elect
		he state specific Commission ordered rates for the service orde															
	NOTE:	2) Any element that can be ordered electronically will be billed	laccordi	ing to t	he SOMEC rate listed	in this cated	ory. Please ref	er to BellSouth	s Local Order	ing Handbook (LOH) to detern	nine if a proc	duct can be	ordered electr	onically. For	those element	s that cannot
	be orde	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ory reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for	that element	. Otherwise	, the manual of	ordering charg	ge, SOMAN, w	ill be applied
		OSS - Electronic Service Order Charge, Per Local Service Request				001150		0.50		0.50							
		(LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE SE		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff, Section 5	as applicabl	e.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UIT12, UIT48, UITD1, UITD3, UITD3, UIT03, UITD5, UIT03, UITD5, UC18L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC17, UC16L, UC17, UC16L, UC17, UC17, UC17, UL07, UL07, UL03, UL07, UL03, UL07, UL07, UNC1, UNC3, UNC1, UNC3, UNC1, UNC1, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC17, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3, UNC3	SDASP		200.00									
ORDER	MODIFI	CATION CHARGE				05/10/		200.00									
		Order Modification Charge (OMC)						33.37	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)	-					150.00	0.00	0.00	0.00						
UNBUN		XCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	<u> </u>									<u> </u>					
<u> </u>	~-++INE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	İ	2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65	1	1	l	l	l	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ	2	UEANL UEANL	UEASL UEASL	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User	<u> </u>	3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	<u> </u>					
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		46.88	0.00								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL- SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	<u> </u>	<u> </u>								1					
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								

INBUN	DLED	NETWORK ELEMENTS - Kentucky		1		-									ment: 2		bit: A
ATEGO	IRY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
		Order Coordination for Specified Conversion Time for UVL-SL1 (per															
					UEANL	OCOSL		23.01	23.01								
2	-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED	<u> </u>	1	1150	UEOOX	10.58	44.97	00.00	25.64	6.65						
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ UEQ	UEQ2X UEQ2X	11.51	44.97	20.89 20.89	25.64	6.65						
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X UEQ2X	13.19	44.97	20.89		6.65						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		5		OLQZA	15.13	44.31	20.03	23.04	0.05						1
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			024	011212		0.00	0.00								
		Designed (per loop)			UEQ	USBMC		9.00	9.00								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	0.00								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
		ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
2	-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4	-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.26	164.11	112.36		18.66						
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
2		CLEC to CLEC Conversion Charge without outside dispatch ISDN DIGITAL GRADE LOOP		-	UEA	UREWO		87.72	36.36								
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						1
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02		13.83						
		CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UDN	UREWO	42.07	91.63	44.16		10.00						
2	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP	0.5.1	0112110		01.00	1110								1
-		2 Wire Unbundled ADSL Loop including manual service inquiry &		1		1						1					
		facility reservation - Zone 1	1	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						1
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
Т		2 Wire Unbundled ADSL Loop without manual service inquiry &	1														
		facility reservaton - Zone 1	L	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						L
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1	1		l											1
		facility reservaton - Zone 2	+	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						l
		2 Wire Unbundled ADSL Loop without manual service inquiry &		l .													
		facility reservaton - Zone 3	+	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						┢────
		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UAL	UREWO		86.20	40.40								───
2	-WIKE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE 2 Wire Unbundled HDSL Loop including manual service inquiry &	SLE LOO	۳ 		+											
		facility reservation - Zone 1	1	4	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
-+		2 Wire Unbundled HDSL Loop including manual service inquiry &	<u> </u>		UTL		0./5	151.54	09.29	69.09	11.34	+		ł	ł		───
		facility reservation - Zone 2	1	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						1
			1	L 2	U.IL		9.00	101.04	09.29	09.09	11.04						<u> </u>

Version 06/29/04

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment:2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred		Nonrecurring		001150	001111		Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIRE	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	I	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	CLEC to CLEC Conversion Charge without outside dispatch		3	UHL	UREWO	10.90	86.14	40.40	11.32	15.60						
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OTIL	UNLIVO		00.14	40.40								
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66					1	
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		1	UDL UDL	UDL64 UDL64	27.59 32.48	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64 UDL64	32.48	157.81	106.06	78.91	18.66						
	CLEC to CLEC Conversion Charge without outside dispatch		3	UDL	UREWO	30.37	102.13	49.75	70.91	10.00						
2-WIRE	E Unbundled COPPER LOOP			002	UNLENTO		102.10	10110								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		97.23	42.48								
4-WIRE	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	1	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
		1		001	50L-111	20.10	140.02	51.55	14.33	14.03	1				1	1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonred	RATES(\$)	Nonrecurring	Discourset	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-						11130	Addi	11130	Addi	JOINEC	SOMAN	SOMAN	JOWAN	SOMAN	SOMAN
	Des)			UCL	UREWO		97.23	42.48								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL UEA, UDN, UAL,	UCLMC	-	9.00	9.00								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		23.01									
LOOP MODIFIC																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24								'
SUB-LOOPS	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		12.50	12.50								
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87								
				UEANL	USBSD		45.04	45.04								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone								50.04	7.00						
	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN2 USBN2	9.06	85.03 85.03	39.05 39.05	59.81 59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		5	UEANL	USBMC	14.02	9.00	9.00	59.01	7.30						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			OLANE	OODING		3.00	3.00						1		
	1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL UEANL	USBMC USBR2	2.57	9.00 68.35	9.00 22.36	59.81	7.90						
	Sub-Loop 2-Wire Intrabuliding Network Cable (INC)			UEANL	USBRZ	2.57	08.33	22.30	59.01	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL UEF	URETA UCS2X	5.45	24.16 85.03	24.16 39.05	59.81	7.90				<u> </u>		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X UCS2X	5.45	85.03	39.05	59.81	7.90						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
├──-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88				L		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3 Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEF	UCS4X USBMC	19.40	<u>102.31</u> 9.00	56.32 9.00	65.24	10.88						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1	1	<u></u>	00DMIC	1 1	3.00	3.00			1			1		1
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.94	0.88								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
												Svc Order Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
								- (1)			per Loit	per Loit	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Nonro	curring	Nonrecurring	Disconnect				Rates(\$)	Disc Tat	Disc Addi
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
Unbu	ndled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		7.97	7.97								
Unbu	ndled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		L	UENTW	UENPP	0.53	23.51	23.51								
Netwo	ork Interface Device (NID)													ļ	ļ	l
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47						ł	ł	
┝──┤──	Network Interface Device (NID) - 1-6 lines	l		UENTW UENTW	UND16		115.96 8.56	91.91 8.56							<u> </u>	+
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW	UNDC2 UNDC4		8.56	8.56								
	PROVISIONING ONLY - NO RATE			GENTW		1	8.56	8.56					ł	<u> </u>	<u> </u>	ł
ONE OTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							 	 	1
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	on the chold of Establishment, intervisioning only no reate			UEANL,UEF,UEQ,UE	DENCE	0.00	0.00								1	
	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			ИМК	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			имк	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			ИМК	UMKMQ		0.67	0.67								
LINE SHARIN																
	1: The Line Sharing monthly recurring rates for all installations				rough midni	ight October 01	2004 shall be	pilled as follow	s:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND													-	-	-
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND 1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULSC	C and I	11 800	applies only to sireui	te installed :	and inconviso o	n or hoforo Oct	abor 1, 2002								
	E 2: The Line Sharing monthly recurring rates with 030Cs 0LSL SHARING		Lacc	applies only to circul	ts installed a	and inservice of	n or before Oct	ober 1, 2003								
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	49.71	379.05	0.00	358.55	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
END U	JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING															l
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
	Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		32.90	16.43								<u> </u>
	Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -			ULS	ULSCS	+	32.90	16.43								<u> </u>
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky	-	1											ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	n Zone	BCS	usoc		No.	RATES(\$)	Name	Discourses	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonree First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -						FIISt	Add I	FIISt	Add I	SOMEC	SOWAN	SUMAN	SOWAN	SOMAN	SUMAN
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -		Γ													
	Central Office Located (50% of UCLND) - please see NOTE 1					5.00	47.44	40.04	00.07	40.74						
	(E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74						
	Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
MAIN	TENANCE			010	02001	7.54	47.44	10.01	20.01	12.74					1	
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.01				-	-				-	
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						L
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.01										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -				U1TV4	05.00	47.04	04 70	00.77	0.75						
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	-	25.86	47.34	31.78	22.77	8.75						
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-		U1TDX	1L5XX	0.0115										
	Termination			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			U1TDX	1L5XX	0.0115										
	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility	-		UTIDX	1L5XX	0.0115										
	Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75						
SIGNALING (OTIEX	01120	20.07	47.00	01.10	22.11	0.70					1	
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	20.71	43.56	43.56	22.45	22.45						1
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	+		UDB	TPP9B	20.71	43.56	43.56	22.45	22.45	<u> </u>				ļ	<u> </u>
	CCS7 Signaling Point Code, per Originating Point Code				00400		10.55	10	50.15						1	
	Establishment or Change, per STP affected	+		UDB	CCAPO		46.02	46.02	56.43	56.43	<u>├</u> ───	ļ			<u> </u>	───
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected	1		UDB	CCAPD		46.02	46.02	56.43	56.43					1	
E911 SERVICI		1		000	UUAFD		40.02	40.02	50.45	50.43	<u> </u>					<u> </u>
	Local Channel - Dedicated - 2-wr Voice Grade					18.57	265.78	46.96	46.79	4.98						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0115										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					29.11	47.34	31.78	22.77	8.75						
	Local Channel - Dedicated - DS1 - Zone 1					40.46	209.60	176.51	30.21	21.07						
	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3					43.39 164.50	209.60 209.60	176.51 176.51	30.21 30.21	21.07 21.07						
	Interoffice Transport - Dedicated - DS1 - 201e 3					0.23	209.60	170.51	30.21	21.07	1				-	
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49						
	EXTENDED LINK (EELs)		44 - 04	itali As la Channa				a d a a l Oudin a	nile O analeira a all	Natural Flam						
NOTE	E: The monthly recurring and non-recurring charges below will a E: The monthly recurring and the Switch-As-Is Charge and not th	ppiy and	a the SV	nich-As-IS Charge	will not apply to	COMPLICATIONS	mons provisioned as	Currently Co	mbined' Netwo	Network Elements	entS.				<u> </u>	
	E: The monthly recurring and the Switch-AS-IS Charge and not the Switch-AS-IS Charge and not the SWIED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G					compinations	provisioned as	Currently Co		in clements.	<u> </u>				ł	+
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	t				<u> </u>	t
1	2-WireVG Loop in combination - Zone 2	1		UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					1	t
	2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky				1							-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates(\$)	•	
						Ree	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.01										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR		TEROE		UNCCC		0.90	0.90	11.17	11.17						
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.01										
	per month			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
EVTER	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC		TRANSPORT UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX		32.48		60.48		7.84						
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3		2	UNCDX	UDL56 UDL56	36.37	125.22 125.22	60.48	59.69 59.69	7.84			-	-		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		5	UNCDX	1L5XX	0.01	123.22	00.40	33.03	7.04						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC	FFICE	TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.01										-
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EVTEN	Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI				UNCCC		8.98	8.98	11.17	11.17						
EATER	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge				UNCCC	11.20	8.98	8.98	11.17	11.17						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI				511000		0.30	0.30	11.17	11.17					1	<u>├</u> ───
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84					1	<u> </u>
	First 4-wire 64 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84					1	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.01										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	ETWORK ELEMENTS	L														L
When	used as a part of a currently combined facility, the non-recurring	g charge	s do no	ot apply, but a Switc	h As Is charge	e does apply.			ļ						ļ	L
	used as ordinarily combined network elements in All States, the					Is Charge does	not.								l	───
Nonre	curring Currently Combined Network Elements "Switch As Is" C Nonrecurring Currently Combined Network Elements Switch -As-Is	narge (C	me app	mes to each combin	ation)	├			<u> </u>						<u> </u>	<u> </u>
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	1				2	ı – – – – – – – – – – – – – – – – – – –	0.00	0.00	1			· · · · · · · · · · · · · · · · · · ·			i	<u>ــــــــــــــــــــــــــــــــــــ</u>

Exhibit 1

UNB	JNDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
	1						P.c.	Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
	Miscellaneous																
		NRC - Order Coordination Specific Time - Dedicated Transport	I		UN1CX	OCOSR		18.87	18.87								

UNBU	NDLEC	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as p			ation refers to Geogr	aphically De	averaged UNE 2	ones. To view	Geographical	y Deaveraged L	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ernet Website	:	
00504		ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	on.htm								-				1	
OPERA		UPPORT SYSTEMS (OSS) - "REGIONAL RATES" (1) CLEC should contact its contract negotiator if it prefers the	"state s	necific	" OSS charges as ord	ered by the	State Commissio	ons The OSS of	charges curren	tly contained in	this rate exhi	hit are the B	ellSouth "re	gional" servio	ce ordering ch	arges CLEC	may elect
		he state specific Commission ordered rates for the service orde															
	NOTE:	(2) Any element that can be ordered electronically will be billed	accord	ing to t	he SOMEC rate listed	in this cate	gory. Please ref	er to BellSouth	's Local Order	ng Handbook (LOH) to detern	nine if a proc	duct can be	ordered electr	onically. For	those element	s that cannot
	be orde	red electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ory reflects the charge	that would	be billed to a CI	EC once elect	ronic ordering	capabilities co	me on-line for t	that element	. Otherwise	, the manual o	ordering char	ge, SOMAN, w	ill be applied
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE SE		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth	's FCC	No.1 Tariff, Section 5	as applicab	le.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD3, U1T03, U1TD3, U1T03, U1TD4, U1T03, UC18C, UC18L, UC1CC, UC18L, UC1CC, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC162, UL1048, UDL03, UDL03, ULD41, ULD03, ULD41, ULD03, ULD51, ULD03, ULD41, UNC3X, UNC1X, UNC3X, UNCX, UNCXX, UNC151, UNC33, UNC151, UNC33, UNC51, UNC33, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC34, UNC51, UNC54, UNC51, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54, UNC54,	SDASP		200.00									
ORDER		CATION CHARGE						00.01									
<u> </u>		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)		<u> </u>			├	26.21 150.00	0.00	0.00	0.00					<u> </u>	
UNBUN		Creer Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87							L	
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	48.43 12.90	36.54 36.54	16.87 16.87	1						<u> </u>	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87			1				1	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	48.43	36.54	16.87								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
<u> </u>		Premise		<u> </u>	UEANL	URETL	├────	8.33	0.83			ļ				ļ	
<u> </u>		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEANL UEANL	URET1 URETA	<u>}</u>	33.17 19.28	0.00			<u> </u>					
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-				UNLIA	1 1	13.20	13.20			İ				1	
L		SL1)			UEANL	UREWO		15.75	8.93								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								
L		r				/		+				1					

UNB	JNDLE	O NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATE		RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonree	RATES(\$)	Nonrecurring	Diamati	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					-		Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92	That	Addi	SOMEC	JOINAN	JONIAN	JOWAN	SOMAN	JOINAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			02/112	02/11/0		1.02	1.02								
		LSR)			UEANL	OCOSL		17.56	17.56								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1	- 1	1	UEQ	UEQ2X	12.40	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1		UEQ	UEQ2X	14.32	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	16.87	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEQ	URETL		8.33	0.83								
	_	Premise Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	UREIL		8.33	0.83								
		Designed (per loop)			UEQ	USBMC		7.92	7.92								
-		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST				CODINIC		1.02	1.52								
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04								
-		Loop Testing - Basic 1st Half Hour	1		UEQ	URET1		33.17	0.00								
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28								
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															
		ND)			UEQ	UREWO		14.25	7.42								
UNBU		EXCHANGE ACCESS LOOP	_							-	-				-		-
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	14.93	102.10	05.72								
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-	02/1	02/122	20.00	102.10	00.12								
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3			50.40	100.10	05 70								
	_	Battery Signaling - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UEA UEA	UEAR2 UREWO	50.46	102.10 87.59	65.72 36.30								
-		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP			ULA	UNLIL		11.20	1.10								
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	30.81	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02								
		4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.39	127.40	91.02								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.59	36.30								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.09	113.34	76.96								
——	+	2-Wire ISDN Digital Grade Loop - Zone 2	+	2	UDN UDN	U1L2X	35.28	113.34 113.34	76.96 76.96	<u> </u>	<u> </u>	+					+
<u> </u>	+	2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>	3	UDN	U1L2X UREWO	65.18	91.49	44.09	ł	ł	+			ł	1	t
<u> </u>	2-WIRF	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BLELO	OP	0.011	UNLWU		31.43	++.09			1				1	<u> </u>
		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	Ť.	1		1 1			ł	ł	1			ł	1	1
1		facility reservation - Zone 1	1	1	UAL	UAL2X	12.29	117.08	68.36		1				1		
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
		facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36								
1		2 Wire Unbundled ADSL Loop including manual service inquiry &	1								1				1		
<u> </u>		facility reservation - Zone 3	<u> </u>	3	UAL	UAL2X	15.75	117.08	68.36		l				l		
1		2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1	1	1	UAL	UAL2W	12.29	92.83	56.02		1				1		
	+	2 Wire Unbundled ADSL Loop without manual service inquiry &	+		UAL	UALZW	12.29	92.83	30.02	<u> </u>	<u> </u>	+			ł		<u> </u>
1		facility reservaton - Zone 2	1	2	UAL	UAL2W	14.09	92.83	56.02		1				1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	1			0, 126 11	14.00	52.00	00.02	İ	t	1			1		1
1		facility reservaton - Zone 3	1	3	UAL	UAL2W	15.75	92.83	56.02		1				1		
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOC	P													
1		2 Wire Unbundled HDSL Loop including manual service inquiry &									I						
		facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77		ļ						l
1		2 Wire Unbundled HDSL Loop including manual service inquiry &	1	2	UHL	UHL2X	11.50	125.50	76.77		1				1		
L	1	facility reservation - Zone 2	1	2	UTIL	UHL2X	11.52	125.50	/6.//		I	1				1	I

UNBUNDLE	D NETWORK ELEMENTS - Louisiana			-										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring	Disconnect Add'l	00450	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &				-		First	Add'l	First	Add1	SOMEC	SOMAN	SOMAN	SOWAN	SOWAN	SOWAN
	facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL2W	9.79	101.24	64.43								
	facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
4-WIR	CLEC to CLEC Conversion Charge without outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BIELOO	P	UHL	UREWO		86.00	40.34					-			
4-111	4 Wire Unbundled HDSL Loop including manual service inquiry and		1		-					1						
	facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54								
	4-Wire Unbundled HDSL Loop including manual service inquiry and		2			10.05	150.00	10151								
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	16.65	153.26	104.54	-				-			
	facility reservation - Zone 3		3	UHL	UHL4X	17.34	153.26	104.54								
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20								
	4-Wire Unbundled HDSL Loop without manual service inquiry and		-		UTILAW	10.00	120.00	52.20								
	facility reservation - Zone 3		3	UHL	UHL4W	17.34	129.00	92.20								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	30.99	121.86	85.48								
-	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48		1						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3				UDL56 UDL56	36.78 38.92	121.86 121.86	85.48 85.48	-				-			-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48								
2-WIR	CLEC to CLEC Conversion Charge without outside dispatch E Unbundled COPPER LOOP			UDL	UREWO		101.97	49.67		ł						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46		-						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46								
	2-Wire Unbundled Copper Loop-Designed without manual service		-													
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12								
	2-Wire Unbundled Copper Loop-Designed without manual service		2	OOL	OCEI W	14.03	51.52	55.12								
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
4-WIR	Des) E COPPER LOOP			UCL	UREWO		91.92	42.47								
4-1111	4-Wire Copper Loop-Designed including manual service inquiry and	1	<u> </u>								1					1
	facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96								<u> </u>
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96								
	4-Wire Copper Loop-Designed including manual service inquiry and	-		UUL	06145	18.95	139.69	90.96			-					
	facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96								
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and		1	UCL	UCL4W	22.27	115.43	78.63								
	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63								
	4-Wire Copper Loop-Designed without manual service inquiry and															1
	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63								

UNBUNDLED NETWORK ELEMENTS - Louisiana												Attachment: 2		Exhi	bit: A		
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonree				001150	0.011.11		Rates(\$)		001111
				-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		91.92	42.47								1
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92					-		-	├ ────
		Order Coordination for Oribundied Copper Loops (per loop)			UEA, UDN, UAL,	UCLIVIC		1.92	1.92								-
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		17.56									
LOOP	MODIFIC																
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15	12.15								
SUB-LO		pop Distribution															
	SUD-LO																ł
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		144.09	144.09								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	I		UEANL	USBSB		10.99	10.99								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			UEANL	USBSC		86.16	86.16								
		361-0p	· ·	-	ULANL	000000		00.10	00.10								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEANL	USBSD		27.13	27.13								
		1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	Т	1	UEANL	USBN2	7.57	63.89	30.06								
		2	I	2	UEANL	USBN2	12.75	63.89	30.06								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	I	3	UEANL	USBN2	21.45	63.89	30.06								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			UEANL	USBINC		1.92	1.92								-
		1		1	UEANL	USBN4	11.76	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		2	UEANL	USBN4	16.84	76.75	42.92								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			UEANL	U3BIN4	10.04	70.75	42.92								
				3	UEANL	USBN4	19.27	76.75	42.92								
			1	1													1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.91	7.92 51.48	7.92 17.65								ł
					UEANL	USDRZ	2.91	51.48	C0.11								ł
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		7.92	7.92								1
	1	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I	1	UEANL	USBR4	6.58	57.54	23.71		l	1			1		<u> </u>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
		Loop Testing - Basic 1st Half Hour	1	1	UEANL	URET1		33.17	0.00		İ	1			ĺ		İ.
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								<u> </u>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.26	63.89	30.06								L
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1		UEF	UCS2X	10.07	63.89	30.06								
<u> </u>		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X	12.70	63.89	30.06					-		-	ł
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC		7.92	7.92								1
	-	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	8.03	76.75	42.92								-
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	10.71	76.75	42.92		İ						1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	6.08	76.75	42.92		İ	1			ĺ		İ.
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		0.89	0.88								
·				•			I	0.00	0.00								

UNB	JNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs.
							Rec	Nonrec		Nonrecurring		0.01150	001111		Rates(\$)		
	-	Less Testing Desis Artille Killers			UEF	URET1		First 33.17	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	_	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	0.00								
	Unbun	dled Sub-Loop Modification				UNLIA		13.20	13.20								
	onban	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															1
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled	I														
		loop			UEF	ULMBT		224.55	4.29		-			-	-		
	Unbun	dled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								+
	Netwo	rk Interface Device (NID)			UEINTW	UENPP	0.3454	14.72	14.72								+
	Netwo	Network Interface Device (NID) - 1-2 lines	+	1	UENTW	UND12	1	42.26	27.83		1	+		1	1		+
		Network Interface Device (NID) - 1-2 lines			UENTW	UND16	1	62.86	48.43		1			1	1		1
		Network Interface Device Cross Connect - 2 W	1	1	UENTW	UNDC2	1	5.73	5.73	l	1	1	1	1	1		1
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.73	5.73								
UNE C	DTHER, F	ROVISIONING ONLY - NO RATE															
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
-	_	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									_
					UEANL,UEF,UEQ,UE		0.00	0.00									
	-	Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									+
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0.00	0.00									
	MAKE-U				UDIN,UEA,UHL	UNECIN	0.00	0.00									+
2001	MIANE-0	Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
		Loop Makeup - Preordering With Reservation, per spare facility				-											
		queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINES	HARING				0-4-b00.0000.4b		white Orate have 04	0004									+
		1: The Line Sharing monthly recurring rates for all installations 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop				rougn miani	ight October 01,	2004 shall be r	billed as follow	5:							
		1: 10/02/2003 – 10/01/2004: 25 % of the rate for UCLND	per ioop	non-u													+
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND												1			-
	NOTE	1: Above will apply to USOCS: ULSDT and ULSCT															
	**NOT	E 2: The Line Sharing monthly recurring rates with USOCs ULS	DC and U	JLSCC	applies only to circui	its installed a	and inservice or	n or before Octo	ober 1, 2003								
		HARING															
	SPLIT1	ERS-CENTRAL OFFICE BASED															
	_	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	187.17	183.33	0.00		-			-	-		
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB ULSD8	46.79 15.59	183.33 183.33	0.00								+
		Line Sharing Splitter, Per System, 8 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation			ULO	ULOUO	15.59	183.33	0.00		<u> </u>	+		<u> </u>	<u> </u>	1	+
		(per LSOD)	1		ULS	ULSDG		83.98	0.00		1			1	1		1
<u> </u>	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	1	1		52050	1	00.00	0.00	1	ł	1	1	ł	ł	1	1
	1	Line Sharing - per Line Activation (BST Owned splitter) -	1								1	1					1
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	17.97	10.29								
		Line Share Service, TRO per line activation, BST owned splitter -															
		Central Office Located (25% of UCLND) - please see NOTE 1		1							1			1			1
	_	(E:10/2/2003)			ULS	ULSDT	3.10	17.97	10.29				<u> </u>				
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1		1							1			1	1		1
		(E:10/2/2004)		1	ULS	ULSDT	6.20	17.97	10.29		1			1			1
	-	Line Share Service, TRO per line activation, BST owned splitter -	+		010	01301	0.20	17.97	10.29		1			1	1		+
1		Central Office Located (75% of UCLND) - please see NOTE 1		1		1					1			1			1
1		(E:10/2/2005)		1	ULS	ULSDT	9.30	17.97	10.29		1			1			1
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST	Г								1			1	1		1
		Owned Splitter)			ULS	ULSDS		15.91	7.95								
		Line Sharing - per Subsequent Activity per Line															
<u> </u>	_	Rearrangement(DLEC Owned Splitter)		<u> </u>	ULS	ULSCS		15.91	7.95		ļ			ļ			───
		Line Sharing - per Line Activation (DLEC owned Splitter) -					0.01	47.44	40.04		1			1	1		1
L		OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31		I	1		1	I	1	1

UNBUNDLED	NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
					_	Rec		curring		g Disconnect	001150	001111		Rates(\$)		
	Line Chara Carving TBO per line anti-stics OLEO surged a line				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.10	47.44	19.31								
	Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004) Line Share Service, TRO per line activation, CLEC owned splitter -		-	ULS	ULSCT	6.20	47.44	19.31								
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
MAINTE	NANCE															
\vdash	No Trouble Found - per 1/2 hour increments - Basic		ļ		+		80.00	55.00	ł							───
	No Trouble Found - per 1/2 hour increments - Overtime				+		120.00	82.50				ļ				───
	No Trouble Found - per 1/2 hour increments - Premium EDICATED TRANSPORT	+					160.00	110.00								
	DEDICATED TRANSPORT	+			+				1	1						<u> </u>
INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			U1TVX	1L5XX	0.013										
	Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile per			U1TVX	U1TV4	19.81	39.36	26.62								
	month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.013										
	Termination Interoffice Channel - Dedicated Transport - 04 kbps - per mile per			U1TDX	U1TD5	15.61	39.37	26.62								
	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.013										
	Termination			U1TDX	U1TD6	15.61	39.37	26.62								
SIGNALING (CC	S7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	15.77	34.50	34.50								
	CCS7 Signaling Connection, Per DS3 level link (A link) CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB UDB	TPP9A TPP6B	15.77 15.77	34.50 34.50	34.50 34.50								
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	ТРР9В	15.77	34.50	34.50								
	CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	10.11	28.17	28.17								
	CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17								-
E911 SERVICE				-		18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		-			18.32	187.51	32.21								
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		-			18.32	187.51	32.21								
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					0.013	107.01	02.21								
	Termination					22.60	39.36	26.62								
	Local Channel - Dedicated - DS1 - Zone 1	I	<u> </u>			39.18	172.34	149.27								l
├───┤────	Local Channel - Dedicated - DS1 - Zone 2				+	121.58	172.34	149.27								
┝──┤───	Local Channel - Dedicated - DS1 - Zone 3				+	70.02	172.34	149.27								
	Interoffice Transport - Dedicated - DS1 Per Mile Interoffice Transport - Dedicated - DS1 Per Facility Termination	1				0.2652	86.69	79.44								<u> </u>
	TENDED LINK (EELs)	+	ł		+	70.47	00.09	79.44		1	1 1					<u> </u>
	TENDED LINK (EELS) The monthly recurring and non-recurring charges below will a		the S.	l litch-As-le Charge ::	vill not apply fr	or LINE combine	tions provide	ned as ' Ordina	arily Combined	Network Elem	onte					ł

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		D :	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
		-				Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
NOTE	E: The monthly recurring and the Switch-As-Is Charge and not the	non-re	curring	n charges below will	apply for UNE	combinations					SOWEC	SOMAN	SOMAN	SOWAN	SOWAN	SOWAN
EXTE	E. The holding recurring and the Switch-As-Is charge and list in INDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR	RADEIN	TEROF	FICE TRANSPORT		combinations	provisioned as	Currently CO	Indified Netwo	K Liements.						
	2-WireVG Loop in combination - Zone 1	T		UNCVX	UEAL2	14.93	94.21	45.09								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09								
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	-		UNCVX	1L5XX	0.013										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is		-	UNCVA	01172	22.00	72.00	41.75								
	Charge			UNCVX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR	RADE IN	TEROF													
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	30.81	94.21	45.09								
	4-WireVG Loop in combination - Zone 2	I	2	UNCVX	UEAL4	38.32	94.21	45.09			ļ					
	4-WireVG Loop in combination - Zone 3	<u> </u>	3	UNCVX	UEAL4	60.39	94.21	45.09		ł – – – – – – – – – – – – – – – – – – –						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	1	1	UNCVX	1L5XX	0.013					1					
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVA	IL5AA	0.013					1					
	per month			UNCVX	U1TV4	19.81	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			-					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDA	ILDAA	0.013					1					
	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERC														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	_	2	UNCDX	UDL64	36.78	94.21	45.09		-	-					
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per	-	3	UNCDX	UDL64	38.92	94.21	45.09								
	Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			ONODA	120/07	0.010										
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge	<u> </u>		UNCDX	UNCCC		5.43	5.43			L					
EXTE	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC				00.05	0101	45.00		ļ	<u> </u>					
	First 4-wire 56 kbps Local Loop in combination - Zone 1 First 4-wire 56 kbps Local Loop in combination - Zone 2	+	1	UNCDX UNCDX	UDL56 UDL56	30.99 36.78	94.21 94.21	45.09 45.09			+					
	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3	<u> </u>	3	UNCDX	UDL56 UDL56	36.78	94.21	45.09 45.09	1	ł	+			ł	{	{
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per	1	5		50130	30.92	34.21	-+0.09			1					
	month	1	1	UNCDX	1L5XX	0.013					1					
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	1								1	1					
	Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-Is		1													
				UNCDX	UNCCC		5.43	5.43		ļ	<u> </u>					
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	+		UNCDX	UDL64 UDL64	30.99	94.21	45.09		<u> </u>	+					
	First 4-wire 64 kbps Local Loop in combination - Zone 3	1		UNCDX	UDL64	38.92	94.21	45.09	1	ł	1			1	1	1
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	<u> </u>							1	1			l	l	l
	month			UNCDX	1L5XX	0.013										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1														
					U1TD6	15.61	72.60	41.75	I	1	1			1	1	1
	Termination per month			UNCDX	UTID6	15.61	72.00	41.75								
					UNCCC	15.61	5.43	5.43								

Exhibit 1

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												• • •	Electronic-		Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
When	used as a part of a currently combined facility, the non-recurrng	charge	s do no	ot apply, but a Switch	n As Is charge	e does apply.										
When	used as ordinarily combined network elements in All States, the	non-rec	urring	charges apply and th	ne Switch As	Is Charge does	not.									
Nonre	curring Currently Combined Network Elements "Switch As Is" CI	harge (C)ne app	lies to each combina	ation)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
Miscel	laneous															
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.85	18.85								

UNBU	NDLE) NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
				_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as p	art of a o	combin	ation refers to Geogra	aphically De	averaged UNE	Zones. To view	Geographical	ly Deaveraged I	JNE Zone Desi	gnations by	Central Offi	ce, refer to Int	ternet Website	:	
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	onnectio	n.htm													
OPERA		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"										<u> </u>		I	L		
		(1) CLEC should contact its contract negotiator if it prefers the he state specific Commission ordered rates for the service orde															
		(2) Any element that can be ordered electronically will be billed															
		ared electronically at present per the LOH, the listed SOMEC rate															
		OSS - Electronic Service Order Charge, Per Local Service Request			,				_					ſ		, ,	
		(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		15.75	0.00	1.97	0.00						4
UNE SE		The Expedite charge will be maintained commensurate with Be	IISouth'	s FCC	No 1 Tariff Section 5	as annlicah								ł			-
	NOTE.	The Expedite charge will be maintained commensurate with be	lioouur	3100	No.1 Tallin, Section 5		ie.										
					UAL. UEANL. UCL.												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL, UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
					U1TUD, U1TUB,									1			
L		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00		ļ				ļ			Į
ORDER	MODIF	CATION CHARGE					 	00.01	0.00	0.00	0.00	<u> </u>	-	ļ			l
<u> </u>		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21 150.00	0.00	0.00	0.00			<u> </u>			l
UNBUN	DLED F	Crock Modification Additional Dispatch Charge (OMCAD)					1	150.00	0.00	0.00	0.00						<u> </u>
		ANALOG VOICE GRADE LOOP										1					
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		UEAL2	12.03	37.92	17.55	23.48	5.25						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEAL2	16.87	37.92	17.55	23.48	5.25						ļ
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3				UEAL2	25.68	37.92	17.55	23.48	5.25		ļ	ļ			
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4				UEAL2 UEASL	43.85	37.92	17.55	23.48	5.25		<u>├</u> ───	<u> </u>			ł
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1		UEASL UEASL	12.03 16.87	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25			<u> </u>			l
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3		UEASL	25.68	37.92	17.55	23.48	5.25		t	 	1		1
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4		UEASL	43.85	37.92	17.55	23.48	5.25						ł
<u> </u>		Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	-			40.00	01.02	17.55	20.40	0.20	1		1		İ	1
		Premise			UEANL	URETL		8.33	0.83								
		Loop Testing - Basic 1st Half Hour				URET1		34.36	0.00								
		Loop Testing - Basic Additional Half Hour				URETA		19.97	19.97				ļ				
L		CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92						1		L

UNBUNDL	ED NETWORK ELEMENTS - Mississippi	-	1	1										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonreci		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51				. !	1	i	1	
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20			 		<u> </u> '	<u> </u>	<u> </u> '	+
	Order Coordination for Specified Conversion Time for UVL-SL1 (per		-	OLANL	OLANIC		0.20	0.20			├─── ┤			<u> </u>	<u> </u>	<u> </u>
	LSR)			UEANL	OCOSL		18.19	18.19				. !	1	i	1	
2-W	RE UNBUNDLED COPPER LOOP - NON-DESIGNED												[]			1
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42			<u> </u>	<u> </u>		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42			 			
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4	I	4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42	$ \longrightarrow $	l	 	 	<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83				. 1	1 '	i	1	
r	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	UKEIL		0.33	0.63			├──── ┤		i'	i	 '	+
	Designed (per loop)	1	1	UEQ	USBMC		8.20	8.20				, I	1	1	1	1
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST	1	<u> </u>		0000.000		0.20	0.20	1	1	<u>├</u> ──┤		′		'	1
	providing make-up (Engineering Information - E.I.)	1	1	UEQ	UEQMU		13.51	13.51				, I	1	1	1	1
1	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	0.00					(1
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97						Ĺ		
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42					ļ'		'	
	D EXCHANGE ACCESS LOOP										$ \longrightarrow $		 	 	ļ'	
2-WI	RE ANALOG VOICE GRADE LOOP	_									↓		 '	 	 '	
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1			UEA	UEAL2	13.89	105.96	68.28	52.82	10.37		. !	1	i	1	
i — — —	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	UEA	UEALZ	13.89	105.96	68.28	52.82	10.37		Į	'	<u> </u>	<u> </u>	
1	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37		. !	1	i	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	ULA	ULALZ	10.75	103.30	00.20	52.02	10.57	├─── ┤			<u> </u>	<u> </u>	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37		. 1	1 '	i	1	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-										()			1
1	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37		. !	1	i	1	
í – – – – – – – – – – – – – – – – – – –	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse												(Í		
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37			ļ'		'	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse											. 1	1 '	i	1	
└── ┤──	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37	$ \longrightarrow $		 	 	ļ'	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3			07.55	405.00	CO OO	50.00	40.07		. 1	1 '	i	1	
├── ├──	Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	┣━━━━╋			<u> </u>	<u> </u>	
1	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		. !	1	i	1	
	CLEC to CLEC Conversion Charge without outside dispatch	1	-	UEA	UREWO	43.72	87.56	36.29	52.02	10.57	├─── ┤	I		<u> </u>		
1	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10					i	1		1
4-W	RE ANALOG VOICE GRADE LOOP												()			1
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64				Ĺ		
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	50.03	132.27	94.59	60.68	14.64			ļ'			
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64	\square]	ļ'		ļ'	
<u> </u>	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29			$ \longrightarrow $		 	 	ļ'	
2-WI	RE ISDN DIGITAL GRADE LOOP	_				04.04	447.04	70.00	50.00	10.07	↓		 '	 	 '	+
├── ┼──	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2	<u> </u>	2	UDN UDN	U1L2X U1L2X	21.01 27.59	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37	┟───┤		i'	i	 '	+
├──┼──	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3	+	2	UDN	U1L2X U1L2X	37.34	117.61	79.92	52.82	10.37	├		i'	i	ł'	+
	2-Wire ISDN Digital Grade Loop - Zone 3	+	4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37	┝───┤		'		<u> </u>	+
	CLEC to CLEC Conversion Charge without outside dispatch	1	† .	UDN	UREWO	00.10	91.46	44.07	02.02			ł				<u>†</u>
2-W	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													1
	2 Wire Unbundled ADSL Loop including manual service inquiry &	T											1			Γ
	facility reservation - Zone 1	1	1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93]	 '		 '	
	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	1		1							, I	1	1	1	1
⊢−−∔−−	facility reservation - Zone 2	<u> </u>	2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93	┝───┤		 '	 	 '	───
1	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	3			44.74	404.07	70.04	50.00	7.00	1 1	, İ	1	1	1	1
	facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93	├─── ┤	ļ	'	 	├ ────'	┿
┡───┟──	2 Wire Unbundled ADSL Loop including manual convice insuring 9															1
┝──┼──	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		л	1141		12.60	101 07	70.81	50.29	7 0 2		' i	ļ,	ļ		
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4 2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93		·				

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Soc Order Submitted Submitted Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge - Charge -	UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
ATTOM APA PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR<			1									Svc Order	Svc Order				
ATTOM APA PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR PAR<																	Charge -
Data Decision Name Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Control Number of the Contr<																	
Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Image: Problem in the standard regular Problem in the standard regular Problem in th	CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)								Order vs.
Image: body body body body body body body body												po. 2011	po. 2011				
Image: second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second																	Disc Add'l
Image with the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the product of the pro															,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.00 .01	Diotriau
Image: Proceeding and another strain of a product of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain of the strain							Dee	Nonree	curring	Nonrecurring	g Disconnect			OSS	Rates(\$)		
bells resolution and all constrained and regress of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of a set of							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Image Symple backed XII Loge what manual source may A Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Image Ima		2 Wire Unbundled ADSL Loop without manual service inquiry &															1
belsy reserved: Description J U/L U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W U/L/W				2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns business ADM Jowns b																	
betty: betty: product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product product				3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
EXEC CVCC Conversion Charge when cause denotes DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. DAR. D																	
New law law law law law law law law law la				4			12.69			50.38	7.93						
Provise functional structure regards Product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of product of					UAL	UREWO		86.04	40.33								
Incluy rescalant. Zure 1 1 0.4. 0.4.2. 0.4.7.5 1.2.2. 0.7.9.2. 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2 0.9.9.2	2-WIR		BLE LOO	P													
2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							0.75	400.00	70.50	50.00	7.00						
Instity reservation Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case Case </td <td></td> <td></td> <td>-</td> <td>1</td> <td>UHL</td> <td>UHL2X</td> <td>8.75</td> <td>129.98</td> <td>79.52</td> <td>50.38</td> <td>7.93</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>			-	1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
2 2 View Undarked Hold Loop Including mutual service incury 4 3 UHL2X 9.87 12.98 7.82 6.03 7.78 2 Wire Undarked High Loop and/or manual service incury 4 4 UHL UL2X 10.46 66.74 60.38 7.78				~			0.00	400.00	70.50	50.00	7.00						
Backly reservation. Zoore 3 0 UPL UPL UPL 1200 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000 12000				2	UHL	UHLZX	9.22	129.98	79.52	50.38	7.93						
2 Wire Unbrucked DSL Loop incluit generation reginy and leave ingain year 4 UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UH				2			0.97	100.00	70.50	50.20	7.02						
Instity reservation. Some 4 Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity Unity <thu< td=""><td></td><td></td><td>+</td><td>3</td><td>UIL</td><td></td><td>9.67</td><td>129.98</td><td>19.32</td><td>50.38</td><td>1.93</td><td>ł</td><td></td><td>ł</td><td>ł</td><td>ł</td><td> </td></thu<>			+	3	UIL		9.67	129.98	19.32	50.38	1.93	ł		ł	ł	ł	
2 Wie Labenden USL. Loop whour muscal service inquiry and head of the service inc. Cons. 2 1 14 04.20 0.6.76 0.0.88 06.74 50.38 7.81 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				4	ны		10.46	120.08	70.52	50.38	7.03						
Biolog reservation-Zone 1 1 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL 0HL		2 Wire Linbundled HDSL Loop without manual service inquiny and		-	OHL	UTILZA	10.40	123.30	13.52	50.50	1.35						
2 Wire Unbucked HDSL Logs whort manual service naging and backly reservation - 2m a 2 UHL UHL 2W 9.22 104.86 66.74 50.38 7.83 C C C C 2 Wire Unbucked HDSL Logs whort manual service naging and backly reservation - Zone 4 3 UHL UHL 2W 9.87 104.86 66.74 50.38 7.93 C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C C		facility reservation - Zone 1		1	нн	LIHI 2W	8 75	104.86	66 74	50.38	7 93						
Iscilip reservation - Zone 2 UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL				· ·	OTTE	OTILET	0.70	104.00	00.14	00.00	7.00					-	
2 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				2	инг	UHI 2W	9.22	104 86	66 74	50.38	7 93						
Incluyresension-Zore 3 UH. UH.2W 9.87 10.88 66.74 60.38 7.93 2 Wei Unbundel HSL Loop incluing analysis on an unbunde datation 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				-	0.12	0112211	0.22	101.00	00.11	00.00	1.00						
2 Wie Urbander HOSL Loop without manual service ingring and facily reservation. Zone 4 4 HL, UHL,W 10.46 66.74 50.38 7.3 A CLEC to CLE Concension Charge without divide digation facily reservation. Zone 1 1 UHL, UHL AV 13.45 140.82 66.74 50.38 7.03				3	инг	UHI 2W	9.87	104 86	66 74	50.38	7 93						
Indity reservation - Zone 4 UHL UHL2W 10.46 10.486 66.74 50.38 7.93 4-WRE HGR BT ALTE GOTA Log relation charge withour classics digration UNID Condition Transmission charge withour classics digration UNID Condition Transmission charge withour classics digration Image: Condition Transmission charge withour classics digration Image: Condition Transmission charge withour classics digration Image: Condition Transmission charge withour classics digration Image: Condition Transmission charge withour classics digration Image: Condition Transmission charge withour classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics digration Image: Condition Transmission classics d				Ŭ	UTIL	OTILLIT	0.01	10 1100	00.11	00.00	1.00						
CLEG to CLC Conversion Charge without outside displant UHL URR W0 85.98 40.31 Image: Conversion Charge without outside displant of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the conversion of the con				4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
4-WRE HIGH BIT RATE DOTAL SUBSCRIBER LINE (HDS), COMPATIBLE LOOP Image: Comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparis			1	1													1
Incity reservation - Zone 1 1 UHL UHLX 13.78 136.74 106.28 66.72 10.68 0 0 0 A-Wire Urbanded HDSL Loop rokuling manual service inquiry and Lacity reservation - Zone 3 2 UHL UHLX 13.63 166.72 10.68 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4-WIR		BLE LOO	P													1
4-Wire Urbunder MDSL Loop including manual service inquiry and lacity reservation - Zone 3 2 UHL UHLAX 15.59 158.74 108.28 56.72 10.68 Image: Construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of th		4 Wire Unbundled HDSL Loop including manual service inquiry and															1
Instity reservation - Zone 2 UHL UHLX 13.83 158.74 108.28 56.72 10.68 UML UML UMLX 15.99 158.74 108.28 56.72 10.68 UML UMLX 15.99 158.74 108.28 66.72 10.68 UML UMLX 14.44 15.99 158.74 108.28 66.72 10.68 UMLX 10.68 UMLX 14.44 15.99 158.74 108.28 66.72 10.68 UMLX 10.68 UMLX 14.44 13.86 108.28 66.72 10.68 UMLX 10.68 UMLX 10.82 65.72 10.68 UMLX 10.68 UMLX 10.82 65.72 10.68 UMLX 10.83 10.82 95.50 56.72 10.68 UMLX 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83 10.83		facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						
4-Wire Urbander HDSL Loop including manual service inquiry and facility reservation - Zone 4 UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UH		4-Wire Unbundled HDSL Loop including manual service inquiry and															1
Inaily reservation - Zone 3 3 UHL UHLX 15.59 158.74 108.28 56.72 10.68 Image: Constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the co		facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
4.Wire Untrudied HDSL Loop including manual service inquiry and facility reservation - Zone 1 H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H																	1
Incidiry resorration - Zone 4 Hu UHLA 14.46 158.74 108.28 65.72 10.68 Image: Constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the				3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation. Zone 1 HL UHL UHL UHL UHL UHL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL UNL </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>																	
Incluty reservation - Zone 1 1 UHL UHL UHL 13.86 95.50 56.72 10.68 Image: Constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constr				4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
4-Wire Urbunded HDSL Loop without manual service inquiry and tackfur searwards Zone 3 2 UHL UHLW 13.8.6 95.50 56.72 10.68 4-Wire Urbunded HDSL Loop without manual service inquiry and tackfur searwards Zone 3 3 UHL UHLW 15.59 95.50 56.72 10.68 4-Wire Urbunded HDSL Loop without manual service inquiry and tackfur searwards Zone 4 4 UHL UHLW 15.89 95.50 56.72 10.68																	
Incitive reservation - Zone 2 UHL UH4 13.43 13.362 95.50 56.72 10.68 Image: Constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint of the constraint				1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
4 Wire Urbanded HDSL Loop without manual service inquiry and facility reservation - Zone 3 2 0.00 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000																	
Interfacility reservation - Zone 3 UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL UHL				2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4 0 or m 0 rule m 0 or m 0 rule m 0 or m 0 rule m 0 or m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m 0 rule m <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>																	
facility reservation - Zone 4 4 UHL UHL UHL UHL UREWO 85.98 40.33 6 CLEC to CLEC Conversion Charge without outside dispatch I UHL UREWO 85.98 40.33 Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch Image: Conversion Charge without outside dispatch				3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68						+
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 85.98 40.33 4-WIRE 192, 56 OR 64 KBPS DIGITAL GRADE LOOP <								400.00	05 50	50 70	10.00						
4-WIRE 192, 56 OR 64 KBPS DIGTAL GRADE LOOP I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I			-	4		UHL4W	14.46			56.72	10.68						
4 Wire Unbundled Digital 19.2 Kbps 1 UDL UDL19 27.44 12.653 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 34.55 12.653 88.85 60.68 14.64 </td <td>4 14/15</td> <td></td> <td></td> <td></td> <td>UHL</td> <td>UREWO</td> <td></td> <td>85.98</td> <td>40.33</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>4</td>	4 14/15				UHL	UREWO		85.98	40.33								4
4 Wire Unbundled Digital 19.2 Kbps 2 UDL UDL9 34.55 126.53 88.85 60.68 14.64 4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL19 40.76 126.53 88.85 60.68 14.64 <td>4-WIR</td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td>27.44</td> <td>100 50</td> <td>00.05</td> <td>60.69</td> <td>14.64</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	4-WIR			1			27.44	100 50	00.05	60.69	14.64						
4 Wire Unbundled Digital 19.2 Kbps 3 UDL UDL UDL19 40.76 126.53 88.85 60.68 14.64			-													-	
4 Wire Unbundled Digital 1.9.2 Kbps 4 UDL UDL UDL 9.2.5 126.53 88.85 60.68 14.64																	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 1 UDL UDL56 27.44 126.53 88.85 60.68 14.64 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>																	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 2 UDL UDL56 34.55 126.53 88.85 60.68 14.64 <t< td=""><td></td><td></td><td>+</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td><u> </u></td><td></td></t<>			+		-							1				<u> </u>	
4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 3 UDL UDL56 40.76 126.53 88.85 60.68 14.64 <t< td=""><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>			-														
4 Wire Unbundled Digital Loop 56 Kbps - Zone 4 4 UDL UDL56 32.25 126.53 88.85 60.68 14.64 <	1		1													ł	1
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.44 126.53 88.85 60.68 14.64 <t< td=""><td>1</td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td>İ</td><td>1</td><td>t</td><td>1</td></t<>	1		1									1		İ	1	t	1
4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 2 UDL UDL64 34.55 126.53 88.85 60.68 14.64 <t< td=""><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td>ĺ</td><td>ĺ</td><td>l</td><td>1</td></t<>			1									1		ĺ	ĺ	l	1
4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 40.76 126.53 88.85 60.68 14.64 <t< td=""><td>l</td><td></td><td>1</td><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td>1</td></t<>	l		1	2								1					1
4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 4 UDL UDL64 32.25 126.53 88.85 60.68 14.64 <t< td=""><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	1																
CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 101.94 49.66 Image: Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear																1	1
2-WIRE Unbundled COPPER LOOP I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>																	
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1 1 UCL UCLPB 11.11 120.34 69.87 50.38 7.93 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2-WIR																
2-Wire Unbundled Copper Loop-Designed including manual service		2-Wire Unbundled Copper Loop-Designed including manual service															Γ
				1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
inquiry & facility reservation - Zone 2 2 UCL UCLPB 11.47 120.34 69.87 50.38 7.93	T			1													
		inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
├───	2 Wire Linkundled Conner Leon Designed instruction wares in the	ł	<u> </u>		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		95.21	42.40								
4-WIRI	E COPPER LOOP	1		002	U.L.I.O		00.21	12110								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)		4	UCL	UREWO	21.00	95.21	42.40	50.72	10.00						
	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		8.20	8.20								
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL	OCOSL		18.19	0120								
		1		0112,002	00002		10.10									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.57	32.57								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
SUB-LOOPS																
Sub-Lo	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Т		UEANL	USBSB		22.77									<u> </u>
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		178.47									ļ
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		56.39									ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	I	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						<u> </u>
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	I	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						

Exhibit 1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY		Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Out-Lang Distribution Dec 0 Wise Apple 5 Vision Out-daylong - Zang						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		5	OLANE	OODINZ	12.45	00.10	51.14	40.00	0.71						
	4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone			OE/ WE	CODIT	1.00	75.45	11.10	01.27	0.00						
	2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone					10.70	70.40		54.07	0.05						
	3 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
										2100						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEANL UEF	URETA UCS2X	6.06	19.97 66.18	19.97 31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF UEF	USBMC UCS4X	5.10	8.20 79.49	8.20 44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	9.11	79.49	44.45		9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		-	UEF	USBMC		8.20	8.20								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbur	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.80	5.13								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip		1			1		0.10						İ		
	Removal per 4-W PR			UEF	ULM4X		176.80	5.13								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled				ULL NOT		070	o · -								
Unbur	loop dled Network Terminating Wire (UNTW)			UEF	ULMBT	<u> </u>	279.81	6.15	├		<u> </u>					
Giibui	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.3366	30.55				1		-			
Netwo	rk Interface Device (NID)		<u> </u>													
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW	UND16 UNDC2		65.30	50.36								
├──	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W			UENTW UENTW	UNDC2 UNDC4	+	5.94 5.94	5.94 5.94	├		<u> </u>					
UNE OTHER.	ROVISIONING ONLY - NO RATE		<u> </u>	0211111	511204	1	5.34	0.04	1		t					
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
1 1	Unhundled Contract Name Provisioning Only No Data			UEANL,UEF,UEQ,UE	UNECN	0.00	0.00									
├─── ┼───	Unbundled Contract Name, Provisioning Only - No Rate		+	NTW UAL, UCL, UDC,	UNECIN	0.00	0.00				<u> </u>					
			1	UDL, UDN, UEA,												
	Unbundled Contact Name, Provisioning Only - no rate			UHL	UNECN	0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrec		Nonrecurring					Rates(\$)		
					ļ	1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MAKE-U																ļ!
	Loop Makeup - Preordering Without Reservation, per working or															1
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		24.12	24.12								↓ ′
	queried (Manual).			имк	UMKLP		25.58	25.58								1
	Loop MakeupWith or Without Reservation, per working or spare			OWIN	OWINE		20.00	20.00								├ ────┦
	facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								1
LINE SHARING	j															
	1: The Line Sharing monthly recurring rates for all installations					ght October 01,	2004 shall be b	oilled as follow	/s:							
NOTE	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop	per loop	non-d	esigned ("UCLND")												
NOTE	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															L
NOTE	1: Above will apply to USOCS: ULSDT and ULSCT E 2: The Line Sharing monthly recurring rates with USOCs ULSD	0			ite in stalls d s											
	E 2: The Line Sharing monthly recurring rates with USOCS ULSL	ic and l		applies only to cifcu	ns installed a	and inservice of	or before UCt	Juer 1, 2003	1					ł		├ ─────
	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00	178.41	0.00				1	1	r
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation															
	(per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see **NOTE 2 Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	18.62	10.66	10.04	4.93						ł
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -			010	02021	2.10	10.02	10.00	10101							
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST						10.10									
	Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		16.48	8.24								<u> </u>
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.48	8.24								
	Line Sharing - per Line Activation (DLEC owned Splitter) -			010	01000		10.40	0.24								
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1															1
	(E:10/2/2003)			ULS	ULSCT	2.75	47.44	19.31	20.67	12.74						l
	Line Share Service, TRO per line activation, CLEC owned splitter -				1											1
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	47.44	19.31	20.67	12.74						1
	Line Share Service, TRO per line activation, CLEC owned splitter -			013	01301	5.51	47.44	19.31	20.67	12.74						ł
	Central Office Located (75% of UCLND) - please see NOTE 1				1											1
	(E:10/2/2005)	1		ULS	ULSCT	8.26	47.44	19.31	20.67	12.74						1
MAINT	ENANCE															(
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium		ļ				160.00	110.00								
			<u> </u>			├ ───┤			ł							ł
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -							1					1			<u> </u>
	Per Mile per month	1		U1TVX	1L5XX	0.0098										1
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -				LOAA	0.0098										-
	Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						1
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade					22.52		2.1.51							İ	<u> </u>
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															1
	Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						<u> </u>

UNBUNDL	LED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						Rec		curring	Nonrecurring					Rates(\$)		
\vdash	Interoffice Channel Dedicated Transport 4 Wire Vision Ora-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility				U1TD5		40.79	27.57	17.26	7.14						
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			U1TDX		15.68	40.78	27.57	17.26	7.11						
	month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0098										
	Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11					L	
SIGNALING	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	132.21										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	16.55	35.74	35.74	16.53	16.53					<u> </u>	<u> </u>
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Point Code, per Originating Point Code															
E911 SERVI	Establishment or Change, per STP affected			UDB	CCAPO	<u>}</u>	29.18	29.18	35.78	35.78			ł		ł	
E911 SEKVI	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30					<u> </u>	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098									1	
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74			1			
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
ENHANCED	EXTENDED LINK (EELs)															
	TE: The monthly recurring and non-recurring charges below will a	pply and	the Sw	vitch-As-Is Charge w	ill not apply f	or UNE combina	tions provisio	ned as ' Ordina	rily Combined'	Network Eleme	ents.					
NOT	TE: The monthly recurring and the Switch-As-Is Charge and not the	e non-re	curring	g charges below will											L	
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE G	RADE IN				40.00	105.00		50.00	10.07		-	-			
	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		1	UNCVX UNCVX	UEAL2 UEAL2	13.89 18.75	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37						
	2-WireVG Loop in combination - Zone 2		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						-
			Ŭ				100.00	00.20	02.02	10.01						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month Interoffice Transport - 2-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.00088									───	
	per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADE IN	TEROF													
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64			L		└────	L
\vdash	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	ļ	ļ	ļ		───	───
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.00088									<u> </u>	<u> </u>
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is						E 60			7.00						
FYT	Charge CENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS		FFICE		UNCCC	<u>} </u>	5.63	5.63	7.20	7.20	<u> </u>	<u> </u>	ł		+	+
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	t	t			<u> </u>	<u> </u>
	4-wire 50 kbps Local Loop in combination - Zone i															
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						

INBUNDLED	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS		FFICE		011000		0.00	0.00	7.20	1.20						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1		UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	İ 🗌		UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3	1		UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC	LLIOL	5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	FROFEIC			UNCCC		5.05	5.05	1.20	7.20						
EATEN	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4			UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month		-	UNCDX	1L5XX	0.0098										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTI	EROFFIC	ETRA				0.00									
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0098										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
DITIONAL N	IETWORK ELEMENTS	1			511000		0.00	0.00			1				l	1
When u	used as a part of a currently combined facility, the non-recurring	g charge	s do no	t apply, but a Swit	ch As Is charge	e does apply.						1			1	
	used as ordinarily combined network elements in All States, the						not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is" C	harge (C	ne app	lies to each combi	nation)											
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
Miscell	laneous	1					2.00	2.00		20	1				l	1
	NRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.87	18.87				1				
	Rates displaying an "R" in the interim column are interim and su					10 11					1	1			i	1

UNBUNDL	ED NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	ı Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	"Zone" shown in the sections for stand-alone loops or loops as p			ation refers to Geogra	aphically De	eaveraged UNE 2	Zones. To view	Geographical	ly Deaveraged l	JNE Zone Desig	gnations by	Central Office	ce, refer to Int	ernet Website	:	
	//www.interconnection.bellsouth.com/become_a_clec/html/interco S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	onnectio	on.ntm													
	E: (1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	ered by the S	State Commissio	ons. The OSS of	charges curren	tly contained in	this rate exhi	bit are the B	ellSouth "re	gional" servio	e ordering ch	arges, CLEC	may elect
	r the state specific Commission ordered rates for the service orde															
	E: (2) Any element that can be ordered electronically will be billed															
be o	dered electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ory reflects the charge	that would	be billed to a C	LEC once elect	ronic ordering	capabilities co	me on-line for t	hat element	. Otherwise	e, the manual o	ordering charg	ge, SOMAN, wi	ill be applied
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		1													
	(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
	E DATE ADVANCEMENT CHARGE		1- 500	No.4 Tariff Continue C		-										
NOT	E: The Expedite charge will be maintained commensurate with Be	elisouth	SFUU	No.1 Tariff, Section 5	as applicab	ie.										
				UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1T03, U1TD1, U1T03, U1TD2, UC18L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1CC, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UC16L, UC1C, UD148, UDL03, UDL98, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD01, UNC03X, UNC1X, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC14, UNC33, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UTUC, U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				SDASP		200.00									
ORDER MOD																
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	<u> </u>			L		26.21	0.00	0.00	0.00						
	DEXCHANGE ACCESS LOOP		-				0.00	0.00	0.00	0.00						
	RE ANALOG VOICE GRADE LOOP		1			1			l				1	1	1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		UEAL2	12.11	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2		UEAL2	21.24	57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<u> </u>	3		UEAL2 UEASL	33.65 12.11	57.99 57.99	42.37 42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.24	57.99 57.99	42.37								
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3		UEASL	33.65	57.99	42.37	1				1	1	1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User										1	1	İ	İ	İ	İ
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour		<u> </u>		URET1		76.24	0.00								
	Loop Testing - Basic Additional Half Hour CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-			UEANL	URETA	1	39.51	39.51								
	SL1)			UEANL	UREWO		15.76	8.93								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						00.74	00.74								
	providing make-up (Engineering Information - E.I.)	1	1	UEANL	UEANM		28.74	28.74								

UNB	JNDLED	O NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	_						Rec	Nonrec First	urring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	_	Manual Order Coordination for UVL-SL1s (per loop)	-	-	UEANL	UEAMC		61.38	61.38	FIrst	Addi	SOMEC	SOWAN	SOWAN	SOMAN	SOMAN	SOWAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	UEANIC		01.30	01.30								
		LSR)			UEANL	OCOSL		45.34	45.34								
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED															
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	17.55	35.27	15.60								
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	27.58	35.27	15.60								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	UREIL		0.33	0.63								
		Designed (per loop)			UEQ	USBMC		61.38	61.38								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74								
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	0.00						L		L
	-	Loop Testing - Basic Additional Half Hour		<u> </u>	UEQ	URETA	├ ──── ↓	39.51	39.51						ł		┣────
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL- ND)			UEQ	UREWO		14.26	7.42								
					UEQ	UREWO	<u> </u>	14.26	7.42			-			ł		
UNDO		ANALOG VOICE GRADE LOOP				-											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3		11541.0	10.01	4 4 9 9 7	100 50								
		Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAL2	40.81	142.97	106.56								
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OLANZ	14.57	142.37	100.50								
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56								
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								
		Loop Tagging - Service Level 2 (SL2) ANALOG VOICE GRADE LOOP			UEA	URETL		11.20	1.10			-					4
	4-WIRE	4-Wire Analog Voice Grade Loop - Zone 1	-	1	UEA	UEAL4	21.32	288.47	237.45			-					-
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	36.27	288.47	237.45								
		4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	56.57	288.47	237.45								
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64	36.33								
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.42	325.91	251.31								
		2-Wire ISDN Digital Grade Loop - Zone 2	_		UDN	U1L2X	32.88	325.91	251.31			-			-		-
		2-Wire ISDN Digital Grade Loop - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UDN UDN	U1L2X UREWO	51.14	325.91 91.55	251.31 44.12								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	BIELO	OP	ODN	UKEWO	1	91.55	44.12								
		2 Wire Unbundled ADSL Loop including manual service inquiry &	1	<u>í</u>	1	1	1 1			1	1	1		1	1	1	1
		facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60								
		2 Wire Unbundled ADSL Loop including manual service inquiry &															
	1	facility reservation - Zone 2	ļ	2	UAL	UAL2X	18.39	264.71	145.60								
	1	2 Wire Unbundled ADSL Loop including manual service inquiry &	1	_			00.40	004 74	4 45 00						1		
	-	facility reservation - Zone 3 2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UAL2X	28.42	264.71	145.60								
		facility reservation - Zone 1		1	UAL	UAL2W	11.00	190.25	114.82						1		
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1	+ -	0, 1L	0712299	11.00	130.23	114.02		1	1			<u> </u>	1	<u> </u>
		facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82						1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &	T														
	1	facility reservaton - Zone 3	ļ	3	UAL	UAL2W	28.42	190.25	114.82								l
	0.1	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UAL	UREWO	┥───┤	86.12	40.36			-			ļ		l
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE 2 Wire Unbundled HDSL Loop including manual service inquiry &		۳P			┨────┤								<u> </u>		ł
		a facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54						1		
	1	2 Wire Unbundled HDSL Loop including manual service inquiry &	1	+ -	0.16	UTILZ/	3.01	204.74	105.54		1	1			<u> </u>	1	<u> </u>
1	1	facility reservation - Zone 2	1	2	UHL	UHL2X	14.87	284.74	163.54						1		'

UNBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
											Svc Order		Incremental	Incremental		
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
											-					
						Rec	Nonree		Nonrecurring	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry &		-				First	Add'l	First	Addi	SOMEC	SOWAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54								
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	OTIL	UTILZA	22.02	204.74	103.34								
	facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05								
	2 Wire Unbundled HDSL Loop without manual service inquiry and					0.01										1
	facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05								
	2 Wire Unbundled HDSL Loop without manual service inquiry and															1
	facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36								
4-Wi	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	BLE LOO	P													
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45								
	4-Wire Unbundled HDSL Loop including manual service inquiry and		2			17.0-	o o -			1	1					1
	facility reservation - Zone 2		2	UHL	UHL4X	17.67	341.65	220.45		<u> </u>	+				1	+
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45								
	4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL		21.24	341.05	220.45		-	1					+
	facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96								
	4-Wire Unbundled HDSL Loop without manual service inquiry and		<u> </u>	OTTE	OTIL	10.02	204.00	100.00			1					<u> </u>
	facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96								
	4-Wire Unbundled HDSL Loop without manual service inquiry and			-	-											
	facility reservation - Zone 3		3	UHL	UHL4W	27.24	264.39	188.96								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	25.32	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	43.11	489.04	337.51								
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51			-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL UDL	UDL56 UDL56	25.32 43.11	489.04 489.04	337.51 337.51			-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51		-	1					+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51								1
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	67.26	489.04	337.51								1
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.03	49.70								1
2-Wi	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75								
	2-Wire Unbundled Copper Loop-Designed including manual service															
	inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75			-					+
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75								
	2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLFB	34.00	202.00	143.75								+
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96								
	2-Wire Unbundled Copper Loop-Designed without manual service			002	002.11	10.20	100.00	112.00								1
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96								
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	34.80	188.39	112.96								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
	Des)		L	UCL	UREWO		97.14	42.44			ļ					
4-Wi	RE COPPER LOOP		<u> </u>		+					ł						+
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93			1					1
	4-Wire Copper Loop including manual service inquiry and facility	1		UCL	00143	17.30	311.03	191.93		ł	+				1	+
	reservation - Zone 2		2	UCL	UCL4S	29.61	311.03	191.93		1	1					1
	4-Wire Copper Loop including manual service inquiry and facility	1		002	00140	23.01	511.05	131.83		ł	1					+
	reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93			1					1
	4-Wire Copper Loop without manual service inquiry and facility	1	<u> </u>				2			1	1					1
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14								
	4-Wire Copper Loop without manual service inquiry and facility										1					
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14		ļ						
	4-Wire Copper Loop without manual service inquiry and facility		l .							1	1					1
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14			<u> </u>				1	<u> </u>

UNBU	NDLED	O NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Diamant	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
			-	-			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
								FIISt	Add I	FIISt	Add I	SOMEC	SOWAN	SUMAN	SUMAN	SUMAN	SUMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		97.14	42.44								
		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		61.38	61.38								
					UEA, UDN, UAL,	00Line		01.00	01.00								
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		45.34									
LOOP N	ODIFIC	ATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		21.24	21.24								L
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84								
SUB-LC		pop Distribution				-											
	SUD-LO					1											<u>├</u> ───┤
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	I		UEANL	USBSA		373.57									
	-	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	I		UEANL	USBSB		33.78									
		Set-Up			UEANL	USBSC		234.76									
		Sei-op			ULANE	000000		234.70									ł
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone			UEANL	USBSD		81.05									
	-	1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	I	1	UEANL	USBN2	7.31	126.03	54.54								
		2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone	I	2	UEANL	USBN2	11.93	126.03	54.54								
		3	I	3	UEANL	USBN2	18.20	126.03	54.54								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		1		1	UEANL	USBN4	8.44	156.52	79.66								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.81	156.52	79.66								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	21.10	156.52	79.66								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	L	L	UEANL	USBMC		61.38	61.38			ļ					
├ ──┤		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	2.79	114.05	37.20			<u> </u>					ł
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEANL	USBMC		61.38	61.38								1
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	3.74	127.67	50.82			1					t
			i i				0.14										
<u> </u>		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL UEANL	USBMC URET1		61.38 76.24	61.38 0.00								ł
		Loop Testing - Basic Additional Half Hour	1		UEANL	URETA		39.51	39.51			1					t
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	6.10	137.10	60.24			1					l
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.70	137.10	60.24	l	İ						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	14.59	137.10	60.24								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	6.58	162.24	85.38	1	1	1					ł
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS4X	10.51	162.24	85.38								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	15.84	162.24	85.38								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
		Loop Tagging Service Level 1, Unbundled Copper Loop, Non-				1											1
		Designed and Distribution Subloops	1		UEF, UEANL	URETL		8.92	0.88								1

UNBU	NDLED	O NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													P	Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	0.00								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
	Unbun	dled Sub-Loop Modification															
		Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
		Coil/Equip Removal per 2-W PR			UEF	ULM2X		124.51	1.82								
		Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
		Removal per 4-W PR			UEF	ULM4X		124.51	1.82								
		Unbundled Loop Modification, Removal of Bridge Tap, per unbundled															
		юор			UEF	ULMBT		249.25	47.30								
	Unbun	dled Network Terminating Wire (UNTW)															
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4351	64.98									
	Networ	k Interface Device (NID)															
		Network Interface Device (NID) - 1-2 lines			UENTW	UND12		86.37	56.69					<u> </u>	<u> </u>		+
	ļ	Network Interface Device (NID) - 1-6 lines		<u> </u>	UENTW	UND16		127.93	98.21			+		ł	l	-	ł
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		11.68	11.68					<u> </u>	<u> </u>		+
		Network Interface Device Cross Connect - 4W			UENTW	UNDC4		11.68	11.68					<u> </u>	<u> </u>		+
UNE O	I HER, P	ROVISIONING ONLY - NO RATE	l		UENTW	UNDBX	0.00	0.00						<u> </u>	<u> </u>		───
		NID - Dispatch and Service Order for NID installation						0.00									+
-		UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW UEANL,UEF,UEQ,UE	UENCE	0.00	0.00									+
		University of Constant Name, Descriptioning Only, No Date			NTW		0.00	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			UAL, UCL, UDC,	UNECN	0.00	0.00									+
					UAL, UCL, UDC, UDL, UDN, UEA,												
		Unhundled Content Name, Dravisioning Only, no rate			UHL	UNECN	0.00	0.00									
	MAKE-U	Unbundled Contact Name, Provisioning Only - no rate			UTL	UNECIN	0.00	0.00						-			+
LOOF		Loop Makeup - Preordering Without Reservation, per working or															+
		spare facility queried (Manual).			UMK	UMKLW		55.44	55.44								
		Loop Makeup - Preordering With Reservation, per spare facility			OWIN	OWNER		33.44	33.44								+
		queried (Manual).			UMK	UMKLP		55.73	55.73								
		Loop MakeupWith or Without Reservation, per working or spare			OWIN	OWNER		00.10	00.10								
		facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE S	ARING				C III C	o mana		0.0000021	0.0000021								+
		1: The Line Sharing monthly recurring rates for all installations	comple	ted fro	m October 02, 2003 th	rough midni	aht October 01.	2004 shall be l	oilled as follow	s:							1
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop															1
		1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND		1													
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															1
		1: Above will apply to USOCS: ULSDT and ULSCT															1
	**NOTE	2: The Line Sharing monthly recurring rates with USOCs ULSD	C and L	JLSCC	applies only to circui	ts installed a	and inservice or	or before Oct	ober 1. 2003								
	LINE SI	HARING															1
	SPLITT	ERS-CENTRAL OFFICE BASED															
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	181.18	631.54	0.00								
		Line Sharing Splitter, per System 24 Line Capacity	Γ		ULS	ULSDB	38.99	631.54	0.00								
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	12.73	424.61	0.00								
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivation															1
		(per LSOD)			ULS	ULSDG		146.32	31.27								<u> </u>
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															<u> </u>
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2		<u> </u>	ULS	ULSDC	0.61	54.71	28.77		1						<u> </u>
		Line Share Service, TRO per line activation, BST owned splitter -		1							1						
		Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)	L	I	ULS	ULSDT	3.49	54.71	28.77					ļ	ļ		───
		Line Share Service, TRO per line activation, BST owned splitter -		1							1	1					1
[Central Office Located (50% of UCLND) - please see NOTE 1		1							1	1					1
		(E:10/2/2004)	I		ULS	ULSDT	6.99	54.71	28.77		I	I		ļ	ļ		4
		Line Share Service, TRO per line activation, BST owned splitter -												1	1		1
		Central Office Located (75% of UCLND) - please see NOTE 1				UL ODT	40.15							1	1		1
	ļ	(E:10/2/2005)		<u> </u>	ULS	ULSDT	10.48	54.71	28.77			+		ł	l	-	+
1		Line Sharing - per Subsequent Activity per Line Rearrangement(BST		1	111.0			05 40	40.57		1						
	-	Owned Splitter	<u> </u>		ULS	ULSDS		35.42	16.57					l			+
		Line Sharing - per Subsequent Activity per Line			ULS	111.800		35.14	16.29					1	1		1
		Rearrangement(DLEC Owned Splitter	1	1	ULO	ULSCS	1	35.14	16.29			1		1	1	1	

UNBUN	NDLED	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interim	n Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svc Order vs.
			-			_	Rec	First	urring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	11130	Add1	SOMEC	JOWAN	JOINAN	JOMAN	JOINAN	JOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned splitter -			ULS	ULSCT	3.49	47.44	19.31								
		Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
	MAINT	ENANCE															1
		No Trouble Found - per 1/2 hour increments - Basic	1	1				80.00	55.00		1						
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT	+	-										ļ			───
	INTERO	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0125										
		Facility Termination			U1TVX	U1TV2	18.00	137.48	52.58								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125	137.40	02.00								
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination				U1TV4	22.16	106.11	65.95								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.40	137.48	52.58								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0282	137.40	02.00								
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination			U1TDX	U1TD6	17.40	137.48	52.58								
SIGNALI	ING (CC	CCS7 Signaling Connection, Per DS1 level link (A link)	-		UDB	TPP6A	18.22	278.02	278.02								+
-		CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	18.22	278.02	278.02								+
		CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	18.22	278.02	278.02								
-		CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	ТРР9В											
		CCS7 Signaling Termination, Per STP Port	-		UDB	PT8SX	18.22 132.83	278.02	278.02	ł				ł	ł		+
		CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected			UDB	CCAPO	102.00	40.00	40.00								
		CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per Stp Affected		1	UDB	CCAPD		8.00	8.00							1	
E911 SE	RVICE																
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 1 Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		1			11.24 19.91	553.80 553.80	89.69 89.69								
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2 Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	+	2	1	+	31.70	553.80	89.69	1	1	+		 	1		1
		Interoffice Transport - Dedicated - 2-wr Voice Grade - 20he 5		3		-	0.0282	333.00	03.03								
		Interoffice Transport - Dedicated - 2-wr Voice Grade Fer Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility Termination		1			18.00	137.48	52.58								
		Local Channel - Dedicated - DS1 - Zone 1	1	1			27.05	534.48	462.69	1	1			1			1
		Local Channel - Dedicated - DS1 - Zone 2		2			47.94	534.48	462.69								1
		Local Channel - Dedicated - DS1 - Zone 3		3			76.32	534.48	462.69								L
\vdash		Interoffice Transport - Dedicated - DS1 Per Mile					0.5753				1			L	L	<u> </u>	───
		Interoffice Transport - Dedicated - DS1 Per Facility Termination					71.29	217.17	163.75								

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	L XTENDED LINK (EELs)				+		FIISt	Add I	First	Add I	SOWEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	The monthly recurring and non-recurring charges below will ap	only and	the Sw	vitch-As-Is Charge wi	ill not apply f	or UNE combina	tions provision	ned as ' Ordina	rily Combined'	Network Fleme	ents.					
	The monthly recurring and the Switch-As-Is Charge and not the															
	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GR				1											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								L
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCVX			04 75	04.75	32.28	40.00						
EVTEN	IC narge IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR		TEROE		UNCCC	<u> </u>	21.75	21.75	32.28	10.96						├ ───┤
	4-Wire VOICE GRADE EXTENDED LOOP 4 WIRE VOICE GR			UNCVX	UEAL4	21.32	288.47	237.45								<u> </u>
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	36.27	288.47	237.45								
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45								
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0282										
	Nonrecurring Currently Combined Network Elements Switch -As-Is															
	Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96						
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC			1101.50	05.00	100.01	007.54		-	-					↓
<u> </u>	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX UNCDX	UDL56 UDL56	25.32 43.11	489.04 489.04	337.51 337.51								<u> </u>
	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	43.11	489.04	337.51								<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per		5	ONODA	ODLOG	07.20	403.04	557.51								<u> </u>
	Mile per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	1L5XX	0.0282										
	Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	INTERO	FFICE	TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per					0.0000										
	Mile per month Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	1L5XX	0.0282										<u> </u>
EXTEN	Charge DDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE				UNCCC		21.75	21.75	32.28	10.96						
EATEN	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	25.32	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	43.11	489.04	337.51								
	First 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51								
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51								
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51		ļ	ļ					ļ
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51		-	-					↓
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0282										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58								
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
	NETWORK ELEMENTS		L			 				l	ļ					┟────┤
	used as a part of a currently combined facility, the non-recurring						not				-					├ ────┤
	used as ordinarily combined network elements in All States, the curring Currently Combined Network Elements "Switch As Is" Cl					is charge does	not.		1	1	-					├─── ┤
	Nonrecurring Currently Combined Network Elements Switch -As-Is					1			İ	1				İ	İ	
	Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		21.75	21.75	32.28	10.96						

UNBU	INDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEC	TEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$)										per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							D	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96						
		aneous															
		NRC - Order Coordination Specific Time - Dedicated Transport			UN1CX	OCOSR		18.89	18.89								

BONDEED	NETWORK ELEMENTS - South Carolina	1				1					0	0		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add ⁴
						Rec	Nonrec		Nonrecurring					Rates(\$)		
Th - 117-					and is all to De		First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
	one" shown in the sections for stand-alone loops or loops as p ww.interconnection.bellsouth.com/become a clec/html/interco				aphically De	eaveraged UNE	zones. To view	Geographicali	y Deaveraged C	INE Zone Desig	gnations by	Central Offi	ce, refer to int	ernet website	:	
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	mech	511.1111									1				1
	(1) CLEC should contact its contract negotiator if it prefers the	"state s	pecific	" OSS charges as ord	ered by the	State Commissi	ons. The OSS of	charges curren	tly contained ir	this rate exhile	oit are the B	ellSouth "re	gional" servio	ce ordering ch	arges. CLEC	may elect
either t	he state specific Commission ordered rates for the service orde	ring cha	arges,	or CLEC may elect the	regional se	rvice ordering	charge, howeve	r, CLEC can no	ot obtain a mixtu	ure of the two r	egardless if	CLEC has a	a interconnect	tion contract e	stablished in	each of the
	(2) Any element that can be ordered electronically will be billed ared electronically at present per the LOH, the listed SOMEC rate															
be orde	OSS - Electronic Service Order Charge, Per Local Service Request	e in this	catego	bry renects the charge	e that would	be billed to a C	LEC once elect	ronic ordening	capabilities col	ne on-ime for t	nat element	. Otherwise	, the manual of	ordening charg	e, SOMAN, W	III be applie
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
	DATE ADVANCEMENT CHARGE	II Couth	In ECC	No.4 Toriff Continue F	aa annliaah											
NUTE:	The Expedite charge will be maintained commensurate with Be	noouth	SFUU	No.1 Tarin, Section 5	as applicab	ie.				1			<u> </u>	<u> </u>	ł	<u> </u>
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			UAL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TD3, U1T03, U1TD3, U1T03, U1TD4, U1T03, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC16C, UC16L, UC162, ULD48, UDL03, UDL52, ULD01, ULD03, ULD01, ULD03, ULD01, ULD03, ULD41, UNC3X, UNC1X, UNC3X, UNC1X, UNC3X, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC33, UNC17, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC34, UNC3	SDASP		200.00									
RDER MODIFI	CATION CHARGE						00.04	0.00	0.00	0.00						<u> </u>
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21 150.00	0.00	0.00	0.00						
BUNDLED E	Crock Modification Additional Dispatch Charge (OMCAD)					1	150.00	0.00	0.00	0.00						
	ANALOG VOICE GRADE LOOP					1						1			1	
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32		<u>├</u> ───	l	l		├ ──
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32		-	 	 		-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32		1	ł	ł	1	1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				-							l				l I
	oribuildied Miscellarieous Rate Element, rag Loop at End Oser		1		URETL	1	8.33	0.83							1	1
	Premise			UEANL												
	Premise Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00								
	Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour						34.23 19.90	0.00 19.90								
	Premise Loop Testing - Basic 1st Half Hour			UEANL	URET1											

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	o Zone	BCS	USOC			RATES(\$)	_			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per			UEANL	UEAMC		8.17	8.17								l
	I SR)			UEANL	OCOSL		18.13	18.13								i
2-WI	RE UNBUNDLED COPPER LOOP - NON-DESIGNED			OLANE	OCOGE		10.15	10.15								
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	I	1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						[
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	1	2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	I	3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															i i
	Premise			UEQ	URETL		8.33	0.83								l
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		8.17	8.17								i i
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST				CODINC		0.17	0.17								
	providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								i
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-															i
	ND)			UEQ	UREWO		14.30	7.45								l
	D EXCHANGE ACCESS LOOP				_											i
2-001	RE ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			-												i
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	0E/(O E/ (E2	10.00	100.00	00.40	00.00	10.01						
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						I
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															i
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						i
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	23.13	105.96	00.43	53.05	10.61						i
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						i
	CLEC to CLEC Conversion Charge without outside dispatch		Ŭ	UEA	UREWO	20.40	87.90	36.44	00.00	10.01						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.24	1.10								
4-WI	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						l
	4-Wire Analog Voice Grade Loop - Zone 3		3		UEAL4	43.38	132.38	94.83	59.35	14.61						ł
2.141	CLEC to CLEC Conversion Charge without outside dispatch RE ISDN DIGITAL GRADE LOOP			UEA	UREWO		87.90	36.44								
2-991	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						[
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.82	44.25								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPAT	IBLE LO	OP													L
	2 Wire Unbundled ADSL Loop including manual service inquiry &															i
	facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						i i
	2 Wire Unbundled ADSL Loop including manual service inquiry &		2	UAL	UALZA	13.71	120.04	70.50	50.57	7.95						
	facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93					1	i i
	2 Wire Unbundled ADSL Loop without manual service inquiry &															(
	facility reservaton - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						L
	2 Wire Unbundled ADSL Loop without manual service inquiry &															1
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93					ļ	
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_				05.01		F0.6-	7.00					1	1
	facility reservaton - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UAL2W UREWO	14.14	95.81 86.38	57.82 40.48	50.37	7.93					<u> </u>	<u> </u>
2-1/1	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE	I BLELOO)P		JREWU		00.30	40.40							1	<u> </u>
2-111	2 Wire Unbundled HDSL Loop including manual service inquiry &		<u> </u>	1	1					1					1	
	facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93					1	1
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						I

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonred	urring	Nonrecurring	Disconnect			OSS	Rates(\$)		L
						Rec	First	Ădd'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						-
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
4 14/10	CLEC to CLEC Conversion Charge without outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIE			UHL	UREWO		86.32	40.48								
4- VVI R	4 Wire Unbundled HDSL Loop including manual service inquiry and				+											
	 4-Wire Unbundled HDSL Loop including manual service inquiry and 4-Wire Unbundled HDSL Loop including manual service inquiry and 		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	 4-Wire Unbundled HDSL Loop including manual service inquiry and 4-Wire Unbundled HDSL Loop including manual service inquiry and 		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	 4-Wire Unbundled HDSL Loop without manual service inquiry and 4-Wire Unbundled HDSL Loop without manual service inquiry and 		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and 4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	Actility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UHL4W UREWO	16.84	133.14 86.32	95.16 40.48	55.12	10.38						
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			OTIL	UNENO		00.02	40.40							1	
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2 4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL UDL	UDL56 UDL56	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 5			UDL	UDL56 UDL64	29.93	126.66	89.12	59.35	14.61			-			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								
2-WIR	E Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual service		2			10.71			50.07	7.00						
	inquiry & facility reservation - Zone 2 2 Wire Unbundled Copper Loop-Designed including manual service		-		UCLPB	13.71	119.91	69.62	50.37	7.93						
	inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service incritice and facility argument for a facility of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the s		3		UCLPB UCLPW	14.14 12.19	<u>119.91</u> 94.87	69.62 56.89	50.37 50.37	7.93						
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service		-													
	inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch (UCL-		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
4 14/10	Des) E COPPER LOOP			UCL	UREWO		94.87	42.57								
4-111	4-Wire Copper Loop-Designed including manual service inquiry and		-		-											
	 4-Wire Copper Loop-Designed including manual service inquiry and 4-Wire Copper Loop-Designed including manual service inquiry and 		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and 4-Wire Copper Loop-Designed including manual service inquiry and		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						<u> </u>
	 4-Wire Copper Loop-Designed without manual service inquiry and 4-Wire Copper Loop-Designed without manual service inquiry and 		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						<u> </u>
	4-Wire Copper Loop-Designed without manual service inquiry and 4-Wire Copper Loop-Designed without manual service inquiry and	<u> </u>	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	facility reservation - Zone 2 4-Wire Copper Loop-Designed without manual service inquiry and		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						<u> </u>
	facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						

UNBU	NDLED	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
							Rec	Nonrec		Nonrecurring					Rates(\$)		
							Ree	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
		Des)	-	-	UCL	UREWO		94.87	42.57								
		Order Coordination for Unbundled Copper Loops (per loop)			UCL UEA, UDN, UAL,	UCLMC		8.17	8.17								<u> </u>
		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		18.13									
	/ODIFIC				UTIL, UDL	OCOSL		10.15									
2001 1				1	UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
		less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
		than or equal to 18K ft, per Unbundled Loop	-	-	UHL, UCL, UEA	ULM4L		32.46	32.46								
					UAL, UHL, UCL, UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal, per			UEANL, UEPSR,												
		unbundled loop			UEPSB	ULMBT		32.48	32.48								
SUB-LC	OOPS																
	Sub-Lo	oop Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.84	177.84								
-		Set-op	1		UEANL	USBSC		177.04	177.04								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		1	1	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone															
		2	1	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone		-													
		3	I	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-	UEANL	USBINC		0.17	0.17								
				1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
-		3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
								0.47	0.47								
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.41	8.17 53.13	8.17 18.21	45.35	6.71						
		Sub-Loop 2-Wire Initiabuliding Network Cable (INC)		-	UEANL	USBRZ	2.41	55.15	10.21	40.00	0.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	1		1	1													
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour		L	UEANL	URET1		34.23	0.00			ļ					
L		Loop Testing - Basic Additional Half Hour	<u> </u>	<u> </u>	UEANL	URETA		19.90	19.90	45.55		L					ł
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF UEF	UCS2X UCS2X	7.11 9.83	65.94 65.94	31.03 31.03	45.35 45.35	6.71 6.71						
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X UCS2X	9.83	65.94	31.03	45.35	6.71	t					1
		2 Wite Copper Oribuildied Gub-Loop Distribution - 2016 3		5		00027	10.40	03.84	51.05	+0.00	0.71	<u> </u>					
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	1	UEF	USBMC		8.17	8.17								
<u> </u>	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09	1	1	İ	İ	İ	1
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	Ι	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
<u> </u>		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	<u> </u>	<u> </u>	UEF	USBMC		8.17	8.17			ļ					<u> </u>
	1	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops	1	1	UEF, UEANL	URETL		8.95	0.88								
L	I	Designed and Distribution Subioops	1	1	UEF, UEAINL	UKEIL	1	8.95	0.88	1		I	1				ــــــــــــــــــــــــــــــــــــــ

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	First	curring	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	Add'l	FIrst	Add1	SOMEC	SOWAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	0.00 19.90								-
Unbu	ndled Sub-Loop Modification				OREIN		10.00	10.00								
01124	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip															
	Removal per 4-W PR			UEF	ULM4X		176.17	5.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled				UL NET			0.40								
Umbar	loop			UEF	ULMBT		278.82	6.13								┥─────
Unbu	ndled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
Notw	ork Interface Device (NID)			UENTW	ULINFF	0.3303	30.20	30.20								-
Netw	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	1	43.68	28.79							1	<u> </u>
	Network Interface Device (NID) - 1-2 lines			UENTW	UND16		64.42	49.53	l					1		1
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2	1	5.92	5.92								1
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
				UEANL,UEF,UEQ,UE		0.00										
	Unbundled Contract Name, Provisioning Only - No Rate			NTW	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL	UNECN	0.00	0.00									
LOOP MAKE				UDN,UEA,UHL	UNECIN	0.00	0.00									-
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility gueried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility			-	-											
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or spare															
	facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SHARIN			<u> </u>		L											
	1: The Line Sharing monthly recurring rates for all installations					ight October 01,	2004 shall be l	billed as follow	s:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	per loop	non-a	esigned ("UCLND")												
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															-
	1: Above will apply to USOCS: ULSDT and ULSCT															
	TE 2: The Line Sharing monthly recurring rates with USOCs ULSE	C and U	LSCC	applies only to circui	its installed a	and inservice o	n or before Oct	ober 1. 2003								
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21	0.00	178.38	0.00						
└──	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	54.05	189.21	0.00	178.38	0.00						<u> </u>
<u> </u>	Line Sharing Splitter, Per System, 8 Line Capacity		L	ULS	ULSD8	18.02	189.21	0.00	178.38	0.00				ļ		4
	Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation			111.0			00.07	0.00	10.05	0.00				1		
END	(per LSOD) JSER ORDERING-CENTRAL OFFICE BASED LINE SHARING			ULS	ULSDG	<u> </u>	86.67	0.00	49.95	0.00				<u> </u>		
END	Line Sharing - per Line Activation (BST Owned splitter) -													1		t
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93				1		
	Line Share Service, TRO per line activation, BST owned splitter -	1	1			0.01					1	1	ĺ	1		1
	Central Office Located (25% of UCLND) - please see NOTE 1													1		
	(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1						· · ·							1		1
┝───┤───	(E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93				l		───
	Line Share Service, TRO per line activation, BST owned splitter -				1									1		1
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93				1		1
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST	-		010	01301	9.71	10.05	10.02	10.04	4.93				1		1
	Owned Splitter)			ULS	ULSDS		16.42	8.21						1		
	Line Sharing - per Subsequent Activity per Line					1		0.21	İ					1	1	1
	Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBONDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interim	n Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
						Rec	Nonred	curring	Nonrecurring	g Disconnect			OSS	Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1															
	(E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005)	_		ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
MAIN	NTENANCE	_														
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime	_					120.00	82.50								+
	No Trouble Found - per 1/2 hour increments - Premium	_					160.00	110.00								
		_														
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		-													
					1L5XX	0.0167										
	Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		-	U1TVX	TLSAA	0.0167										
	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport- 2-Wire Voice Grade	_	-	UTIVA	01172	24.30	40.63	27.47	10.77	0.91						
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat	_	-	UTIVA	ILSAA	0.0167										-
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -	-	-		UTIKZ	24.30	40.03	27.47	10.77	0.91						-
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -			01177	TLJXX	0.0107										
	Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per	-		UTIVA	01104	21.23	40.00	21.41	10.77	0.31						
	month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTIEX	120/07	0.0107					1					1
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per			onox	01120	10110	10.00	2	10.111	0.01						
	month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
SIGNALING (-												
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1			UDB	TPP6A	16.93	35.61	35.61	16.48	16.48						1
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3			UDB	TPP9A	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1			UDB	TPP6B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3			UDB	TPP9B	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163.49										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVIC																
	Local Channel - Dedicated - 2-wr Voice Grade					15.33	193.53	33.24	36.72	3.21						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0167										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					24.30	40.63	27.47	16.77	6.91						
	Local Channel - Dedicated - DS1 - Zone 1					42.62	177.87	154.06	22.24	15.30						
	Local Channel - Dedicated - DS1 - Zone 2	_				70.32	177.87	154.06	22.24	15.30						
└── │ ──	Local Channel - Dedicated - DS1 - Zone 3	_				190.68	177.87	154.06	22.24	15.30					ł	+
	Interoffice Transport - Dedicated - DS1 Per Mile					0.3415					ł				l	+
ENULATION -	Interoffice Transport - Dedicated - DS1 Per Facility Termination	+	1			77.14	89.47	81.99	16.39	14.48	l				<u> </u>	+
	EXTENDED LINK (EELs)															-
NOT	E: The monthly recurring and non-recurring charges below will a E: The monthly recurring and the Switch-As-Is Charge and not th	apply and	the Sw	ntch-As-Is Charge	will not apply for	or UNE combina	ations provisio	ned as ' Ordina	mbined	Network Eleme	entS.				<u> </u>	+
	E: The monthly recurring and the Switch-As-is Charge and not the ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G					combinations	provisioned as	Currently Co	noinea: NetWo	rk ⊑lements.						+
	ENDED 4-WIKE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE G	RADEIN		UNCVX	UEAL2			68.43	53.05						ļ	+
EXT	2-WireVG Loop in combination - Zone 1		1			16.68	105.98			10.61						

LINRI		D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Evhi	bit: A
UND	JNDLEI	S NETWORK ELEMENTS - South Carolina		1	1							Sue Order	Sue Order			Incremental	
												Svc Order	Svc Order	Incremental	Incremental		
												Submitted		Charge -	Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interim	7000	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATE	GORT	RATE ELEMENTS	Interim	Zone	BUS	0500			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	-		_														<u> </u>
	_						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
			_					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	_	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month	_		UNCVX	1L5XX	0.0134										L
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination															
		per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						L
		Nonrecurring Currently Combined Network Elements Switch -As-Is															
		Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GI	RADEIN														
		4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	_	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 3	_	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						l
1	1		1	1	1000	11 5307	0.0451										1
	4	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0134			ł		ł		ł		ł	ł
1		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			1000							1		1		1	1
		per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						l
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	SINTERC			1101 50	00.77	100.55		50.55		ł		l		ł	ł
		4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	_	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	_	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per															
	_	Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS	SINTERC			LIDL 0.4	00.00	100.00		50.05							
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	_		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						l
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2	_	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						l
	-	4-wire 64 kbps Lcoal Loop in Combination - Zone 2	-	2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per			UNCDX	1L5XX	0.0134										
	_	Mile per month	-		UNCDX	TLSAA	0.0134										<u> </u>
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				ULTRO	10.11	10.00		10.77							
	EVTEN	Facility Termination per month	FROFFIC		UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						<u> </u>
	EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EROFFIC			LIDI SO	00.00	100.00	00.40	50.05							
	-	First 4-wire 56 kbps Local Loop in combination - Zone 1	-		UNCDX UNCDX	UDL56 UDL56	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61						
	_	First 4-wire 56 kbps Local Loop in combination - Zone 2	-				33.99				14.61						<u> </u>
	-	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per	r			41 5344	0.0404										
	-	month	-		UNCDX	1L5XX	0.0134										
		First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility				LIATOS	40.44	40.00	07.47	40.77	0.01						
	_	Termination per month	-		UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-Is			UNCDX	UNCCC		E 64	E 64	7.00	7.00	1		1		1	1
<u> </u>	EVTEN	Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INT	EPOEEK			UNCCC	<u>∤ </u>	5.61	5.61	7.00	7.00	ł		<u> </u>		ł	t
<u> </u>	EATEN	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61			<u> </u>		<u> </u>	t
H	+	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2	+	2	UNCDX	UDL64 UDL64	29.93	126.66	89.12	59.35	14.61	<u> </u>		ł		ł	t
<u> </u>	-	First 4-wire 64 kbps Local Loop in combination - Zone 2 First 4-wire 64 kbps Local Loop in combination - Zone 3	+		UNCDX	UDL64 UDL64	33.99	126.66	89.12	59.35	14.61	ł		<u> </u>		ł	ł
H	+	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	+	3	UNCDA	00104	34.74	120.00	09.12	59.35	14.01	<u> </u>		ł		ł	t
1	1	month	1	1	UNCDX	1L5XX	0.0134										1
	+		+		UNCDA	ILOAA	0.0134			ł	-	<u> </u>		ł		ł	t
1	1	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	1	1		U1TD6	13.41	40.63	27.47	16.77	6.91						1
<u> </u>	-	Termination per month Nonrecurring Currently Combined Network Elements Switch -As-Is	+		UNCDX		13.41	40.63	21.41	10.77	0.91	ł		<u> </u>		ł	ł
1	1	Charge	1	1	UNCDX	UNCCC		5.61	5.61	7.00	7.00						1
		ETWORK ELEMENTS	+		UNCDA	UNCCC		0.61	5.61	7.00	7.00	ł		<u> </u>		ł	ł
		used as a part of a currently combined facility, the non-recurrent	a charce	e do n	I ot apply but a Switz	h As le chara	e does apply			<u> </u>		1		<u> </u>		t	t
		used as ordinarily combined network elements in All States, the						not		 		1		 		ł	t
<u> </u>		curring Currently Combined Network Elements in All States, the					is charge does	not.		1		-		1		1	t
—	Nomed	Nonrecurring Currently Combined Network Elements Switch As is C	marge (C	ne ap			<u>∤</u> ∤			 		1		 		ł	t
1	1	Charge - 2 wire/4-Wire VG	1	1	UNCVX	UNCCC		5.61	5.61	7.00	7.00						1
	1	Nonrecurring Currently Combined Network Elements Switch -As-Is	+			011000	1 1	0.01	0.01	7.00	7.00	1		<u> </u>		t	<u> </u>
1	1	Charge - 56/64 kbps	1	1	UNCDX	UNCCC		5.61	5.61	7.00	7.00						1
	Miscel	aneous	1		0.1007	011000		5.01	5.01	7.00	1.00						
	model	NRC - Order Coordination Specific Time - Dedicated Transport	1	<u> </u>	UN1CX	OCOSR		18.90	18.90			1					
	1	All Available Vertical Features	+ ·	<u> </u>	00/	UEPVF	3.04	0.00	0.00			1					
L	1				1		0.04	0.00	0.00						1		1

UNBUNDLE	O NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	OSS SOMAN	Rates(\$)	SOMAN	SOMAN
The "Z	I one" shown in the sections for stand-alone loops or loops as p	art of a	ombin	ation refers to Geogr	aphically De	averaged UNE										JONAN
http://v	ww.interconnection.bellsouth.com/become_a_clec/html/interco			C C	. ,	5		U .	, ,				-			
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the service orde															
	(2) Any element that can be ordered electronically will be billed															
be orde	ered electronically at present per the LOH, the listed SOMEC rate	e in this	catego	ry reflects the charge	that would	be billed to a C										
NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Only OSS - Electronic Service Order Charge, Per Local Service Request	**Pleas	e see a	applicable rate eleme	nt for SOMA	N charge**										
	(LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	DATE ADVANCEMENT CHARGE															
NOTE:	The Expedite charge will be maintained commensurate with Be	IISouth	s FCC	No.1 Tariff, Section 5	as applicab	le.										
				UAL, UEANL, UCL, UEF. UDF. UEQ.												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48, U1TD1, U1TD3,												
				U1TD1, U1TD3, U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL, UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48, UDLO3, UDLSX,												
				UE3. ULD12. ULD48.												
				ULDD1, ULDD3,												
				ULDDX, ULDO3,												
				ULDS1, ULDVX,												
				UNC1X, UNC3X, UNCDX, UNCNX,												
				UNCSX, UNCVX,												
				UNLD1, UNLD3,												
				UXTD1, UXTD3,												
				UXTS1, U1TUC, U1TUD, U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA	SDASP		200.00									
ORDER MODIF																
├ ── ├ ──	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21 150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP				-	1	150.00	0.00	0.00	0.00	<u> </u>	1				
	ANALOG VOICE GRADE LOOP											ļ				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
├ ── ├ ──	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		2	UEANL UEANL	UEAL2 UEAL2	17.59 29.37	31.99 31.99	20.02	10.65 10.65	1.41 1.41			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		1	UEANL	UEASL	11.74	31.99	20.02	10.65	1.41	t	1	20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	29.37	31.99	20.02	10.65	1.41	<u> </u>		20.35	10.54	13.32	13.32
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		1	UEANL	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Loop Testing - Basic 1st Half Hour			UEANL	URET1	1	57.67	0.00	1		t	1	20.35	10.54	13.32	13.32
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-						15.05	0.07					00.07	10.5.	10.05	10
├ ── ├ ──	SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEANL	UREWO		15.80	8.95					20.35	10.54	13.32	13.32
	providing make-up (Engineering Information - E.I.)		1	UEANL	UEANM		25.33	25.33					0.00	0.00	0.00	0.00
	Manual Order Coordination for UVL-SL1s (per loop)				UEAMC		36.52	36.52					0.00		0.00	0.00

UNBU	INDLE	NETWORK ELEMENTS - Tennessee													ment: 2	Exhi	bit: A
CATE	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	0000		34.29						0.00	0.00	0.00	0.00
					UEANL	OCOSL		34.29						0.00	0.00	0.00	0.00
	2-9916	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	l i	2	UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	İ	3	UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-															i i
		Designed (per loop)			UEQ	USBMC		36.52	36.52					0.00	0.00	0.00	0.00
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST			1150			05.00	05.00					00.05	10.51	10.00	10.00
	-	providing make-up (Engineering Information - E.I.)			UEQ UEQ	UEQMU URET1		25.33 57.67	25.33 0.00					20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ	URETA		37.44	37.44					20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-			UEQ	UNETA		37.44	57.44					20.35	10.54	13.32	13.32
		ND)			UEQ	UREWO		14.29	7.44					20.35	10.54	13.32	13.32
UNBUI	NDLED B	EXCHANGE ACCESS LOOP															
		ANALOG VOICE GRADE LOOP															1
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															í
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															i
		Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				11541.0		75.00	40.00	00.70	17.04			00.05	10.51	10.00	10.00
		Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	ULANZ	14.74	75.00	40.20	20.70	17.04			20.00	10.54	10.52	10.02
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			-												
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10					20.35	10.54	13.32	13.32
	4-WIRE	ANALOG VOICE GRADE LOOP															
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4 UEAL4	21.98 32.93	122.76	85.57	76.35	39.16			20.35 20.35	10.54	13.32	13.32 13.32
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3		2	UEA UEA	UEAL4	54.99	122.76 122.76	85.57 85.57	76.35 76.35	39.16 39.16			20.35	10.54 10.54	13.32 13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch		3	UEA	UREWO	54.99	75.06	36.41	70.33	39.10			20.35	10.54	13.32	13.32
	2-WIRF	ISDN DIGITAL GRADE LOOP			OLA	UNLIVO		75.00	50.41					20.00	10.54	10.52	13.32
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATI	BLE LO	OP													l
		2 Wire Unbundled ADSL Loop including manual service inquiry &					10.55	150.5-	o		40				40	40.55	10.55
	-	facility reservation - Zone 1		1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop including manual service inquiry &		2	UAL	UALZX	18.43	156.95	64.54	89.64	16.93	-		20.35	10.54	13.32	13.32
		facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32
	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1			5	00.11	100.00	04.04	00.04	10.00			20.00	10.04	10.02	10.02
		facility reservaton - Zone 1	1	1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2	1	2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
		2 Wire Unbundled ADSL Loop without manual service inquiry &															1
		facility reservaton - Zone 3	1	3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
	0.1475	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIB	LE LOO	۳ 		+						-					
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
	-	2 Wire Unbundled HDSL Loop including manual service inquiry &				UTILZA	9.04	150.94	00.20	03.04	10.93			20.35	10.54	13.32	13.32
		facility reservation - Zone 2		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
								10010 F	00.20	00.04				20.00	+	.0.02	

Hartsen India of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of all of	UNBUNDLE	D NETWORK ELEMENTS - Tennessee				-									ment: 2	Exhi	
Image: Construction of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of a part of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the construction of the constr	CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
P We Librards -OR 1. Ger Acta grants units and shown any 4 P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P P							Rec										
Intelligent contox, row 2 State State Unit Use 2 2012 1594 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 1504 <		2 Wire Linbundled HDSL Loop including manual convice inquiry 8						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Image: Normal bandward law and move inservand I I II II III IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.32
2 Wein bernehenden Joze 1 2 104. 44.20 14.4 100. 11.48 20.00 11.48 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 <t< td=""><td></td><td>2 Wire Unbundled HDSL Loop without manual service inquiry and</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		2 Wire Unbundled HDSL Loop without manual service inquiry and															
bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch: bitch:<			1	1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.32
Prove interacted robes regarding and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and a loss of party and loss of party and loss of party and loss of party and loss of				2			14.44	80.40	25.01	72.02	11 49			20.25	10.54	12.22	13.32
besky segregion constrained match finance i j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j j< j< j< j< j< j< j< j< j< j< j< j< j< j< j< j< j< j< j< j<				2	OTIL	UHLZW	14.44	05.40	33.91	12.02	11.40			20.35	10.34	13.32	13.32
Hort Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plant Bit Plan		facility reservation - Zone 3	1	3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48					13.32	13.32
A Wite Unstanded Poils Variable SLoop roluting monal service requiry and the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log large service of the log					UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 1 Incluigneemotion: Zere 2 Incluigneemotion: Zere 2 Incluigneemotion: Zere 2 Incluigneemotion: Zere 2 Incluigneemotion: Zere 2 <thincluigneemotion: 2<="" th="" zere=""> <thincluigne< td=""><td>4-WIRE</td><td></td><td>BLE LOO</td><td>P</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td> </td></thincluigne<></thincluigneemotion:>	4-WIRE		BLE LOO	P													
4 4 Visc Ustander DDL Lop onkold manual service reginance 2 UHL 11.8.0 11.9.0 2.0.05 10.9.4 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11.3.0 11				1	ині	UHI 4X	12 40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.3
+Wire Uburder HOSL Log includy memalence in auty and healty researcher. 2003. - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -																	1
Indity rearration. Zone 3 OHL UHL UHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL OHL <td></td> <td>facility reservation - Zone 2</td> <td></td> <td>2</td> <td>UHL</td> <td>UHL4X</td> <td>18.58</td> <td>169.62</td> <td>75.89</td> <td>39.73</td> <td>19.53</td> <td></td> <td></td> <td>20.35</td> <td>10.54</td> <td>13.32</td> <td>13.3</td>		facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.3
4 Yme Unucuded 195L Log wind, mmaral service inquiry all 1 HLAW 12.00 100.00 46.00 77.75 13.37 20.05 10.54 13.32 1 4 Yme Unucuded 195L Log wind, mmaral service inquiry all 1 2 Wint. Wint. 15.64 10.20 46.00 77.57 13.97 20.05 10.54 13.32 1 4 Yme Wint Unucuded 195L Log wind, mmaral service inquiry all 1 3 0.14.47 20.05 10.54 13.32 1 4 Yme Unucuded 195L Log wind, mmaral service inquiry all 1 0.14.47 20.05 10.54 13.32 1 4 Yme Unucude 195L Log wind, mmaral service inquiry all 1 0.14.47 20.05 10.54 13.32 1 4 Yme Unucude 192M 12.24 (0.00 3 0.01.4 0.01.5 0.02.4 20.01 11.13 80.70 44.18 20.35 10.54 13.32 1 4 Yme Unucude 192M 12.24 (0.02.4 0.01.4 0.02.6 0.02.4 20.01 10.14				~			24.02	400.00	75.00	20.70	10.50			00.05	40.54	40.00	13.3
Hereby reservation-Zene 1 I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I II III IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.34
4-Wile Urbanded MSL Loop whot manual service inquiry and heady meandary. <i>The Urbanded MSL Loop whot manual service inquiry and AWNE Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop whot manual service inquiry and Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MST. Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and the Urbanded MSL. Loop and </i>		facility reservation - Zone 1	1	1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.32
4-Wie Urbendel HDEL Loog without namal service nagray and Beckler generation. Zhang without namal service nagray and CLE Dis CLEC Conversion. Chang without namal service nagray and CLE Dis CLEC Conversion. Chang without namal service nagray and CLE Dis CLEC Conversion. Chang without namal service nagray and CLE Dis CLEC Conversion. Chang without namal service nagray and CLE Dis CLEC Conversion. Chang without namal service nagray and Discrete name of the service name of the service name of the Discrete name of the service name of the Discrete name of the service name of the Discrete name of the service name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of the Discrete name of																	1
Itadia reservation. Zone 3 I I I IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII			1	2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.3
CLEC bx CLEC coversion Charge write/a cashed dispath i UHL UREWO 21.09 20.02 Dot 20.38 10.54 12.20 4 Wite Unstanded Digital 13 2 Rige 1 DUL UDL19 41.72 20.07 141.38 00.70 44.18 20.38 10.54 13.32 1 4 Wite Unstanded Digital 13 2 Rige 2 DOUL UDL19 41.72 20.071 141.38 00.70 44.18 20.38 10.54 13.32 1 4 Wite Unstanded Digital Loog 56 Rige- zone 1 1 UDL UDL56 41.74 20.701 141.38 90.70 44.18 20.38 10.54 13.32 1 4 Wite Unstanded Digital Loog 56 Rige- zone 3 3 UDL UDL64 27.68 20.701 141.38 90.70 44.18 20.38 10.54 13.32 1 4 Wite Unstanded Digital Loog 56 Rige- zone 3 3 UDL UDL64 27.68 20.701 141.38 90.70 44.18 20.38 10.54 13.32 1 4 Wite				2			21.02	100.00	46.60	75 75	12.07			20.25	10.54	12.22	13.3
How Ref 9.2, So DR 4. KRPS DIGTAL GRADE LOOP I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <thi< th=""> <thi< th=""></thi<></thi<>				3			31.03				13.97						13.3
4 Wire Urbandeb Dight 19 2 Kops 1 UDL UDL UDL 2788 20701 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Wire Urbandeb Dight 19 2 Kops 2 UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL UDL <td>4-WIRE</td> <td></td> <td></td> <td></td> <td>0112</td> <td>UNEITO</td> <td></td> <td>01.00</td> <td>20.02</td> <td></td> <td></td> <td></td> <td></td> <td>20.00</td> <td>10.01</td> <td>10.02</td> <td></td>	4-WIRE				0112	UNEITO		01.00	20.02					20.00	10.01	10.02	
Image: Non-section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the sectin of the section of the section of the section of the sec				1	UDL	UDL19	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.3
4 Wire Unbunded Digital Loop 56 Kips - Zone 1 1 U DL U DL U DL U DLS 27.68 27.011 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Wire Unbunded Digital Loop 56 Kips - Zone 3 3 U DL U DLS 44.77 27.011 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Wire Unbunded Digital Loop 64 Kips - Zone 3 3 U DL U DLS 44.77 27.011 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Wire Unbunded Digital Loop 64 Kips - Zone 3 3 U DL U DL4 44.74 207.01 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Vire Unbunded Cogital Loop 64 Kips - Zone 2 0 0 0.24 141.38 90.70 44.18 20.35 10.54 13.32 1 4 Wire Unbunded Coper Loop-Designed incluing manual service 1 1 U DL U LPW 17.59 31.99 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>13.3</td>																	13.3
A Wire Unknocked Digital Loop 68 Kkps - Zone 2 Q UDL UDL UDL6 64 Attra 207.01 141.38 90.70 44.18 20.35 10.54 13.32 1 A Wire Unknocked Digital Loop 64 Kkps - Zone 3 UDL UDL6 UDL4 44.14 20.701 141.38 90.70 44.18 20.35 10.54 13.32 1 A Wire Unknocked Digital Loop 64 Kkps - Zone 3 UDL UDL4 UDL4 44.147 20.701 141.38 90.70 44.18 20.35 10.54 13.32 1 A Wire Unknocked Digital Loop 64 Kkps - Zone 3 UDL UDL4 0.64 69.24 20.701 141.38 90.70 44.18 20.35 10.54 13.32 1 A Wire Unknocked Digital Loop 64 Kkps - Zone 3 UDL UDL4 0.64 69.24 20.701 141.38 90.70 44.18 20.35 10.54 13.32 1 A Wire Unknocked Digital Loop 64 Kkps - Zone 3 UDL UDL4 ULPB 11.74 31.99 20.02 10.65 1.41 20.35 11.54 13.32 1 Vire Unknocke Digital Loop 64 Kkps -																	13.3
4 4 Wire Urbunded Digital Loop & KNgs- Zone 1 1 3 UDL UDL66 69.24 20701 14138 99.70 44.18 20.35 10.54 13.32 1 4 Wire Urbunded Digital Loop & KNgs- Zone 2 2 UDL UDL64 41/47 20701 14138 99.70 44.18 20.35 10.54 13.32 1 4 Wire Urbunded Digital Loop & KNgs- Zone 3 3 UDL UDL64 44.74 20701 141.38 99.70 44.18 20.35 10.54 13.32 1 CLEC to CLEC Conversion Charge without outside dispatch UDL UREWO 102.28 49.82 0.0 10.4 13.32 1 2.Wire Urbanded Digital Cope K Logo-Designed including manual service 1 1 UCL UCLPB 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2.Wire Urbanded Coper Loop-Designed including manual service 1 3 UCL UCLPB 29.37 31.99 20.02 10.65 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>13.3</td>																	13.3
4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 1 UDL UDL64 27.68 207.01 141.38 90.70 44.18 20.35 10.54 13.32 11 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL64 68.24 207.01 141.38 90.70 44.18 20.35 10.54 13.32 11 2 Wire Unbundled Digital Loop 64 Kbps - Zone 3 3 UDL UDL4 68.24 207.01 141.38 90.70 44.18 20.35 10.54 13.32 11 2 Wire Unbundled COPPER LOOP UDL URE WO 122.28 48.82 20.85 10.54 13.32 11 2 Wire Unbundled COPPER LOOP UCLP UCLP UCLP 1.4 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2 Wire Unbundled CopPER LOOP UCLP UCLP UCLP 1.4 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 32.2 1 31																	13.3
4 Wire Unkunded Digital Logo 64 Kbps - Zone 2 2 UDL UDL64 44.147 207.01 141.38 90.70 44.18 -20.35 10.54 13.32 1 4 Wire Unkunded Digital Logo 64 Kbps - Zone 3 3 UDL UDL64 66.24 207.01 141.38 90.70 44.18 -20.35 10.54 13.32 1 2-WIRE Unkunded Opper Logo-Designed including manual service - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -																	13.3
4 4 Wire Unkunded Dipital Loop 64 Kbps - Zone 3 3 UDL UDL64 69.24 207.01 141.38 90.70 44.18 20.35 10.54 13.32 1 2 WRE Unkunded COPER LOOP Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge without outside dispatch Image: Construction Charge withou construction Charge witho																	13.3 13.3
CLEC is CLEC Conversion Charge without outside dispatch UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL UREWO UDL																	13.3
2-WRE Unbundled COPER LOOP I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I </td <td></td> <td>CLEC to CLEC Conversion Charge without outside dispatch</td> <td></td> <td>Ŭ</td> <td></td> <td></td> <td>00.24</td> <td>102.28</td> <td>49.82</td> <td>50.70</td> <td>44.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>13.3</td>		CLEC to CLEC Conversion Charge without outside dispatch		Ŭ			00.24	102.28	49.82	50.70	44.10						13.3
Inguiry Acadity reservation - Zone 1 I IUCL UCLPB 11.74 31.99 20.02 10.65 1.41 20.55 10.54 13.32 1 Inguiry Acadity reservation - Zone 2 I 2 UCL UCLPB 17.55 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 Inguiry Acadity reservation - Zone 2 I 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 Inguiry Acadity reservation - Zone 3 I 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 Inguiry and locity reservation - Zone 3 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 Inguiry and locity reservation - Zone 3 I 3 UCL UCLPW 17.59 31.99 20.02 10.65 1.41	2-WIRE																
2:Wire Unburdied Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2 I 2 UCL UCLPB 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2:Wire Unburdied Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 I 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2:Wire Unburdied Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I UCL UCLPW 17.75 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2:Wire Unbundied Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2:Wire Unbundied Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54		2-Wire Unbundled Copper Loop-Designed including manual service															í
Inquiry & facility reservation - Zone 2 I Z UCL UCLPB 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3 I 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I UCL UCLPW 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1			1	1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2 Wire Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 1 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 1 1 UCL UCLPW 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 1 2 UCL UCLPW 11.75 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 1 3 UCL UCLW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Uire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 1 3 UCL UCLW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 3.32 1 3.32 1.				~	1101		47.50	24.00	00.00	10.05				00.05	40.54	40.00	13.3
inquiry & facility reservation - Zone 3 I 3 UCL UCLPB 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2. Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I UCL UCLPW 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2. Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.56 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2. Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL WUCLPW 17.56 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2. Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 I 3 UCL WUCLPW 17.56 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des) I UCL UREWO 31.99			1	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 1 UCL UCL ULLPW 11.74 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.58 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 I 3 UCL UCLPW 17.58 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des) I UCL UCL UREWO 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 4-WIRE COPERE LooD- Designed including manual service inquiry and facility reservation - Zone 1 I UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1			1	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 I 3 UCL UCLPW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to OLEC Conversion Charge without outside dispatch (UCL- Des) I UCL UCLW 19.99 20.02 10.65 1.41 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 I UCL UCLS 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 2 UCL UCLS 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 13.32 1		2-Wire Unbundled Copper Loop-Designed without manual service															
inquiry and facility reservation - Zone 2 I 2 UCL UCLPW 17.59 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 I 3 UCL UCLPW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des) I UCL UREWO 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 I UCL UREWO 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 I UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I I I UCL4S 32.93 122.76 85.57 <td< td=""><td></td><td></td><td>1</td><td>1</td><td>UCL</td><td>UCLPW</td><td>11.74</td><td>31.99</td><td>20.02</td><td>10.65</td><td>1.41</td><td></td><td></td><td>20.35</td><td>10.54</td><td>13.32</td><td>13.3</td></td<>			1	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
2-Wire Unbunded Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 1 3 UCL UCLPW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to LEC Conversion Charge without outside dispatch (UCL- Des) 1 UCL UREWO 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 4-WIRE COPPER LOOP 1 UCL UREWO 31.99 20.02 10 20.35 10.54 13.32 1 4-WIRE COPPER LOOP 1 UCL UREWO 31.99 20.02 10 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 1 1 UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 1 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Desi							17.50	04.00		10.05				00.05	10.54	10.00	10.0
inquiry and facility reservation - Zone 3 I 3 UCL UCLPW 29.37 31.99 20.02 10.65 1.41 20.35 10.54 13.32 1 CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des) I U UREWO 31.99 20.02 Intervention 20.35 10.54 13.32 1 4-WIRE COPPER LOOP I U UCLW UREWO 31.99 20.02 Intervention 20.35 10.54 13.32 1 4-WIRe Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 I UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.3			1	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des) I UCL UREWO 31.99 20.02 0 20.35 10.54 13.32 1 4-WIRE COPPER LOOP I I UCL UCL UCL ULREWO 31.99 20.02 0 20.35 10.54 13.32 1 4-WIRE COPPER LOOP I I I UCL UCL UCL UCL Image: Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct (Correct				3	LICI		29.37	31.99	20.02	10.65	1 41			20.35	10 54	13 32	13.3
Des) I UCL UREWO 31.99 20.02 Composition 20.35 10.54 13.32 1 4-WIRE COPPER LOOP 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 I 1 UCL UCL ULL 20.85 31.99 20.02 Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition Composition <td></td> <td></td> <td></td> <td>5</td> <td>UCL</td> <td>OCEI W</td> <td>23.51</td> <td>51.55</td> <td>20.02</td> <td>10.05</td> <td>1.41</td> <td></td> <td></td> <td>20.55</td> <td>10.54</td> <td>10.02</td> <td>10.0</td>				5	UCL	OCEI W	23.51	51.55	20.02	10.05	1.41			20.55	10.54	10.02	10.0
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 I 1 UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2			1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
Image: Servation - Zone 1 I 1 UCL UCL4S 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Image: Ima	4-WIRE																
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I 1 UCL UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I 1 UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I								100 70	05.53	70.05	00.40			00.05	10.54	10.00	10.0
facility reservation - Zone 2 I 2 UCL UCL4S 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 1 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			1	1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3 I 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I 1 UCL UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 1 UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and I 2 UCL4W 32				2	LICI		32.93	122.76	85 57	76 35	39.16			20.35	10 54	13 32	13.3
facility reservation - Zone 3 I 3 UCL UCL4S 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 I UCL UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I UCL UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and I 2 UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and I 2 UCL4W 32.93 122.76 85.57 76.35 39.16 <td></td> <td></td> <td></td> <td>-</td> <td></td> <td>001-10</td> <td>52.95</td> <td>122.10</td> <td>00.07</td> <td>70.35</td> <td>33.10</td> <td></td> <td></td> <td>20.00</td> <td>10.34</td> <td>10.02</td> <td>10.0</td>				-		001-10	52.95	122.10	00.07	70.35	33.10			20.00	10.34	10.02	10.0
facility reservation - Zone 1 I I UCL UCL4W 21.98 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4W 32.93 122.76 85.57 76.35 39.16 Image: Comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison of the comparison		facility reservation - Zone 3	1	3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2 I 2 UCL UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and 4-Wire Copper Loop-Designed without manual service inquiry and I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I<																	
facility reservation - Zone 2 I 2 UCL UCL4W 32.93 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1 4-Wire Copper Loop-Designed without manual service inquiry and 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1			1	1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3
4-Wire Copper Loop-Designed without manual service inquiry and				2			32.02	122.76	85 57	76.25	30.16			20.25	10.54	13.22	13.3
facility reservation - Zone 3 I 3 UCL UCL4W 54.99 122.76 85.57 76.35 39.16 20.35 10.54 13.32 1					JUL .	00L+W	32.93	122.70	00.07	70.35	39.10			20.35	10.34	10.02	13.3
			1	3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.3

UNBU		NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-							_	Nonrecurring		Nonrecurring	Disconnect			OSS	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch (UCL-															
		Des)	1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52					0.00	0.00	0.00	0.00
					UEA, UDN, UAL,	0000		0.4.00								0.00	
LOOP	MODIFIC	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL	OCOSL		34.29						0.00	0.00	0.00	0.00
LUOP		ATION			UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair			UEANL, UEPSR,												
		less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40					20.35	10.54	13.32	13.32
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
		than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
					UAL, UHL, UCL,												
		University of Lange Markfreeting, Despected of Deidend Tag. Despected			UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44					20.35	10.54	13.32	13.32
SUB-LO	OOPS	מווטמוומופע וטסף		-	UEF3B	ULIVIBI		05.44	05.44					20.35	10.54	13.32	13.32
000 2		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1		UEANL	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
		Set-Up			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
-		Sub-Loop - Per Building Equipment Room - Per 25 Pail Parlet Set-Op Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	03630		106.00	106.06					20.35	10.54	13.32	13.32
		Statewide		sw	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
		olitomas		0	02,412	002112	10.02	110.01	112.01	10.11	00.00			20.00	10.01	10.02	10.02
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone															
		1		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		-													
		2 Out Loop Distribution Des 4 Wiss Analys Maios Conde Loop - Zone		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.32
		5		3	ULANL	03BIN4	10.30	100.05	51.20	74.00	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR2	1.35		29.35					20.35	10.54	13.32	13.32
-		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	1		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
1	1		1	1		USBMC		24.00	04.00					0.00	0.00	0.00	0.00
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEANL UEANL	USBMC URET1		34.29 57.67	34.29					0.00	0.00	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44					0.00	0.00	0.00	0.00
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS2X	4.67		25.75	70.82	9.55			20.35	10.54	13.32	13.32
	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	6.99		25.75	70.82	9.55	1		20.35	10.54	13.32	13.32
	1	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I		UEF	UCS2X	11.67		25.75	70.82	9.55			20.35	10.54	13.32	13.32
	T		1														
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	<u> </u>	UEF	USBMC	ļ	34.29	34.29					0.00	0.00	0.00	0.00
<u> </u>	<u> </u>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.85		26.08	74.08	11.55	I		20.35	10.54	13.32	13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS4X UCS4X	8.76 14.63		26.08 26.08	74.08 74.08	11.55 11.55			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	00548	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.32
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		34.29	34.29					0.00	0.00	0.00	0.00
-	1	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-	1	<u> </u>		0000/00	1	54.28	54.29	1 1		1		0.00	0.00	0.00	0.00
1		Designed and Distribution Subloops	1	1	UEF, UEANL	URETL		8.95	0.88								
		Loop Testing - Basic 1st Half Hour			UEF	URET1	<u> </u>	57.67	0.00					0.00	0.00	0.00	0.00
		Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37.44					0.00	0.00	0.00	0.00
	Unbund	dled Sub-Loop Modification										I					

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	1 Zone	BCS	USOC		Nonzor	RATES(\$)	Name	Discor	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
<u> </u>		-			-	Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						11130	Add1	11130	Addi	JOINEO	JOINAN	JONIAN	JOINAN	JOINAN	JONIAN
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82					20.35	10.54	13.32	13.32
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled			UEF	ULMBT		528.48	9.74					20.35	10.54	13.32	13.32
Unb	undled Network Terminating Wire (UNTW)	1			OLINDI		020.40	0.14					20.00	10.04	10.02	10.02
	Unbundled Network Terminating Wire (UNTW) per Pair	I		UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.32
Netv	work Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines		-	UENTW	UND16		63.46	31.06	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W Network Interface Device Cross Connect - 4W	+		UENTW UENTW	UNDC2 UNDC4		8.75 8.75	8.75 8.75		1			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	R, PROVISIONING ONLY - NO RATE	-		UENTW	UNDC4		0.75	0./5					20.35	10.54	13.32	13.32
SIL OTHER	NID - Dispatch and Service Order for NID installation	+	-	UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	+	UENTW	UENCE	0.00	0.00							1	1	t
		1		UEANL,UEF,UEQ,UE							1					1
	Unbundled Contract Name, Provisioning Only - No Rate			NTW UAL,UCL,UDC,UDL,	UNECN	0.00	0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL	UNECN	0.00	0.00									
Note	e (1): Rates provided in TN for both electronic and manual Loop M	akeup a	are inter	rim and subject to ret	ro-active true	e-up adjustmen	ts pending a pe	rmanent rate r	uling on these	rate elements f	rom the Ten	nessee Reg	ulatory Autho	ority.		-
LOOP MAKE			-													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).	R		ИМК	UMKLW		0.76	0.76					0.00	0.00	0.00	0.00
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual). Loop MakeupWith or Without Reservation, per working or spare	R		UMK	UMKLP		0.76	0.76					0.00	0.00	0.00	0.00
LINE SHARIN	facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76					0.00	0.00	0.00	0.00
	TE 1: The Line Sharing monthly recurring rates for all installations	comple	eted fro	m October 02, 2003 th	rough midni	aht October 01	2004 shall be b	illed as follow	s [.]							
	E 1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled cop					9.11 0 010 001 01	200101111001									
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND			,												
NOT	E 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	E 1: Above will apply to USOCS: ULSDT and ULSCT															
	DTE 2: The Line Sharing monthly recurring rates with USOCs ULS	DC and I	ULSCC	applies only to circui	its installed a	nd inservice o	n or before Octo	ober 1, 2003								
	SHARING															
SPLI	ITTERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity		-	ULS	ULSDA	100.00 25.00	150.00	0.00	0.00	0.00			20.35	10.54 10.54	13.32	13.3
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-deactivatior		-	ULS	ULSDB	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.3
	(per LSOD)	1		ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.3
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING			010	01000		100.00	0.00	02.171	0.00			20.00	10.01	10.02	10.02
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.94	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, BST owned splitter -	1	1	010	01001	2.94	40.00	31.39	0.00	0.00			20.35	10.34	13.32	10.04
	Central Office Located (50% of UCLND) - please see NOTE 1				UL ODT	5.07	40.00	04.00	0.00				00.05	10.54	40.00	10.00
	(E:10/2/2004)		-	ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (75% of UCLND) - please see NOTE 1			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
	(E:10/2/2005)			010	OLODI	0.01	40.00	51.55	0.00	0.00			20.00	10.34	10.52	10.02
	(E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BS)	-														
	Line Sharing - per Subsequent Activity per Line Rearrangement(BS1 Owned Splitter)			ULS	ULSDS		30.00	15.00					20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST			ULS	ULSDS ULSCS		30.00 30.00	15.00 15.00					20.35 20.35	10.54 10.54	13.32 13.32	
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - por Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter -															
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSCS	2.04	30.00	15.00	0.00	0.00			20.35	10.54	13.32	13.32
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)					2.94			0.00	0.00						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter) Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1			ULS	ULSCS	2.94	30.00	15.00	0.00	0.00			20.35	10.54	13.32	13.32

	NETWORK ELEMENTS - Tennessee		1		1	1					Svo Order	Svc Order		ment: 2		bit: A
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrecurring		Nonrecurring		001150	001111		Rates(\$)		
_	Line Share Service, TRO per line activation, CLEC owned splitter -	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3
	NANCE			ULS	ULSUI	0.01	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.3.
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00					0.00	0.00	0.00	0.0
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50					0.00	0.00	0.00	0.0
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00					0.00	0.00	0.00	0.00
	EDICATED TRANSPORT															
INTERO	FFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.5
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
ALING (CC	S7)															
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	138.41										
	CCS7 Signaling Connection, Per DS1 level link (A link)			UDB	TPP6A	17.84	130.84	130.84					20.35	0.00	0.00	0.0
	CCS7 Signaling Connection, Per DS3 level link (A link)			UDB	TPP9A	17.84	130.84	130.84					20.35	0.00	0.00	0.0
	CCS7 Signaling Connection, Per DS1 level link (B link) (also known as D link)			UDB	TPP6B	17.84	130.84	130.84					20.35	0.00	0.00	0.0
	CCS7 Signaling Connection, Per DS3 level link (B link) (also known as D link)			UDB	TPP9B	17.84	130.84	130.84					20.35	0.00	0.00	0.0
	Signaling Point Code, per Originating Point Code Establishment or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	0.00	0.00	0.0
	TENDED LINK (EELs)															
	The monthly recurring and non-recurring charges below will ap										nts.					
	The monthly recurring and the Switch-As-Is Charge and not the DED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GF					combinations	provisioned as	· Currently Co	mbined [,] Networ	K Elements.						
EATENL	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.20	10.42	0.00	0.0
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		1	UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge	1	1	UNCVX	UNCCC	.0.00	52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.0
	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GR		TEROE				52.13	24.02	3.1Z	5.12			31.20	10.42	0.00	0.0
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	4-WireVG Loop in combination - Zone 2	1	2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	4-WireVG Loop in combination - Zone 3	1		UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42	0.00	0.0
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Interoffice Transport - 4-wire VG - Dedicated - Facility Termination			UNCVX	1L5XX	0.0174										
	per month	1		UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	8.6
	Nonrecurring Currently Combined Network Elements Switch -As-Is															

Version 06/29/04

UNBUNDLED	ONETWORK ELEMENTS - Tennessee											-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS	INTERC	-													1
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0174										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															i
	Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is						50.70	04.00	0.40	0.40			04.00	40.40	0.00	0.00
EXTEN	Charge DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS				UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.66	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per		3	UNCDA	UDL04	09.24	100.70	55.47	12.54	10.80			20.33	10.34	13.32	0.00
	Mile per month			UNCDX	1L5XX	0.0174										l
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	EROFFIC	E TRA	NSPORT												(
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
EXTEN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTE	ROFFIC	ETRA	NSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	10.54	13.32	0.00
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.54
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			31.26	10.42	0.00	0.00
ADDITIONAL N	ETWORK ELEMENTS	1											0			
	used as a part of a currently combined facility, the non-recurrng															
	used as ordinarily combined network elements in All States, the					Is Charge does	not.									l
Nonrec	curring Currently Combined Network Elements "Switch As Is" Cl	harge (C	ne app	plies to each combir	nation)								 			ł
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62	0.00	0.00
	Nonrecurring Currently Combined Network Elements Switch -As-Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54	0.00	0.00
	aneous INRC - Order Coordination Specific Time - Dedicated Transport	1		UN1CX	OCOSR		18.93	18.93					0.00	0.00	0.00	0.00